

833-54
JUN 13 1969

P I O N E E R
ALGAE CONTROL

POWERFUL ALGAEICIDE FOR SWIMMING POOLS

ACTIVE INGREDIENTS:

Methyldodecylbenzyl trimethyl ammonium
chloride 8.0%
Methyldodecylxylylene, bis tremethyl
ammonium chloride 2.0%

INERT INGREDIENTS: 90.0%

CAUTION:--KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed

SEE SIDE PANEL FOR MORE CAUTIONS

Distributed By

PIONEER SALT & CHEMICAL COMPANY
940 N. Delaware Ave., Philadelphia, Pa. 19123

(215) MA 7-1200

BACK PANEL

PIONEER ALGAE CONTROL will suppress growth of algae when applied in use direction. It is fully compatible with the usual chemicals used in water treatment.

Algae thrives in sunlight and turns water cloudy and green. The use of **PIONEER ALGAE CONTROL** leaves pools with attractive, sparkling water.

DIRECTIONS

Add one gallon of **PIONEER ALGAE CONTROL** to each 25,000 gallons of water to a clean pool. After first application, add only one gallon to each 50,000 gallons of water every seven days.

Distribute over entire pool area. When bathing load is increased add more frequently. Also after every rainfall add 1 gallon to 50,000 gallons. The above is applicable when no visible algae are present.

CAUTION: Do not mix with soap or anionic detergents.

Avoid contamination of foods.

Avoid contact with skin in concentrated form. Avoid contact with eyes. In case of contact wash thoroughly with water. If eye irritation persists, get medical attention.

Rinse empty container with water before discarding.


4323

Contents: One Gallon

USDA Reg. No. 833-_____

PIONEER SALT & CHEMICAL COMPANY

NET CONTENTS _____ LBS.



WEED-FREE SCB-8P

FOR NON-SELECTIVE OR INDUSTRIAL WEED CONTROL

ACCEPTED
1022-42
APR 4 1968
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND MITICIDE ACT
FOR THE CONTROL OF PESTS
REGISTERED UNDER THE ACT
SUBJECT TO ATTACHED CONDITIONS

READ THIS LABEL BEFORE USING PRODUCT

GENERAL INFORMATION

WEED-FREE SCB 8P is recommended for non-selective weed control along roadways, railroads, highway guardrails, driveways, walks, paths around buildings, on industrial sites and in similar non-cropped areas. It controls many broadleaf and grassy weeds and application should be made in the fall, winter or spring, prior to weed emergence

WEED-FREE SCB 8P controls both broadleaf weeds and grasses. It is most effective as a pre-emergence herbicide and should be applied just prior to, or during, weed emergence. It is non-corrosive, non-inflammable, has low electrical conductivity and is low in toxicity to man and animals.

WEED-FREE SCB 8P acts through the roots and its effect on weeds is therefore dependent upon rainfall to move the chemical into the root zone. Excessively dry soil conditions and absence of rain may result in poor weed control.

INGREDIENT STATEMENT

ACTIVE

Simazine (2-chloro-4,6-bis
(ethylamino)-s-triazine
Sodium chlorate
Sodium metaborate

INERTS:

8.00%
40.00%
42.50%
9.50%
100.00%

DIRECTIONS FOR USE

WEED-FREE SCB 8P should be distributed uniformly over the soil surface by means of a cyclone spreader or other suitable mechanical application. For treatment of small areas, application by hand may be adequate.

NON-SELECTIVE OR INDUSTRIAL WEED CONTROL

Use 200 lbs. of WEED-FREE SCB 8P per acre prior to, or during, weed emergence for control of species such as barn grass, witch grass, yellow foxtail, wild oats, crabgrass, quackgrass, broadleaf plantain, lambsquarters, pigweed, ragweed, nightshade, purslane, velvet leaf and mustard. For longer residual action on control of more resistant perennials such as bull nettle, use 250 lbs. per acre. For best results, application should be made during winter or early spring. For spot treatments, use 3-5 lbs. of WEED-FREE SCB 8P per 1,000 sq. ft.

NON-WARRANTY

Neither the Manufacturer nor the seller makes any representation or warranty, expressed or implied concerning this product, except that of the Manufacturer's standard quality. Neither shall be held responsible in any manner for any personal injury, property damage or other loss resulting from the improper handling, storage and use of this product. The buyer accepts and uses this product on these conditions.

CAUTION

KEEP OUT OF REACH OF CHILDREN!

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Avoid inhalation of dust.

Avoid drift to desirable plants. Do not apply to areas underlaid by roots of desirable trees or shrubs. Do not contaminate water used for irrigation or domestic purposes.

USDA Reg. No. 1022

MANUFACTURED BY CHAPMAN CHEMICAL COMPANY, MEMPHIS, TENNESSEE

NET CONTENTS ___ LBS.

ACCEPTED
1022-422
APR 4 1958
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR 1022-422 REGISTERED
ED UNDER NO. 1022-422 SUBJECT
TO ALL LABEL REQUIREMENTS.

WEED-FREE SCB 8P

FOR NON-SELECTIVE OR INDUSTRIAL WEED CONTROL

INFORMATION

Recommended for non-selective weed control on highway guardrails, driveways, industrial sites and in similar non-cultivated areas. Controls broadleaf and grassy weeds and is effective when applied in the fall, winter or spring, prior to

controls both broadleaf weeds and grasses. It is a non-selective herbicide and should be applied during the dormant period of the weeds. It is non-corrosive, non-inflammable, and has a low toxicity to man and animals.

Although the roots and its effect on weeds is slow, it does move the chemical into the root zone. In the absence of rain may result in poor weed control.

READ THIS LABEL BEFORE USING PRODUCT

INGREDIENT STATEMENT

ACTIVE

Simazine (2-chloro-4,6-bis
(ethylamino)-s-triazine)
Sodium chlorate
Sodium metaborate

INERTS:

8.00%
40.00%
42.50%
9.50%
100.00%

DIRECTIONS FOR USE

WEED-FREE SCB 8P should be distributed uniformly over the soil surface by means of a cyclone spreader or other suitable mechanical application. For treatment of small areas, application by hand may be adequate.

NON-SELECTIVE OR INDUSTRIAL WEED CONTROL

Use 200 lbs. of WEED-FREE SCB 8P per acre prior to, or during, weed emergence for control of species such as barnyard grass, witch grass, yellow foxtail, wild oats, crabgrass, quackgrass, broadleaf plantain, lambsquarters, pigweed, ragweed, nightshade, purslane, velvet leaf and mustard. For longer residual action and for control of more resistant perennials such as bull nettle, use 250 lbs. per acre. For best results, application should be made during the fall, winter or early spring. For spot treatments, use 3-5 lbs. of WEED-FREE SCB 8P per 1,000 sq. ft.

NON-WARRANTY

Neither the Manufacturer nor the seller makes any representation or warranty, expressed or implied concerning this product, except that it is of the Manufacturer's standard quality. Neither shall be held responsible in any manner for any personal injury, property damage or other type of loss resulting from the improper handling, storage and use of this product. The buyer accepts and uses this product on these conditions.

CAUTION

KEEP OUT OF REACH OF CHILDREN!

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Avoid inhalation of dust.

Avoid drift to desirable plants. Do not apply to areas underlaid by roots of desirable trees or shrubs. Do not contaminate water used for irrigation or domestic purposes.

WEED-FREE SCB-8P

FOR NON-SELECTIVE OR INDUSTRIAL WEED CONTROL

NET CONTENTS ___ LBS.

1622 422

Non-selective weed
kills driveways,
and in similar non
sandy weeds and
prior to

ACTIVE INGREDIENTS STATEMENT
Simazine (2-chloro-4,6-bis
(s-triazine)-s-triazine
Sodium chlorate
Sodium metaborate

8.00%
40.00%
42.50%
9.50%
100.00%

DIRECTIONS FOR USE

WEED-FREE SCB-8P should be distributed uniformly over the soil surface by means of a cyclone spreader or other suitable mechanical application. For treatment of small areas, application by hand may be adequate.

NON-SELECTIVE OR INDUSTRIAL WEED CONTROL

Use 200 lbs. of WEED-FREE SCB-8P per acre prior to, or during, weed emergence for control of species such as barnyard grass, wild grass, yellow foxtail, wild oats, crabgrass, quail grass, broadleaf plantain, lambsquarters, pigweed, ragweed, nightshade, purslane, velvet leaf and mustard. For longer residual action and for control of more resistant perennials such as bull thistle, use 250 lbs. per acre. For best results, application should be made during the fall, winter or early spring. For spot treatments, use 3-5 lbs. of WEED-FREE SCB-8P per 1000 sq. ft.

NON-WARRANTY

No warranty is made by the manufacturer as to the performance of this product under conditions other than those stated on the label. The user assumes all responsibility for the results obtained from the use of this product. The manufacturer is not responsible for any damage to property or persons caused by the use of this product.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid contamination of feed and foodstuffs. Avoid inhalation of dust.

Avoid drift to desirable plants. Do not apply to areas underlaid by roots of desirable trees or shrubs. Do not contaminate water used for irrigation or domestic purposes.

weeds and grasses
should be applied
toxic, non-flammable,
to man and animals.

is effect on weeds is
into the root zone.
result in poor weed