




BROMACIL 4P

A NON-SELECTIVE WEEDKILLER

BROMACIL 4P is a granular non-selective weedkiller designed to be applied dry to the surface of the ground for control of weeds. The kill of weeds may be slow as the chemical is absorbed through roots of weeds and must be carried to root zone by moisture. It is low in toxicity to man and animals when applied according to directions. The degree of control and duration of effect will vary with the amount of chemical applied, soil type, rainfall, and other conditions.

DIRECTIONS

Before applying, measure area to be treated and select rate per acre desired to get amount needed for treatment. Calibrate over a small area and get even coverage with the rate/acre selected. A Seeder or Granular Herbicide Applicator may be used. 2 1/3 cups of BROMACIL 4P per 100 sq. ft. is approximately 400 lbs. broadcast per acre rate.

GENERAL WEED CONTROL

To control most weeds for an extended period of time on non-crop land such as Utility, Highway, Pipeline and Railroad Right of Way, Petroleum Tank Farms, Lumberyards, Storage Areas, Industrial Plant Sites, and around Farm Buildings, apply 60 to 120 lbs. per acre to control ANNUAL WEEDS and GRASSES such as foxtail, crabgrass, ragweed, and lambs'-quarters.

ACTIVE INGREDIENTS:

Bromacil (5-bromo-3-sec-butyl-6-methyluracil) *

INERT INGREDIENTS

By wt.

4.00%

96.00%

TOTAL — 100.00%

*U.S. Pat. Pending, E.I. DuPont de Nemours & Company

CAUTION

KEEP OUT OF THE REACH OF CHILDREN.

Do not store with foodstuffs. Store in cool, dry place. Do not leave container where children or animals may take internally. Harmful if swallowed. Avoid contact with skin and clothing. May cause irritation of eyes, nose, throat and skin. Avoid breathing dust. Avoid contact with eyes. Avoid use on or near turf, valuable trees or other desirable plants. Special care should be taken against application in the root areas of trees and shrubs. Do not contaminate water used for irrigating or drinking. Wash clothing and equipment after application.

For best results, vegetation should be cleared before treatment. This reduces fire hazard of dead weeds and aids in getting more even coverage of the area.

Apply 60 to 120 lbs. per acre to control ANNUAL WEEDS and GRASSES such as foxtail, crabgrass, ragweed, and lambs'-quarters. Apply 60 to 120 lbs. per acre to control PERENNIAL GRASSES such as timothy, orchard grass, bermudagrass, and vascigra.

Use the higher levels of the dosage rates on adsorptive soils (usually those high in organic matter or carbon). Make application of BROMACIL 4P just before or during the period of active growth of weeds.

NOTE

For best results, vegetation should be cleared before treatment. This reduces fire hazard of dead weeds and aids in getting more even coverage of the area.

Neither the Manufacturer nor the seller makes any representation or warranty, expressed or implied concerning this product, except that it is of the Manufacturer's standard quality. Neither shall be held responsible in any manner for any personal injury, property damage or other type of loss resulting from the improper handling, storage and use of this product. The buyer accepts and uses this product on these conditions.

U.S. Pat. No. 2,877,000

MANUFACTURED BY CHAPMAN CHEMICAL COMPANY, MEMPHIS, TENNESSEE.

NET CONTENTS 50 LBS.

WEED-FREE[®] 58 CBB-2.5P

A NON-SELECTIVE WEED AND BRUSH KILLER FOR DRY APPLICATION ONLY

READ THIS LABEL BEFORE USING PRODUCT

WEED-FREE 58 CBB-2.5P

A pelleted non-selective weed killer designed to be applied dry to the surface of the ground for control of weeds and grasses. The product is formulated for use on industrial and other non-crop areas where lasting residual effect is desired.

WEED-FREE 58 CBB-2.5P must be spread uniformly at rates given for effective weed control. Apply with a Spreader or Granular Herbicide Applicator. Killing action is primarily through the roots of plants, so moisture is required after application to carry the chemical to the root zone. With too little moisture, results may be slow to appear. Avoid application in hot dry weather.

DIRECTIONS

FOR ANNUALS or SHALLOW ROOTED PLANTS — Apply 0.5 pound per 100 Square Feet. Make application in the Spring or when weeds are small.

FOR PERENNIAL AND DEEP ROOTED PLANTS — apply at the rate of 200 to 400 lbs. per acre; on smaller plots, 0.5 to 1.0 lbs. per 100 square feet. Where Johnson, Bermuda and Vasey grasses are a serious problem the heavier rate should apply.

Make application when weeds and grasses are not over a few inches high. Peak vegetation should be cleared before treatment. This reduces likelihood of dead weeds and aids in getting more even coverage of the area.

INGREDIENT STATEMENT

ACTIVE INGREDIENTS

Sodium chlorate 58.00%
Sodium tetraborate pentahydrate 39.35%
Bromacil (5-bromo-3-sec-butyl-6-methyluracil) ** 2.51%

INERT INGREDIENTS 0.15%

TOTAL — 100.0%

Harmful if swallowed. May cause irritation of eyes, nose, throat, and skin. Avoid breathing dust. Avoid contact with skin, eyes, and clothing. Avoid handling with bare hands on hands and wear gloves. Do not take internally. In case of contact, wash skin with soap and water; for eyes, immediately flush with large amounts of water for at least 15 minutes, and get medical attention. Remove and wash contaminated clothing before re-use.

Keep out of the reach of children and domestic animals.

Avoid contamination of feed and foodstuffs, animals, and seed. Avoid contamination of irrigation water.

Destroy container after use -- if by fire, STAY OUT OF SMOKE.

USDA Reg. No. 1022-

IMPORTANT

Do not apply on or near desirable trees or other plants, or on other areas where their roots may extend, or in locations where the chemical may be washed or moved into contact with their roots. DO NOT use on lawns, walks, driveways, tennis courts, or similar areas. DO NOT apply near desirable plants. DO NOT contaminate domestic waters. Thoroughly clean application equipment after use. DO NOT use equipment with which product has been applied for applying insecticides, fungicides, and fertilizers as plant injury may result.

DO NOT STORE WITH FOODSTUFFS
STORE IN A COOL, DRY PLACE

Avoid Direct Contact with Ground or Concrete Floors

ACCEPTED

MAR 3 1969

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENT CIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 1022-449 SUBJECT
TO ATTACHED COMMENTS.

Neither the Manufacturer nor the seller makes any representation or warranty, expressed or implied concerning this product, except that it is of the Manufacturer's standard quality. Neither shall be held responsible in any manner for any personal injury, property damage or other type of loss resulting from the improper handling, storage and use of this product. The buyer accepts and uses this product on these conditions.

USDA Reg. No. 1022-

MANUFACTURED BY

CHAPMAN CHEMICAL COMPANY

MEMPHIS, TENNESSEE

Camerasman's Note
Poor Copy