

OL-KAP GREASE

For the treatment of vulnerable wood pole tops . . .

. . . Deep penetration kills existing decay . . .

Permanently seals and protects against future damage.

## **INGREDIENTS**

**ACTIVE INGREDIENTS:** Pentach lorophenol. Other Chlorinated Phenols

9.05%

1.05% 89.90%

\*Equivalent to 10.5% pentachlorophenol, technical as defined by Federal Spec. TT-W-570a.

## DIRECTIONS FOR USE

POL-KAP GREASE is especially designed for use on the tips of new poles, retired poles being returned to service and standing poles already in service. Application can be made by using a paddle

A 12 inch layer of POL-KAP GREASE should be applied to the tops of each pole, to the sides of the pole extending downward 1 inch from the top.

For best results application should be covered by polyethylene coated paper which is stapled down to the sides of the poles, aiding the penetration of the preservative into the pole top.

# WARNING

#### KEEP OUT OF THE REACH OF CHILDREN'

Harmful if swallowed or absorbed through skin. Causes skin irritation. Do not breathe vapor. Do not got in eyes, on skin or on clothing. Wash thoroughly after handling with plenty of soap and warm ACCEPTE Dater. In case of swallowing, induce vomiting by administering an emetic. CALL A PHYSICIAN. Inflammable . . . Keep away from foodstuffs, pets and livestock.

This product is toxic to fish and wildlife. Do not contaminate water by cleaning of equipment, or disposal of wastes.

UNDER THE FEDERAL INSECTICIES on treuse container. Destroy when empty, FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON HEGISTER ED UNDER NO 1022-469

Contains POL-NU" - The Modern Wood Preservative

EPA REG. NO. 1022- 1-7-

## **NON-WARRANTY**

Neither the manufacturer nor the seller makes any representation or warranty, expressed or implied concerning this product, except that it is of the manufacturer's standard quality. Neither shall be held responsible in any manner for any personal injury, property damage or other type of loss resulting from the improper handling, storage and use of this product. The buyer accepts and uses this product on these conditions.

MANUFACTURED BY

CHAPMAN CHEMICAL COMPANY MEMPHIS TENNESSEE, U.S.A.