

ACCEPTED
with COMMENTS
to EPA Letter Dated:

APR 11 1983

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended
registered



Vorlex

FUMIGANT FOR PROTECTION OF UTILITY POLES AGAINST DECAY

Only to be used by qualified people employed by utility companies or companies contracting for maintenance of utility poles.

E. P. A. REGISTRATION NO. 2139-55

ACTIVE INGREDIENTS 100%

Chlorinated C₁ hydrocarbons, (1, 2 dichloropropane and 1, 3 dichloropropene and other related compounds)

30%

Methyl isothiocyanate

20%

Total 100%

KEEP OUT OF
REACH OF CHILDREN

**POISON
DANGER**

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

HAZARDOUS VAPOR AND LIQUID. MAY BE FATAL IF INHALED, SWALLOWED, OR ABSORBED THROUGH SKIN. CAUSES BURNS OF SKIN AND EYES. MAY PRODUCE KIDNEY AND LIVER DAMAGE UPON PROLONGED EXPOSURE.

Do Not Breathe Vapor. Do Not Get In Eyes, On Skin Or On Clothing. Do Not Take Internally. Use Only With Adequate Ventilation. Wear Eye And Skin Protection Necessary To Prevent Contact When Handling. Wash Thoroughly After Handling And Before Eating Or Smoking.

If protective gear, such as boots or gloves, becomes contaminated, immediately wash with soap and water. Never wear protective gear having the odor of Vorlex. Aerate and wash all protective gear thoroughly after use until all odor is gone. Render unusable and dispose of contaminated leather goods, including shoes.

STATEMENT OF PRACTICAL TREATMENT

IF INHALED, remove to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. If breathing is difficult, give oxygen. Call a physician.

IF ON SKIN, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Call a physician. If water is not immediately available, remove excess chemical from skin with sorbent material such as towel or dry soil, then proceed at once to location where water is available and thoroughly wash contaminated skin with plenty of water. Call a physician.

IF IN EYES, immediately flush eyes with plenty of water or a 5% solution of sodium bicarbonate for at least 15 minutes; call a physician. Continue treatment with ophthalmic hydro-cortisone ointment.

IF SWALLOWED, immediately induce vomiting by giving two glasses of water and sucking finger down throat. Call a physician. Never give anything by mouth to an unconscious person.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONS
PROTECTED BY U.S. PAT. NOS. 3,285,129 3,113,988 3,248,666

NET CONTENTS: 55 GALLONS



REGISTERED TRADEMARK
NOR-AM

AGRI-CHEMICAL PRODUCTS, INC.
60566