1022-503

5

)

8/27/2003

PQ-7

CONCENTRATE FUNGICIDE FOR CONTROL OF SAPSTAIN AND MOLD IN FRESH CUT LUMBER AND TIMBER

FOR INDUSTRIAL USE ONLY

INGREDIENT STATEMENT:

ACTIVE INGREDIENT:	
Copper-8-Quinolinolate	3.24%
INERT INGREDIENTS:	96.76%
TOTAL	100.00%

CONTAINS METHANOL

EPA Reg. No. 1022-503

Manufactured by:

EPA Est. No. 1022-TN-1

م د د د ب د و ه

5.1

2 9 4 5 4 1 9 9 9 9 9 4 7 9 د د ه

ว่าง ด้ ถ่างว่า

Net Contents:

IBC Manufacturing Company 416 East Brooks Road Memphis, Tennessee 38109


PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed. Causes eye injury. Do not get in eyes, on skin, or on clothing. Do not breathe fumes. Wear goggles and rubber gloves when handling. Wash thoroughly with soap and water after handling.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



1/3

ENVIRONMENTAL HAZARDS

2/3

و د ۱ و ۱ و د

This product is toxic to fish. DO NOT discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. DO NOT discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the Environmental Protection Agency.

	FIRST AID	
IF SWALLOWED:	 Call a poison control center or doctor immediately for treatment advice. 	
	 Have person sip a glass of water if able to swallow. 	
	 Do not induce vomiting unless told by a Poison Control Center or doctor. 	
	 Do not give anything by mouth to an unconscious person. 	
IF ON SKIN OR	Take off contaminated clothing.	
CLOTHING:	 Rinse skin immediately with plenty of water for 15 – 20 minutes. 	
	 Call a Poison Control Center or doctor for further treatment advice. 	
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. 	
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.	
	 Call a poison control center or doctor for treatment advice. 	
	HOT LINE NUMBER	
	In case of emergency, call Chemtrec toll free at 800-424-9300.	
	ontainer or label with you when calling a poison control center or doctor or going	
for treatment.		

DIRECTIONS FOR USE

It is violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal.

)

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PQ-7 is a non-alkaline, water-soluble formulation of copper-8-quinolinolate which mixes readily with water. PQ-7 is supplied as a concentrate for automatic dilution with the correct amount of water, using either the Sure-Mix or Dispenser system or simple hand mixing and may then be applied to wood products by dip, spray or flowcoat.

3/3

، د د د

Freshly cut wood should be treated within 24 hours. Otherwise, fungal attack may extend below the surface of the wood, beyond the reach of a surface fungicide treatment. Remove sawdust and other debris from application apparatus daily to maintain solution effectiveness. Freshly treated lumber should be protected from rain.

BASE STRENGTH – for lumber 2 inches or less in thickness, one gallon of PQ-7 is combined with 150 gallons of water. Under average conditions, a Base Strength solution provides fungus control when applied to rough cut wood, provided drying, storage and shipment are carried out in accordance with optimum industry standards at these rates:

10 gal on 8/4 cut per 1000 board feet 15 gal on 6/4 cut per 1000 board feet 20 gal on 4/4 cut per 1000 board feet

.

)

STRONGER THAN BASE STRENGTH – Stronger solutions are needed for thicker than 2 inch lumber, for tightly bundled lumber, surfaced wood and for prolonged exposure to wet conditions. These higher-than-Base Strength solutions usually are in the range of one gallon of PQ-7 diluted with 30 to 60 gallons of water.

Smooth surfaced lumber normally retains only one-half as much fungicide solution as rough cut wood and hence needs a concentration of double the Base Strength to deposit the necessary amount of fungicide on the wood.

WARRANTY AND LIMITATION OF DAMAGES

Seller warrants to those persons lawfully acquiring title to this product that at the time of the first sale of this product by seller this product conformed to its chemical description and that it was reasonably fit for the purposes stated on the product label when used both in accordance with the Direction for Use appearing on the product label and under normal conditions of use. Buyers and users of this product assume the risk of all loss or damage from use or handling of this product that results from their failure to read and comply with the Directions for Use of this product which appear on the product label. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING 'ANY' OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY, AND NO AGENT OF SELLER IS AUTHORIZED TO DO SO. Unless expressly prohibited by state law, the liability of seller for any breach of warranty shall not exceed the purchase price of the product as to which a claim is made.

3