

# TECHNICAL BULLETIN



Our 53rd Year  
1933-1986

## CUNAPSOL-1 FOR CONTROLLING FUNGAL ROT AND WOOD DESTROYING INSECTS IN STANDING WOOD PILES POLES

1021-518

1022-518

Fungal rot and insects often attack older standing wood poles and if not controlled, they lessen the integrity of the pole. If not discovered and corrected complete failure of the pole can occur. Used according to this Technical Bulletin, Chapman Cunapsol-1 will prevent further fungal rot and will kill and prevent further attacks by termites and wood destroying beetles.

Active Ingredient: Copper Naphthenate.....9.08%  
(Equivalent to 1% Metallic Copper)  
Inert Ingredients.....90.92%

Cunapsol-1 weighs approximately 8.5 pounds per gallon

EE Reg No 1022-518  
FSA Est No 1022-TN-1

# Chapman

## Wood Protection

Conserving the World's Forests through Preservation.

CHAPMAN CHEMICAL COMPANY

Mailing Address  
P.O. Box 9158, Memphis, TN 38109-0158

Office  
416 E. Brooks Rd., Memphis, Tenn

Telephone  
(901) 396-5151

Telex  
53-3201 Chapman MFS

---

---

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

**FIRST AID:**

**IF IN EYES:** Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes.

**IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

**IF SWALLOWED:** Drink promptly a large quantity of milk, egg white, gelatin solution, or, if these are not available, large quantities of water. Avoid alcohol. **Note to Physician:** Probable mucosal damage may contraindicate the use of gastric lavage.

---

---

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER**

Causes irreversible eye damage. Do not get in eyes or on clothing. Wear goggles, faceshield or safety glasses. Harmful if inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated and wash before reuse. Do not transfer to unmarked containers. Keep containers closed when not in use.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes.

**PHYSICAL AND CHEMICAL HAZARDS**

Do not use or store near heat or open flame.

---

---

**STORAGE:** Store in a secure, well ventilated area protected from extreme temperatures.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

Determine the infected standing wood poles by sounding with a hammer, sonic evaluator, visual inspection, or drilling 3/8" holes. Once the pocket of interior damage is pin pointed, bore a 3/8" hole in the pole at the uppermost portion of the damaged area and inject or flood the cavity or wood destroying insect tunnels or chambers with Cunapsol-1. Fill all drilled holes with a treated hardwood plug. The amount of Cunapsol-1 injected into the cavity will vary depending on the soundness of the wood and size of the cavity. For poles 36" in circumference, usually not more than 1 gallon of Cunapsol-1 will be required. For larger poles up to 2 gallons may be required.

一、二、三、四、五、六、七、八、九、十、十一、十二、十三、十四、十五、十六、十七、十八、十九、二十、二十一、二十二、二十三、二十四、二十五、二十六、二十七、二十八、二十九、三十、三十一、三十二、三十三、三十四、三十五、三十六、三十七、三十八、三十九、四十、四十一、四十二、四十三、四十四、四十五、四十六、四十七、四十八、四十九、五十、五十一、五十二、五十三、五十四、五十五、五十六、五十七、五十八、五十九、六十、六十一、六十二、六十三、六十四、六十五、六十六、六十七、六十八、六十九、七十、七十一、七十二、七十三、七十四、七十五、七十六、七十七、七十八、七十九、八十、八十一、八十二、八十三、八十四、八十五、八十六、八十七、八十八、八十九、九十、九十一、九十二、九十三、九十四、九十五、九十六、九十七、九十八、九十九、一百。