

1022-518

8/20/2009

1 of 10

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

AUG 20 2009

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Gail Watson
IBC Manufacturing Company
416 East Brooks Road
Memphis, TN 38109

Subject: Cunapsol-1
EPA Registration No.: 1022-518
Application Date: July 22, 2009
Receipt Date: July 23, 2009

Dear Ms. Watson:

This acknowledges receipt of the notification identified above submitted under the provision section 3 (c) 9 of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended and PR Notice 98-10.

Proposed Notification:

The following minor label changes are being added to your label:

Under the Directions for Use Heading:

Copper Green
Green
For use on fence and deck posts, end cuts, and structural lumber
Resists rot, mold, mildew, swelling and warping
Kills powder post beetles
Water based

General Comment:

A copy of this accepted notification has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, Stacey Grigsby by telephone at (703) 305-6440.

Sincerely,

Sharon Carlisle

(Acting) Product Manager (34)

Regulatory Management Branch II

Antimicrobials Division (7510F)

SYMBOL							
SURNAME							
DATE							

Please read instructions on reverse before completing form.

Form Approved

MB No. 2070-0080, Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 1022-518	2. EPA Product Manager	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Cunapsol-1	PM# 34	
5. Name and Address of Applicant (Include ZIP Code) IBC Manufacturing Company 416 East Brooks Road Memphis, TN 38109 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of Minor Label Changes.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container	Other (Specify) _____
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Gail Watson	Title Registrations Representative	Telephone No. (Include Area Code) 901-344-5316
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Gail Watson</i>	3. Title Registrations Representative	
4. Typed Name Gail Watson	5. Date 7-22-09	

BC MANUFACTURING COMPANY

July 22, 2009

Team Leader (34)
Regulatory Management Branch II
Antimicrobials Division (7510W)
U.S. Environmental Protection Agency
Room S4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202


Re: Notification of Minor Label Change – Cunapsol-1 (EPA Reg. No. 1022-518)

Dear Team Leader:

Enclosed please find three copies of proposed label language for this product, incorporating minor additions to the Color, Use, Control and Other Statements. These changes are marked with an asterisk for ease of review.

If you have questions or need additional information, I can be reached at 901-344-5316 or watsong@ibio.com.


Sincerely,



Gail Watson
Registrations Representative

ge

Enclosures



40910

Cunapsol-1 Wood Preservative

FOR EXTERIOR USE ONLY

NOTIFICATION
Date Reviewed: 8/20/09
Reviewed By: [Signature]

- [Color statement(s)]
- [Use statement(s)]
- [Control statement(s)]
- [Other statement(s)]

ACTIVE INGREDIENTS:

Copper Naphthenate	9.08%*
Inert Ingredients:	<u>90.92%</u>
Total:	100.00%

*Equivalent to 1% metallic copper.

Cunapsol 1 weighs approximately 8.5 lbs. per gallon.

EPA Reg. No. 1022-518 EPA Est. No. 1022-TN-1

KEEP OUT OF REACH OF CHILDREN
DANGER
See Back Panel for Precautionary Statements

Net Contents: 1 U.S. Quart (.9 Liters)
1 U.S. Gallon (3.785 Liters)
5 U.S. Gallons (18.925 Liters)

IBC Manufacturing Company
416 East Brooks Road
Memphis, Tennessee 38109
901-344-5350

FIRST AID	
IF IN EYES:	<ul style="list-style-type: none"> ▪ Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. ▪ Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. ▪ Call a Poison Control Center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> ▪ Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. ▪ Call a Poison Control Center or doctor for treatment advice.
<p>In case of emergency, call Chemtrec at 1-800-424-9300.</p> <p>Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.</p>	

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

Corrosive. Causes irreversible eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield. Harmful if inhaled. Avoid breathing spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before re-use. Avoid breathing mist/vapor during brush, roll, spray and dip applications. Wear an NIOSH/MHSA-approved mist/vapor respirator when spraying for continued or prolonged use of this product or for frequent use of the product. In case of medical questions, emergencies or accidents involving this product, call Chemtrec at 1-800-424-9300. Application of this product may produce strong, lingering, unpleasant odor.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Use only the application method specified for a particular use.

Cunapsol-1 Wood Preservative is a multi-purpose, water-based exterior wood preservative and insecticide pre-treatment for below ground, ground contact, fresh water contact and above ground applications where either pressure-treated or non-pressure-treated wood has been used. When applied as directed, Cunapsol-1 provides protection against attack from termites and other wood boring insects and decay fungi, including mildew, mold, rot and decay organisms. It also controls warping, swelling and end checking due to its anti-wicking property, which resists moisture absorption and movement from end to end. This preservative will impart a color to wood that will fade over time, but if undesirable, can be top-coated with paint or stain.

Cunapsol-1 Wood Preservative requires no dilution before use. Use as received, following label directions.

Do not use wood treated with this preservative where it may come in contact with food, feed or potable water.

MANUFACTURED FOR USE ON: Landscape timbers, railroad ties, fence posts, poles, pickets and rails, construction posts, foundation sills, steps, stairs, porches, siding,

millwork, shakes, shingles, roofs, windows, window frames, doors, docks, piers, boats or other non-pressure-treated exterior wood exposed to moisture, weather or wood destroying insects. Also manufactured for pressure-treated wood end cut protection, especially on decks.

Since Cunapsol-1 Wood Preservative has very low phytotoxicity, it is manufactured to treat wood for greenhouses, nursery flats, etc. Pretreatment only. Do not apply at sites on or near water or wetlands.

Powder post beetles which invade structural lumber are killed by application of this preservative. These insects will not attack the treated wood. Wood to be protected against subterranean termites should be treated before use in construction. Termites will not attack wood treated with this preservative.

In addition to preventing decay, blue stain, and insect attack on wood, Cunapsol-1 Wood Preservative controls warping, swelling, shrinking and end-checking caused by changes in moisture content of lumber and plywood products.

BEFORE YOU START: Make sure wood is dry and free of dust, dirt and debris. Stir or shake well before using. **IMPORTANT:** This product has a color that slowly fades with time, but can be stained or painted after 24 hours, or re-applied at any time. Always test in an inconspicuous area for color satisfaction.

APPLICATION PROCEDURES: Apply only when outside temperatures are between 50°F and 90°F, and when 24 hours of precipitation-free weather is expected. Apply only by dip treatment, brush, roller or pump sprayer.

Below Ground, Ground or Fresh Water Contact:

Manufactured for the treatment of seasoned (weathered) or green (new) wood. Make certain the wood is free of bark, then immerse in Cunapsol-1 for 12 to 48 hours or until the sapwood is completely penetrated. If dipping is not possible, 2 brush coats, roller or spray applications are to be applied. Allow at least 1 hour between applications. Make certain all areas are fully treated to get the maximum benefits. Allow wood to dry for 24 hours before installation.

Above Ground Contact:

Wood is to be immersed for 3 minutes or longer. If dipping is not possible, 2 brush coats, roller or spray applications are to be applied. Allow at least 1 hour between applications. Make certain all areas are fully treated to get the maximum benefits. Allow 24 hours or longer after application of the preservative prior to installation, painting and/or staining.

COVERAGE: One gallon covers 100 – 300 sq ft (9 – 28 m²), depending upon the wood age and species, surface porosity and method of application. One quart covers 40 – 50 sq. ft. (4 – 5 m²).

CLEAN-UP: Clean tools and equipment after use with soap and water.

STORAGE AND DISPOSAL

PESTICIDE STORAGE:

Protect pesticide containers from heat and cold. The storage area must be secured, dry, well lit, and well-ventilated. Keep pesticide storage areas clean. Clean up any spills promptly. Always store pesticide in the original container. If a leaky container must be contained within another, mark the outer container to identify the contents.

PESTICIDE DISPOSAL:



Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixture or rinsate is a violation of capital Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:

Nonrefillable Container. Do not reuse or refill this container.
Triple rinse as follows: Fill container ¼ full with water and recap. Shake for 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after flow begins to drip. Repeat procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**WARRANTY AND
LIMITATION OF DAMAGES**

Seller warrants to those persons lawfully acquiring title to this product that at the time of the first sale of this product by seller this product conformed to its chemical description and that it was reasonably fit for the purposes stated on the product label when used both in accordance with the Direction for Use appearing on the product label and under normal conditions of use. Buyers and users of this product assume the risk of all loss or damage from use or handling of this product that results from their failure to read and comply with the Directions for Use of this product which appear on the product label. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY, AND NO AGENT OF SELLER IS AUTHORIZED TO DO SO. Unless expressly prohibited by state law, the liability of seller for any breach of warranty shall not exceed the purchase price of the product as to which a claim is made.



Label to include any of the following statements

(Color Statements)

- Green Wood Preservative
- Black Wood Preservative
- Brown Wood Preservative
- Cedartone Wood Preservative
- Imparts Green Color
- Imparts Black Color
- Imparts Brown Color
- Imparts Cedartone Color
- Imparts Long-Lasting, Black Color to Wood, Similar to Creosote
- Looks like Creosote
- With brown color additive
- Brown
- Cedar Color
- Imparts Brown Color to ensure complete coverage
- * • Copper Green
- * • Green

(Use Statements)

- Above or Below Ground & Ground Contact
- Above or Below Ground, Ground and Water Contact
- Use above or below ground
- For wood in contact with soil and water
- Docks & Piers, Construction Posts, Fencing, and End Cuts
- End Cut Protection
- Ideal for End Cut Protection
- Landscape Ties, Fence Posts & Rails, and Construction Posts
- Construction Posts and Outdoor Decor
- Great for Small Projects
- Brush on preservative especially formulated for the coating of freshly sawn ends of pressure treated Outdoor wood.
- Cedar Shake Roof Preservative
- Ground Contact Preservative
- Decks
- Fences
- Shakes
- Shingles
- Roofs
- Posts
- Pressure-Treated Wood End Cut Protection

- Exterior
- For Preserving Cedar Shake Roofs
- This product is not designed for application on decks, outdoor furniture or other structures intended for seating or heavy foot traffic.
- Wolmanized End Cut Solution is a brush-on preservative especially formulated for the coating of freshly sawn ends of pressure-treated wood products that have been surface coated with a brown stain.
- * • For use on fence and deck posts, end cuts, and structural lumber.

(Control Statements)

- Prolongs the life of non-pressure treated wood
- Prevents termite and other insect attack
- Protects against rot and decay
- Resists mold, mildew and stain fungi
- Anti-wicking – controls moisture damage
- Stops rot, decay and insect attack
- Protects against wood rot, warping swelling, termite damage, mildew and moisture
- Kills powder post beetles, termite attack above or below the ground
- Prevents decay, warping & swelling
- Preserves Wood
- Wood Preservative
- Protects Against Decay
- Provides protection against attack from termites and other wood boring insects
- * • Resists rot, mold, mildew, swelling and warping
- * • Kills powder post beetles

(Other Statements)

- Paintable and Stainable
- Deep Penetrating formula
- Easy soap and water clean-up
- Water clean up
- Note: application of product on redwood and cedar will darken wood.
- Application of this product may produce strong, lingering odor
- Ready to Use
- Cunapsol Wood Preservative
- Approved for Outdoor Wood® Lifetime Warranty
- Wolmanized® Pressure-Treated Wood End Cut Solution
- Made in USA
- Printed in USA
- Volatile Organic Compounds <350 gm./liter.

- VOS (excluding water) < 0.35 kg./liter
 - VOC Content 221 g/L (1.84 lbs/gal)
 - Preserve your wood and your warranty.
 - Maintain the Lifespan 30-year limited warranty
 - Swipe. Seal. Done.
 - ✕ • Water based.
-
- The State Regulatory agency for the use of termiticides may have laws and rules that are more restrictive (including mandatory licensure or certification and specific use requirements) than these label directions and must be followed in addition to the label directions. This product must not be sold, or used by, a person not properly licensed by the State Regulatory Agency.
 - For use by individuals/firms or registered by the state to apply Termiticide products. States may have more restrictive requirements regarding qualifications of person using this product. Consult the structural pest control regulatory agency of your state prior to use of this product.
 - States may have more restrictive requirements regarding qualification of person using this product. Consult the structural pest control regulatory agency of your state prior to the use of this product.
 - When used as a Termiticide, individuals/firms must be licensed by the state to apply this product. States may have more restrictive requirements regarding qualifications of person using this product. Consult with your pest control regulatory agency of your state prior to use of this product.

