



# CUNAPSOL-5

ACCEPTED

WOOD PRESERVATIVE

NET CONTENTS

GAL.

MAR 9 1984

Registered under the Federal Insecticide, Fungicide, and Rodenticide Act. Reg. No. 1022-522

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals WARNING

Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear goggles, face shield or safety glasses when handling. Wash thoroughly with soap and water after handling. Causes skin irritation. Do not get on skin or on clothing. Remove contaminated clothing and wash before reuse.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

### PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

**PROHIBITIONS:** Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

**PESTICIDE DISPOSAL:** Pesticide, spray mixture or free water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.

**GENERAL:** Consult Federal, State or local disposal authorities for approved alternative procedures.

Cunapsol-5 is a concentrate and requires dilution with water before use. To treat wood for use in moderate decay hazard locations, dilute one volume of Cunapsol-5 with 10 volumes of water. To treat wood for use in high decay hazard locations, such as ground contact, dilute one

## INGREDIENTS

ACTIVE INGREDIENT :  
Copper naphthenate . . . . . 45.4%  
INERT INGREDIENTS . . . . . 54.6%  
\*Equivalent to 5% metallic copper

## KEEP OUT OF REACH OF CHILDREN WARNING

### STATEMENT OF PRACTICAL TREATMENT

IF IN EYES, immediately flush with large quantity of water and get medical attention.  
IF ON SKIN, flush with water. Remove and wash contaminated clothing before reuse.  
IF SWALLOWED, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 1022-522  
EPA Est. No. 1022-TN-1

BEST DOCUMENT AVAILABLE

Directions for use, application instructions, and other detailed information regarding the product's use on various wood types and decay levels.

### RECOMMENDED FOR

List of recommended applications and wood types, including ground contact, above ground, and other specific uses.

### WARRANTY STATEMENT

Statement regarding the warranty of the product, including conditions of use and limitations of liability.

MANUFACTURED BY

CHAPMAN CHEMICAL COMPANY

A KemaNobel Company

MEMPHIS, TENNESSEE 38109



# CUNAPSOL-5

WOOD PRESERVATIVE

NET CONTENTS 1 GAL.

ACCEPTED

MAR 9 1984

Registered under the Federal Insecticide, Fungicide, and Rodenticide Act, Reg. No. 1022-522

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals WARNING

Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Wear goggles, face shield or safety glasses when handling. Wash thoroughly with soap and water after handling. Causes skin irritation. Do not get on skin or on clothing. Remove contaminated clothing and wash before reuse.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

### PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

water before use. To treat wood for use in moderate decay hazard locations, dilute one volume of Cunapsol-5 with 10 volumes of water. To treat wood for use in high decay hazard locations, such as ground contact, dilute one

## INGREDIENTS

ACTIVE INGREDIENT :  
Copper naphthenate . . . . . 45.4%  
INERT INGREDIENTS . . . . . 54.6%  
\*Equivalent to 5% metallic copper

## KEEP OUT OF REACH OF CHILDREN WARNING

### STATEMENT OF PRACTICAL TREATMENT

IF IN EYES, immediately flush with large quantity of water and get medical attention.  
IF ON SKIN, flush with water. Remove and wash contaminated clothing before reuse.  
IF SWALLOWED, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 1022-522  
EPA Est. No. 1022-TN-1

BEST DOCUMENT AVAILABLE

with need to map... of water... require painting...  
The treatment... of water...  
Above... The... applications should be applied. Allow at least 1 hour between applications. Make certain all areas are fully treated to get the maximum benefits. Allow 24 hours or longer after application of the preservative prior to painting.  
Ground contact... wood may be treated...  
water repellent...  
RECOMMENDED FOR

### WARRANTY STATEMENT

Neither Chapin Chemical Company... makes a representation or warranty... applied, concerning this material, other than indicated on the label. Neither shall be held responsible in any manner for any personal injury or property damage or other type of loss resulting from the improper handling, storage or use of this material. The buyer accepts and uses this material on these conditions.

MANUFACTURED BY CHAPMAN CHEMICAL COMPANY

A KemaNobel Company

MEMPHIS, TENNESSEE 38109