

FOR MANUFACTURING USE ONLY

MITROL G-ST **ANTIMICROBIAL**

NGREDIENTS:

Active Ingredients*	90%
Sodum Pentachlorophenate*	
Sodium Salts of Other Chlorinated Phenois* 11%	
nert Ingredients	10%
Total	100%
alouisted as codium postachlorophopate mortohydeste (mol	ocular.

weight 306.3)

Chapman Chemical Company has complied with all terms and confitions of the registration governing the composition of this product is approved by the U.S. Environmental Protection Agency under Section 3 of the Federal Insecticide, Fungicide and Rodenticide Act.

Keep Out of Reach of Children **DANGER** STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center, Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF'IN EYES: Flush with olenty of water for 15 minutes. Call a physician.

IF ON SKIN: Wash with plenty of Suap and water. Seek medical attention should irritation persist.

IF INHALED: Remove victims to tresh air. Get medical attention. NOTE TO PHYSICIAN: This product is a metabolic stimulant. Treatment is supportive. Forced diuresis may be effective to reduce total body burden. Treat hyperthermia with physical measures. Do not administer aspirin, phenothiazines, or atropine since they may enhance toxicity.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Corrosive. Causes eye damage and skin irritation. Causes delayed chemical burns. Do not get in eyes, on skin, or on clothing. Harmful or fatal if swallowed.

The U.S. EPA has determine that pentachlorophenol can produce defects in the offspring of laboratory animals. Exposure to sodium pentachlorophenate during pregnancy should be avoided

ENVIRONMENTAL HAZARDS

771

This product is toxic to fish and wildlife. Do not apply directly

PRECAUTIONARY STATEMENTS ENVIRONMENTAL HAZARDS (mpt)

to water. Do not apply where run-off is tikely to occur. Do not clean equipment or dispose of equipment washwaters in a manner that will contaminate water resources.

PHYSICAL AND CHEMICAL HAZARDS

Do not store near heat or open flame. Close container after each

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Mitrol G-ST may be repackaged into watersoluble bags or used as a source of technical sodium pentachlorophenate in the formulation of other antimicrobial products by pesticide registrants who have complicit with all terms and conditions of the registration governing the composition of their product as approved by the U.S. Environmental Protection Agency under Section 3 of the Federal Insecticide, Fungicide and Rodenticide Act.

NOTE: Because of their properties and intended uses, formulated antimicrobial products containing Mitrol G-ST may require precautionary labeling based on the properties and intended use of their finished formulations and in accordance with all pertinent laws and regulations.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store only in original container in a secure, dry area protected from extreme temperatures. Keep container closed when not in use. In case of spills during shipping and/or storage wear goggles or face shield and rubber gloves and supply adequate ventilation.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, use solution, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.


CONTAINER DISPOSAL: Completely empty liner by shaking and tapping sides to loosen clinging particles. Empty residue into formulating or packaging equipment. Then dispose of liner in a sanitary landfill or by incineration, if allowed by state and local authorities. If drum cannot be reused, dispose of in the same manner.

WARRANTY STATEMENT AND DISCLAIMER

Proper application is critical to the effectiveness of the product: however, when applied and used according to this label. Mitrol G-ST is capable of protecting materials from deterioration by bacteria, funci. and/or algae.

DANGER: READ THE LABEL THOROUGHLY BEFORE USE. COMPLY WITH ALL DIRECTIONS AND WARNINGS GIVEN, AND USE COMMON SENSE IN HANDLING.

CHAPMAN MAKES NO WARRANTIES, EITHER EXPRESS OR IMPLIED, OTHER THAN AS SET FORTH ON THIS LABEL, AND CHAPMAN DISCLAIMS ANY IMPLIED WARRANTY OR MERCHANTABILITY NOT SPECIFICALLY SET FORTH ON THIS LABEL. CHAPMAN SHALL NOT BE RESPONSIBLE FOR ANY PERSONAL INJURY OR PROPERTY DAMAGE OR OTHER TYPE OF LOSS RESULTING FROM FAILURE TO FOLLOW THE DIRECTIONS FOR USE, WARNINGS AND PRECAUTIONARY LANGUAGE GIVEN ON THIS LABEL. CHAPMAN SHALL NOT BE RESPONSIBLE FOR DAMAGE TO PROPERTY BEYOND THE PURCHASE PRICE OF THIS PRODUCT: HOWEVER, SOME STATES DO NOT ALLOW THE INCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS LIMITATION MAY NOT APPLY TO YOU.



CPC 39060 50# Bulk Box CPC 39100 100# Bulk Drum 20110 ANN# Dolle Decem

MITROL G-ST ANTIMICROBIAL

INGREDIENTS

Active Ingredients*	90%
Sodium Pentachlorophenate* 79%	
Sodium Salts of Other Chlorinated Phenols* 11%	
Inert Ingredients	10%
Total	

*Calculated as sodium pentachlorophenate monohydrate (molecular weight

Chapman Chemical Company has complied, with all terms and conditions of the registration governing the composition of this product as approved by the U.S. Environmental Protection Agency under Section 3 of the Federal Insecticide, Fungicide, and Rodenticide Act.

Keep Out of Reach of Children DANGER STATEMENT OF PRACT!CAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vorniting by touching back of throat with finger. Do not induce vorniting or give anything by mouth to an unconscious person. If IN EYES: Flush with plenty of water for 15 minutes. Call a physician. IF ON SKIN: Wash with plenty of soap and water. Seek medical attention should irritation persist.

FINHALED: Remove victim to fresh air. Get medical attention.

NOTE TO PHYSICIAN: This product is a metabolic stimulant. Treatment is supportive. Forced diuresis may be effective to reduce total body burden. Treat hyperthermia with physical measures. Do not administer aspirin, phenothiazines, or atroone since they may enhance toxicity.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive. Causes eye damage and skin irritation. Causes delayed chemical burns. Do not get in eyes, on skin or on clothing. Harmful or fatal if swallowed

The U.S. EPA has determined that pentachlorophenol can produce defects in the offspring of laboratory animals. Exposure to sodium pentachlorophenate during pregnancy should be avoided.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water. Do not apply where run-off is likely to occur. Do not clean equipment or dispose of equipment washwaters in a manner that will contaminate water resources.

PHYSICAL AND CHEMICAL HAZARDS

Do not store near heat or open flame. Close container after each use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Use of this product for any purpose other than those stated on the label, including use of this product in the manufacture and formulation of other pesticide products or in reportations the product, is prohibited.

This product has been packaged in premeasured one-pound, single treatment-sized water soluble pouches and must be used only as packaged. Each water soluble pouch is contained in a non-water soluble outer bag. Remove the pouch from its outer bag prior to use. DO NOT OPEN THE INNER POLICH!

INDUSTRIAL RECIRCULATING WATER COOLING SYSTEMS: Heavily fouled systems must be cleaned mechanically prior to treatment. Initial treatment should be made at a rate of 2 to 4 one-pound pouches per 5000 gallons of water (6 to 12 ounces (weight) per 1000 gallons). Subsequent treatments to maintain control should be made at weekly intervals at a rate of 1 to 2 one-pound pouches per 5000 gallons of water (3 to 6 ounces per 1000 gallons), Interrupting bleed off for 12 to 24 hours following initial or subsequent applications may aid in achieving and maintaining control. Place the required number of unopened, one-pound pouches in a plastic or metal basket, nylon net, or other container allowing free movement of water around the pouches. Suspend the pouches in the container in the system sump or basin at a point where rapid circulation occurs to allow rapid disolution of the product and prevent damage that may result from prolonged contact of concentrated Mitrol G-ST with galvanized or aluminum surfaces.

Off. WELL OPERATION USES: Mitrol G-ST must be used only in closed systems. To prevent bacterial growth in drilling fluids, drilling muds, or packer fluids, use 1 or 2 one-pound pouches per 168 gallons of mud or fluid. For flood waters used in enhanced or secondary oit recovery, use 1 or 2 one-pound pouches per 5000 gallons of flood waters. Mitrol G-ST is best added to mud, fluid, or water as an aqueous concentrate prepared from dissolving up to 5 pouches in 3 gallons of water. Preparation of this concentrated solution must be accomplished in a closed mixing system. The concentrate must be added to the mud, fluid, or water through a closed system metering device.

DRY END PAPER MILL, USES: Mitrol G-ST must be used only in closed systems. It is best added to materials as a concentrated aqueous solution prepared by discoking up to 5 pouches in 3 gallons of water. Preparation of this concentrate must be accomplished in a closed mixing system. The concentrate must be added to the material requiring protection through a closed system metering device. Following are concentrations of Mitrol G-ST in the finished product required to protect various materials:

Material Protected	Туре	Concentration (%)	Comments
Coatings and	Starch	0.10-0.25	Provides protection against
Sizings	Casein	0.25-0.50	fungal and bacterial
	Soya Protein	0.25-0.50	deterioration for up to six
	Animal Glue	0.25-0.50	days. Longer periods re-
	Latex	0.10-0.50	cuire higher concentrations
Adhesives	Starch-based	0.10-0.50	Amount of Mitrol G-ST re-
	Protein-based	0.10-0.25	quired depends on the other components of the formulation, the end use of the adheeive, and conditions of storage.
Printing Inka	Water-color	0.25	

inks with a

dextrin base

STORAGE AND DISPOSAL

PROMETIONS: Do Not contaminate water, load or feed by storage c disposal.

STORAGE: Store only in original container in a secure, dry area protects from extreme temperatures. Do not remove product from the carton until needed, Keep carton closed when not in use. In case of splits during ship ping and/or storage weer goggles or face shield and rubber gloves an supply apequate ventilation.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal c excess preticide, use solution, or rinsate is a violation of Federal lew. I these wastes cannot be disposed of by use according to label instructional contact your State Pesticide Environmental Control Agency, or th-Harardous Waste representative at the nearest EPA Regional Office to midance.

CONTAINER DISPOSAL: Dispose of carton and outer, non-water soluble plastic bage in a sanitary landfill or by incineration, if allowed by state and local authorities.

WARRANTY STATEMENT AND DISCLAIMER

Proper application is critical to the effectiveness of the product; however, whe applied and used according to this label, Mitrol G-ST is capable of protectir materials from deterioration by bacteria, fungl, and/or algae.

DANGER: READ THE LABEL THOROUGHLY BEFORE USE, COMPLY WIT ALL DIRECTIONS AND WARNINGS GIVEN, AND USE COMMON SENS IN HANDLING.

CHAPMAN MAKES NO WARRANTIES, EITHER EXPRESS OR IMPLIET OTHER THAN AS SET FORTH ON THIS LABEL, AND CHAPMAI DISCLAIMS ANY IMPLIED WARRANTY OR MERCHANTABILITY NO SPECIFICALLY SET FORTH ON THIS LABEL. CHAPMAN SHALL NOT B RESPONSIBLE FOR ANY PERSONAL INJURY OR PROPERTY DAMAGE OR OTHER TYPE OF LOSS RESULTING FROM FAILURE TO FOLLOW THE DIRECTIONS FOR USE, WARNINGS AND PRECAUTIONARY LANGUAGE GIVEN ON THIS LABEL. CHAPMAN SHALL NOT BE RESPONSIBLE FOR DAMAGE TO PROPERTY BEYOND THE PURCHASE PRICE OF THIS PRODUCT; BOWEVER, SOME STATES DO NOT ALLOW THE INCLUSION OF LIMITATION MAXMOSTARGLY TO YOU.

ACCEPTED

2 3 AUG 1980
EPA Est. 10. 1022-TN-1 EPA Reg. No. 1022-527

Inducto Federal Insecticita, Francista and Reduction Act; se exampled, for the Particle Induction of Induction Control Induction Control Induction Induction

CHAPMAN CHEMICAL COMPANY

MEMPHIS TENNESSEE 38109