

**IBC MANUFACTURING COMPANY**

March 12, 1997

ATTN: SHERADA HOBGOOD

Ms. Cynthia Giles-Parker (PM-22)  
Registration Division (7505C)  
Office of Pesticide Programs  
U.S. Environmental Protection Agency  
Room 266A, Crystal Mall 2  
1921 Jefferson Davis Highway  
Arlington, VA 22202

NOTIFICATION  
MAR 21 1997


**SUBJECT: NOTIFICATION - FINAL PRINTED LABEL**  
**IPBC RTU - EPA REGISTRATION NO. 1022-540**  
In response to Agency's Letter dated October 31, 1996

Enclosed please find a copy of the final printed label for IPBC RTU. A copy of the Agency's letter dated October 31, 1996 and the latest EPA-stamped approved label for the subject product is also enclosed for your reference.

If you have any questions, please do not hesitate to contact me at (216) 357-4187.

Sincerely,

**IBC MANUFACTURING COMPANY**



Sangeeta V. Khattar  
Registrations Representative

Enclosures

*File: IBC Registered Products/IPBC RTU/Final Printed Label 3/97*

2712

Net Contents:

Final Printed Label - 3/97

# IPBC-RTU

## WATER-REPELLENT WOOD PRESERVATIVE

Interior or Exterior Use

### Ingredient Statement

<b>Active Ingredient:</b>	
3-Iodo-2-propynyl butyl carbamate.....	0.5%
<b>Inert Ingredients:</b> .....	99.5%
<b>Total:</b> .....	100.0%

This product contains Petroleum Distillates.

EPA Reg. No. 1022-540

EPA Est. No. 1022-TN-1

NOTIFICATION  
MAR 21 1997

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See back panel for additional Precautionary Statements.

IBC Manufacturing Company  
416 East Brooks Road  
P.O. Box 9158  
Memphis, TN 38109-0158

3 7 12

**IPBC-RTU  
WATER-REPELLENT  
WOOD PRESERVATIVE**

---

**PRECAUTIONARY STATEMENTS**

---

**Hazards to Humans and Domestic Animals**

**CAUTION**

Harmful if swallowed or absorbed through skin. Use only with adequate ventilation. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing. Wear goggles and rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

**STATEMENT OF PRACTICAL TREATMENT**

- IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.
- IF SWALLOWED:** **DO NOT induce vomiting.** Promptly drink a large quantity of milk, egg whites or gelatin solution. If these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.
- IF INHALED:** Remove individual to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth, if indicated. Get medical attention.
- IF IN EYES:** Immediately flush with plenty of water. Get medical attention if irritation persists.

---

**ENVIRONMENTAL HAZARDS**

---

This pesticide is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposal of equipment washwaters.

---

**PHYSICAL AND CHEMICAL HAZARDS**

---

Combustible: Do not use, pour, or spill near heat or open flame. In case of fire, use water spray, foam, carbon dioxide, or dry chemical. Observe OSHA limits on employee exposure to air contaminants.

4 9 12

**IPBC-RTU  
WATER-REPELLENT  
WOOD PRESERVATIVE**

**DIRECTIONS FOR USE**

**It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.**

**RECOMMEND USES:** IPBC RTU is an effective wood preservative for control of decay producing fungi, mildew, surface mold and staining fungi. It is recommended for shingles (not asbestos), shakes, clapboards, smooth or rough-cut siding, decks, porches, railings, flat beds, millwork, trellises, and fence pickets and boards. **IPBC RTU is not recommended for use on primed or previously painted surfaces. This product can be used for all above ground applications. Do not use this product where any portion of the treated wood will be below ground.** It may be used as a booster or adjunct to pressure treated wood where the wood is to be used on the ground's surface (e.g., ornamental or landscape timbers). **Do not use on wood that will be in contact with food, feed, or potable water or where prolonged dermal (skin) contact is likely.** Due to the presence of petroleum distillates, do not use this product where dairy cattle or livestock can come in contact with the treated wood.

Wood rot protection of interior use wood is only needed on wood which is subject to frequent or prolonged wetting (e.g., condensation, rain seepage, etc.)

**SURFACE APPLICATION:** All surfaces must be dry, well cured and cleaned of dust, dirt, or any other contaminants that might affect performance.

**APPLICATION:** Wood should be dry, unpainted, well seasoned, and bark free. Cut, machine, and sand wood prior to treatment if possible. If not, liberally apply two coatings of preservative to all joints, cracks, cut ends, holes or other openings.

For **DIP Treatment**, best results will be obtained if wood to be treated is immersed for 3 minutes or longer. Do not undertreat. Keep the dip solution clean from debris, sawdust, or rainwater.

If **COATING**, apply two coatings with a brush, sprayer, or roller. Allow at least one hour between applications. Make certain all areas are fully treated to get maximum benefit. Allow 24 hours or longer after application of the preservative prior to painting. Less paint is needed over wood treated with this water-repellent preservative.

Brush, spray, and roller applications often result in splashing or dripping. Cover desirable plants and shrubs to avoid possible injury.

**Wear an approved NIOSH/MSHA paint spray respirator when spraying IPBC RTU, for a continued and prolonged use, and for frequent use of this product. Do not apply IPBC RTU in any confined area where spray mist and vapors may concentrate.**

**RETREATMENT INTERVAL:** For best results and uniformity of appearance, inspect the treated wood product annually to evaluate the effects of the conditions of exposure, and retreat as necessary where conditions have results in deterioration of appearance or initiation of attack by wood destroying organisms and fungal attack.

5 7 12

**IPBC-RTU  
WATER-REPELLENT  
WOOD PRESERVATIVE**

---

**STORAGE AND DISPOSAL**

---

**Do not contaminate water, food, or feed by storage and disposal.**

**STORAGE:** Store in a secure, well-ventilated area protected from extreme temperatures. Do not store near excessive heat.

**PESTICIDE DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:**

**METAL CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

**PLASTIC CONTAINERS:** Triple rinse ( or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration.

**BULK CONTAINERS (TOTE TANKS):** **DO NOT** rinse container. Return empty container in compliance with Department of Transportation Regulations to point of purchase for refill.

6 7 12

**IPBC-RTU  
WATER-REPELLENT  
WOOD PRESERVATIVE**

**WARRANTY STATEMENT AND DISCLAIMER**


Proper application is critical to the effectiveness of the product; however, when applied and used according to this label, IPBC RTU is capable of protecting wood not in contact with the soil. The actual life of the treatment will be affected by the conditions of the wood when treated, the species of wood, the type of exposure, and previous and subsequent treatments.

READ THE LABEL THOROUGHLY BEFORE USE, COMPLY WITH ALL DIRECTIONS, AND USE COMMON SENSE HANDLING.

IBC MANUFACTURING COMPANY MAKES NO WARRANTIES, EITHER EXPRESSED OR IMPLIED, OTHER THAN WHAT IS SET FORTH ON THE LABEL, AND DISCLAIMS ANY IMPLIED WARRANTY OR MERCHANTABILITY NOT SPECIFICALLY SET FORTH ON THIS LABEL. IBC MANUFACTURING COMPANY SHALL NOT BE RESPONSIBLE FOR ANY PERSONAL INJURY OR PROPERTY DAMAGE, OR THE TYPE RESULTING FROM FAILURE TO FOLLOW DIRECTIONS FOR USE, WARNINGS AND PRECAUTIONARY LANGUAGE ON THIS LABEL. IBC MANUFACTURING COMPANY SHALL NOT BE RESPONSIBLE FOR DAMAGE TO PROPERTY BEYOND THE PURCHASE PRICE OF THIS PRODUCT; HOWEVER, SOME STATES DO NOT ALLOW THE INCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS LIMITATION MAY NOT APPLY TO YOU.

Label Amendment: Revised IPBC RTU label submitted to EPA August 27, 1996.  
The Agency approved the above label amendment.  
The EPA stamped approved label is dated September 17, 1996.  
Added the Physical and Chemical Hazards Section and revised the label as per Agency's 9/17/96 letter.  
Resubmitted the label October 23, 1996 in response to Agency's letter 9/17/96. The Agency accepted the 10/23/96 amendment on 10/31/96. This final printed label was submitted to EPA on March 12, 1997.

File: IBC/ISK Product Labels/IBC Labels/3-Iodo-2-prop/IPBC RTU 1022-540/Final Printed Label to EPA 3/97



7/12

OCT 31 1996

IBC Mfg. Co.  
c/o Sangeeta V. Khattar  
5966 Heisley Road  
Mentor, OH 44061

Gentlemen:

Subject: Revised Labeling  
IPBC-RTU  
EPA Registration No. 1022-540  
Your Submission Dated October 23, 1996

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable provided that you:


1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

- Note on page 3 you should add a space between "Brush, spray...".

2. Submit one (1) copy of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,



to Philip V. Errico  
Acting Product Manager (22)  
Fungicide-Herbicide Branch  
Registration Division (7505C)

Enclosure

Net Contents:

# IPBC-RTU

## WATER-REPELLENT WOOD PRESERVATIVE

### Interior or Exterior Use

#### Ingredient Statement

<b>Active Ingredient:</b>	
3-Iodo-2-propynyl butyl carbamate .....	0.5%
<b>Inert Ingredients:</b> .....	99.5%
<b>Total:</b> .....	100.0%

This product contains Petroleum Distillates.

EPA Reg. No. 1022-540

EPA Est. No. 1022-TN-1

### KEEP OUT OF REACH OF CHILDREN

### CAUTION

See back panel for additional Precautionary Statements.

IBC Manufacturing Company  
 416 East Brooks Road  
 P.O. Box 9158  
 Memphis, TN 38109-0158

ACCEPTED  
 with COMMENTS  
 In EPA Letter Dated

OCT 31 1996

Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act  
 as amended, for the pesticide  
 registered under EPA Reg. No.

1022-540



9 of 12

**IPBC-RTU  
WATER-REPELLENT  
WOOD PRESERVATIVE**

---

**PRECAUTIONARY STATEMENTS**

---

**Hazards to Humans and Domestic Animals**

**CAUTION**

**Harmful if swallowed or absorbed through skin. Use only with adequate ventilation. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing. Wear goggles and rubber gloves when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.**

**STATEMENT OF PRACTICAL TREATMENT**

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.

**IF SWALLOWED:** **DO NOT induce vomiting.** Promptly drink a large quantity of milk, egg whites or gelatin solution. If these are not available, drink large quantities of water. Avoid alcohol. Get medical attention.

**IF INHALED:** Remove individual to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth, if indicated. Get medical attention.

**IF IN EYES:** Immediately flush with plenty of water. Get medical attention if irritation persists.

---

**ENVIRONMENTAL HAZARDS**

---

This pesticide is toxic to fish. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposal of equipment washwaters.

---

**PHYSICAL AND CHEMICAL HAZARDS**

---

Combustible: Do not use, pour, or spill near heat or open flame. In case of fire, use water spray, foam, carbon dioxide, or dry chemical. Observe OSHA limits on employee exposure to air contaminants.

10 7 12

**IPBC-RTU  
WATER-REPELLENT  
WOOD PRESERVATIVE**

**DIRECTIONS FOR USE**

**It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.**

**RECOMMEND USES:** IPBC RTU is an effective wood preservative for control of decay producing fungi, mildew, surface mold and staining fungi. It is recommended for shingles (not asbestos), shakes, clapboards, smooth or rough-cut siding, decks, porches, railings, flat beds, millwork, trellises, and fence pickets and boards. **IPBC RTU is not recommended for use on primed or previously painted surfaces. This product can be used for all above ground applications. Do not use this product where any portion of the treated wood will be below ground.** It may be used as a booster or adjunct to pressure treated wood where the wood is to be used on the ground's surface (e.g., ornamental or landscape timbers). **Do not use on wood that will be in contact with food, feed, or potable water or where prolonged dermal (skin) contact is likely.** Due to the presence of petroleum distillates, do not use this product where dairy cattle or livestock can come in contact with the treated wood.

Wood rot protection of interior use wood is only needed on wood which is subject to frequent or prolonged wetting (e.g., condensation, rain seepage, etc.)

**SURFACE APPLICATION:** All surfaces must be dry, well cured and cleaned of dust, dirt, or any other contaminants that might affect performance.

**APPLICATION:** Wood should be dry, unpainted, well seasoned, and bark free. Cut, machine, and sand wood prior to treatment if possible. If not, liberally apply two coatings of preservative to all joints, cracks, cut ends, holes or other openings.

For **DIP Treatment**, best results will be obtained if wood to be treated is immersed for 3 minutes or longer. Do not undertreat. Keep the dip solution clean from debris, sawdust, or rainwater.

If **COATING**, apply two coatings with a brush, sprayer, or roller. Allow at least one hour between applications. Make certain all areas are fully treated to get maximum benefit. Allow 24 hours or longer after application of the preservative prior to painting. Less paint is needed over wood treated with this water-repellent preservative.

Brush, spray, and roller applications often result in splashing or dripping. Cover desirable plants and shrubs to avoid possible injury.

**Wear an approved NIOSH/MSHA paint spray respirator when spraying IPBC RTU, for a continued and prolonged use, and for frequent use of this product. Do not apply IPBC RTU in any confined area where spray mist and vapors may concentrate.**

**RETREATMENT INTERVAL:** For best results and uniformity of appearance, inspect the treated wood product annually to evaluate the effects of the conditions of exposure, and retreat as necessary where conditions have results in deterioration of appearance or initiation of attack by wood destroying organisms and fungal attack.

11 of 12

**IPBC-RTU  
WATER-REPELLENT  
WOOD PRESERVATIVE**

---

**STORAGE AND DISPOSAL**

---

**Do not contaminate water, food, or feed by storage and disposal.**

**STORAGE:** Store in a secure, well-ventilated area protected from extreme temperatures. Do not store near excessive heat.

**PESTICIDE DISPOSAL:** Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:**

**METAL CONTAINERS:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

**PLASTIC CONTAINERS:** Triple rinse ( or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration.

**BULK CONTAINERS (TOTE TANKS):** **DO NOT** rinse container. Return empty container in compliance with Department of Transportation Regulations to point of purchase for refill.

**IPBC-RTU  
WATER-REPELLENT  
WOOD PRESERVATIVE**

**WARRANTY STATEMENT AND DISCLAIMER**

Proper application is critical to the effectiveness of the product; however, when applied and used according to this label, IPBC RTU is capable of protecting wood not in contact with the soil. The actual life of the treatment will be affected by the conditions of the wood when treated, the species of wood, the type of exposure, and previous and subsequent treatments.

**READ THE LABEL THOROUGHLY BEFORE USE, COMPLY WITH ALL DIRECTIONS, AND USE COMMON SENSE HANDLING.**

**IBC MANUFACTURING COMPANY MAKES NO WARRANTIES, EITHER EXPRESSED OR IMPLIED, OTHER THAN WHAT IS SET FORTH ON THE LABEL, AND DISCLAIMS ANY IMPLIED WARRANTY OR MERCHANTABILITY NOT SPECIFICALLY SET FORTH ON THIS LABEL. IBC MANUFACTURING COMPANY SHALL NOT BE RESPONSIBLE FOR ANY PERSONAL INJURY OR PROPERTY DAMAGE, OR THE TYPE RESULTING FROM FAILURE TO FOLLOW DIRECTIONS FOR USE, WARNINGS AND PRECAUTIONARY LANGUAGE ON THIS LABEL. IBC MANUFACTURING COMPANY SHALL NOT BE RESPONSIBLE FOR DAMAGE TO PROPERTY BEYOND THE PURCHASE PRICE OF THIS PRODUCT; HOWEVER, SOME STATES DO NOT ALLOW THE INCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS LIMITATION MAY NOT APPLY TO YOU.**

Label Amendment: Revised IPBC RTU label submitted to EPA August 27, 1996.  
The Agency approved the above label amendment.  
The EPA stamped approved label is dated September 17, 1996.  
Resubmitted the label October 23, 1996 in response to Agency's letter 9/17/96.  
Added the Physical and Chemical Hazards Section and revised the label as per Agency's 9/17/96 letter.

*File: IBC/ISK Product Labels/IBC Labels/3-Iodo-2-prop/IPBC RTU 1022-540/Final Printed Label to EPA*