1022-54

7/17/2012



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

JUL 1 7 2012

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Gail Watson, Registrations Representative IBC Manufacturing Company 416 East Brooks Road Memphis, TN 38109

| 2 |
|-----|
| 012 |
| |

Dear Ms Watson

This acknowledges receipt of your Notification submitted in accordance with the provisions of PR Notice 98-10 under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) section 3(c)9

Proposed Notification

Revise and Update Storage and Disposal instructions in accordance with Pesticide Registration Notice 2007-4

General Comments

Based on a review of the material submitted, the notification is acceptable

If you have questions concerning this letter, please contact Tom Luminello by telephone, (703) 308-8075, or by e-mail at luminello tom@epa gov

Sıncerelv. Jacqueline Campbell Product Manager 34 Regulatory Management Branch II Antimicrobials Division (7510P)

| ₽EPA | Environmenta | United States al Protection Ag nington DC 20460 | ency | ✓ | Registra Amendr Other | tion | 30. Approval expires 2 OPP Identifier Numb |
|---|---|--|---|--|---|---|---|
| / | | Application for | Pesticide Se | ection | 1 | | ······ |
| 1 Company/Product f 1022 540 | Number | | 2 EPA Product N Campbell McF | - | | 3 Pr | roposed Classification |
| 4 Company/Product (IPBC RTU | Name) | <u> </u> | РМ# 34 | | | | None Restric |
| IBC Manufacturi 416 East Brooks Memphis TN 38 | Road | ode) | (b)(i) my produc to EPA Reg No | ct is simi | lar or identi | ical in co | a FIFRA Section 3(c)(omposition and labelin |
| | | Se | ction II | · | | <u> </u> | |
| Notification E Explanation Use a Notification of label ch regulations at 40 CFR | in response to Agency lette Explain below dditional page(s) if necessa ange per PR Notice 2007 4 SS 156 10 156 140 156 144 | ry (For section I and S This notification is consis | ection II) | | lo w htice 2007 4 a | | |
| notification is not cons | lerstand that it is a violation o istent with the requirements of t action and penalties under s | f 18 U S C Sec 1001 to of 0 CFR SS 156 10 156 | willfully make any fals 140 156 144 156 15 | e stateme | nt to EPA If | irte un | derstand that if this |
| notification is not cons subject to enforcemen | lerstand that it is a violation o istent with the requirements of t action and penalties under s | f 18 U S C Sec 1001 to of 0 CFR SS 156 10 156 sections 12 and 14 of FIF | willfully make any fals 140 156 144 156 15 | e stateme | nt to EPA If | irte un | derstand that if this |
| notification is not cons subject to enforcemen 1 Material This Produ Child Resistant Packag Yes Yes No * Certification mu be submitted Location of Net Con Label | Iterstand that it is a violation o istent with the requirements of t action and penalties under s it action acti | f 18 U S C Sec 1001 to of 0 CFR SS 156 10 156 sections 12 and 14 of FIF Sectors No per container 4 Size(s) Retail Conta 5 gal 55 g | willfully make any fals 140 156 144 156 15 RA Soluble Packaging Yes No s No pe ige wgt contain iner jal 270 gal | e stateme 6 this pro | nt to EPA If | և Իէզ, սու n violation Container Metal Plastic Glass Paper Other (S | derstand that if this n of F FRA and I may be |
| notification is not cons subject to enforcemen 1 Material This Produ Child Resistant Packag Yes Yes No Certification mu be submitted Location of Net Con Label | Iterstand that it is a violation o instent with the requirements of t action and penalties under s it action | f 18 U S C Sec 1001 to of 0 CFR SS 156 10 156 sections 12 and 14 of FIF Sectors Water Water Value No per container 4 Size(s) Retail Conta | willfully make any fals 140 156 144 156 15 RA Toon III Soluble Packaging Yes No s No pe ge wgt contain iner jal 270 gał | e stateme 6 this pro | 2 Type of (| և Իէզ, սու n violation Container Metal Plastic Glass Paper Other (S | derstand that if this n of F FRA and I may be |
| notification is not cons subject to enforcemen I Material This Produ Child Resistant Packag ✓ Yes ✓ No Certification mu be submitted Location of Net Con Label Manner in Which La | Iterstand that it is a violation o instent with the requirements of t action and penalties under s it action | f 18 U S C Sec 1001 to of 0 CFR SS 156 10 156 sections 12 and 14 of FIF Sectors 12 and 14 of FIF Water Value 4 Size(s) Retail Conta 5 gal 55 c Uthograph Paper glued Stenciled Sec | willfully make any fals 140 156 144 156 15 RA Toon III Soluble Packaging Yes No s No packaging iner iner ial 270 gal Oth tion IV | e stateme 6 this pro | nt to EPA I f duct may be i 2 Type of (2 Type of (3 ation of Labe -] on label | iurthe uni n violation Container Metal Plastic Glass Paper Other (S | derstand that if this n of F FRA and I may be |
| notification is not cons subject to enforcemen | Iterstand that it is a violation o istent with the requirements of it action and penalties under s it action a | f 18 U S C Sec 1001 to of 0 CFR SS 156 10 156 sections 12 and 14 of FIF Sections 12 and 14 of FIF Water Water Water Value 4 Size(s) Retail Conta 5 gal 55 c Uthograph Paper glued Stenciled Stenciled Stenciled Title | willfully make any fals 140 156 144 156 15 RA Toon III Soluble Packaging Yes No s No packaging iner iner ial 270 gal Oth tion IV | e stateme 6 this pro | nt to EPA I f duct may be i 2 Type of (2 Type of (3 ation of Labe 3 on label 5 ssary to pro | k البلام المالية n violation Container Metal Plastic Glass Paper Other (S al Directio | derstand that if this n of F FRA and I may be |
| notification is not cons subject to enforcemen | terstand that it is a violation o istent with the requirements of t action and penalties under s ist with the requirements of t action and penalties under s ist with the requirements of the task agend in yes Viet Packaging Ves Viet Ves Viet V | f 18 U S C Sec 1001 to of 0 CFR SS 156 10 156 sections 12 and 14 of FIF Sections 12 and 14 of FIF Water Vate | willfully make any fals 140 156 144 156 15 RA tion III Soluble Packaging Yes No s No pe ge wgt contain iner jal 270 gal tion IV ridual to be contacte ations Representations | e stateme 6 this pro 1 | ation of Labe | L البور uni n violation Container Metal Plastic Glass Paper Other (S Directio Cess this Cess this Celephone 901 2 | derstand that if this n of F FRA and I may be |
| notification is not cons subject to enforcemen 1 Material This Produ Child Resistant Packag Yes Yes Yes No * Certification mu be submitted 3 Location of Net Con Label 5 Manner in Which La 1 Contact Point (Con Name Gail Watson I certify that the I acknowledge th both under appli- | terstand that it is a violation o istent with the requirements of t action and penalties under s ist with the requirements of t action and penalties under s ist with the requirements of the task agend in yes Viet Packaging Ves Viet Ves Viet V | f 18 U S C Sec 1001 to of 0 CFR SS 156 10 156 sections 12 and 14 of FIF Sections 12 and 14 of FIF Water Vate | willfully make any fals 140 156 144 156 15 RA tion III Soluble Packaging Yes No s No pe ge wgt contain iner jal 270 gal tion IV ridual to be contacte ations Representations | e stateme 6 this pro 1 | ation of Labe | L البور uni n violation Container Metal Plastic Glass Paper Other (S Directio Cess this Cess this Celephone 901 2 | derstand that if this n of F FRA and I may be Specify) application a No (Include Area Cod 344-5316 6 Date Application Received |

BC MANUFACTURING COMPANY

June 26 2012

Ms Jacquie Campbell McFarlane Team Leader (34) Regulatory Management Branch II Antimicrobials Division (7510W) U S Environmental Protection Agency Room S4900 One Potomac Yard 2777 S Crystal Drive Arlington VA 22202

Re Notification IPBC RTU (EPA Reg No 1022 540) Revised Label per PR Notice 2007 4

Dear Jacquie

Enclosed please find a notification for the above product to update the Sto age and Disposal Statements and bring this label into compliance with PR Notice 2.207 4 The Container Disposal instructions have been updated to comply with Agency guidelines This product was discontinued but we have an interested customer. We need to bring the label into compliance

This submission includes

- EPA Form 8570 1
- 1 copy of updated label language

Changes to the label have been marked for ease of review

¹ If you have questions or need additional information I can be reached at 901 344 5316 or <u>watsong@ibio com</u>

Sincerely

Taie Watson

Gail Watson Registrations Representative

gw

Enclosures

3

IPBC-RTU

418

WATER-REPELLENT WOOD PRESERVATIVE

Interior or Exterior Use

Ingredient Statement

| Active Ingredient 3 lodo 2 propynyl butyl carbamate Inert Ingredients | 0 5% 99 5% |
|---|------------------------|
| Total | 100 0% |
| This product contains Petroleum Distilla | |
| EPA Reg No 1022-540 | EPA Est No 1022-TN-001 |

Net Contents

I.

1

1

KEEP OUT OF REACH OF CHILDREN

WARNING AVISO

See back panel for additional Precautionary Statements

IBC Manufacturing Company 416 East Brooks Road Memphis TN 38109

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING

Causes skin irritation Causes moderate eye irritation Do not get on skin or on clothing Avoid contact with eyes Wear protective eye glasses Remove contaminated clothing and wash clothing before reuse

| | FIRST AID | | | | |
|---|---|--|--|--|--|
| IF IN EYES | Hold eye open and rinse slowly and gently with water for 15 – 20 minutes Remove contact lenses if present after the first 5 minu es then continue rinsing | | | | |
| | Call a poison control center or doctor for treatment advice | | | | |
| IF SWALLOWED | Call a poison control center or doctor immediately for treatmen advice Have person sip a glass of water if able to swallow | | | | |
| | Do not induce vomiting unless told by a Poison Control Ce{iter or doctor | | | | |
| | Do not give anything by mouth to an unconscious persor | | | | |
| IF INHALED | Remove person to fresh air | | | | |
| 1 | If person is not breathing call 911 or an ambulance then give artificial respiration preferably mouth to mouth if possible | | | | |
| | Call a Poison Control Center or doctor for further treatment advice | | | | |
| IF ON SKIN OR | Take off contaminated clothing | | | | |
| CLOTHING | Rinse skin immediately with plenty of water for 15 – 20 minutes | | | | |
| 1 | Call a Poison Control Center or doctor for further treatment advice | | | | |
| HOT LINE NUMBER | | | | | |
| In case of emergency call Chemtrec toll free at 800 424 9300 | | | | | |
| Have the product container or label with you when calling a poison control center or doctor | | | | | |
| or going for treatment | | | | | |

PERSONAL PROTECTIVE EQUIPMENT

Handlers must wear

- Goggles or face shield
 - Coveralls worn over long sleeved shirt and long pants
 - Chemical resistant gloves (suah as Barrier Laminate Neoprene Rubber Nitrile Rubber Vitron)
- Shoes plus socks
- In addition Mixers / loaders and persons cleaning equipment must wear chemical resistant apron

6/12

User Safety Recommendations

- User should wash hands before eating drinking chewing gum using tobacco or using the toilet
- User should remove clothing immediately if pesticide gets inside
- Then wash thoroughly and put on clean clothing
- User should remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing
- As soon as possible wash thoroughly

ENVIRONMENTAL HAZARDS

T

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes streams ponds estuaries oceans or other water unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge this product to sewage system without previously notifying treatment plant authority. For guidance contactey our State Water Board or regional office of the EPA

PHYSICAL AND CHEMICAL HAZARDS

Combustible Do not use pour or spill near heat or open flame In case of fire use water spray foam carbon dioxide or dry chemical Observe OSHA limits on employee exposure to air contaminants

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

RECOMMEND USES IPBC RTU is an effective wood preservative for control of decay producing fungi mildew surface mold and staining fungi it is recommended for shingles (not asbestos) shakes clapboards smooth or rough cut siding decks porches railings flat beds millwork trellises and fence pickets and boards IPBC RTU is not recommended for use on primed or previously painted surfaces This product can be used for all above ground applications. Do not use this product where any portion of the treated wood will be below ground. It may be used as a booster or adjunct to pressure treated wood where the wood is to be used on the ground's surface (e.g. ornamental or landscape timbers). Do not use on wood that will be in contact with food feed or potable water or where prolonged dermal (skin) contact is likely.

(IPBC RTU WATER REPELLENT WOOD PRESERVATIVE

presence of petroleum distillates do not use this product where dairy cattle or livestock can come in contact with the treated wood

Wood rot protection of interior use wood is only needed on wood which is subject to frequent or prolonged wetting (e.g. condensation rain seepage etc.)

SURFACE APPLICATION All surfaces must be dry well cured and cleaned of dust dirt or any other contaminants that might affect performance

APPLICATION Wood should be dry unpainted well seasoned and bark free Cut machine and sand wood prior to treatment if possible lf not liberally apply two coatings of preservative to all joints cracks cut ends holes or other openings

For DIP Treatment best results will be obtained if wood to be treated is immersed for 3 minutes or longer. Do not undertreat. Keep the cip solution clean from debris sawdust or rainwater

If COATING apply two coatings with a brush sprayer or roller Allow at least one hour between applications Make certain all areas are fully treated to get maximum benefit Allow 24 hours or longer after application of the preservative prior to painting Less paint is needed over wood treated with this water repeilent preservative

Brush spray and roller applications often result in splashing or dripping Cover desirable plants and shrubs to avoid possible injury

Wear an approved NIOSH/MSHA paint spray respirator when spraying IPBC RTU for a continued and prolonged use and for frequent use of this product Do not apply IPBC RTU in any confined area where spray mist and vapors may concentrate

RETREATMENT INTERVAL For best results and uniformity of appearance inspect the treated wood product annually to evaluate the effects of the conditions of exposure and retreat as necessary where conditions have results in deterioration of appearance or initiation of attack by wood destroying organisms and fungal attack

(IPBC RTU WATER REPELLENT WOOD PRESERVATIVE

С

G

STORAGE AND DISPOSAL

X

6/12

Do not contaminate water food or feed by storage or disposal

STORAGE Store away from food or feed in a secure well ventilated area protected from extreme temperatures Do not transfer to unmarked containers Keep container closed when not in use

PESTICIDES DISPOSAL Pesticide wastes are acutely hazardous Improper disposal of excess pesticide or rinsate is a violation of Federal Law If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance

CONTAINER HANDLING Nonrefillable Container Do not reuse or refile this container Triple rinse as follows Fill container ¼ full with water and recap Shake for 10 seconds Follow Pesticide Disposal instructions for rinsate disposal Drain for 10 seconds after flow begins to drip Repeat procedure two more times Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities

WARRANTY AND LIMITATION OF DAMAGES

Seller warrants to those persons lawfully acquiring title to this product that at the time of the first sale of this product by seller this product conformed to its chemical description and that it was reasonably fit for the purposes stated on the product label when used both in accordance with the Direction for Use appearing on the product label and under normal conditions of use Buyers and users of this product assume the risk of all loss or damage from use or handling of this product that results from their failure to read and comply with the Directions for Use of this product which appear on the product label SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY INCLUDING ANY OTHER EXPRESS IMPLIED WARRANTY OF FITNESS OR OR OF MERCHANTABILITY AND NO AGENT OF SELLER IS AUTHORIZED TO DO SO Unless expressly prohibited by state law the liability of seller for any breach of warranty shall not exceed the purchase price of the product as to which a claim is made

5