

Reg # 1022-543

PM-19

192

CHAPCIDE 4-EC

MAR 25 1993

INSECTICIDE WOOD TREATMENT CONCENTRATE

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting. Contains an aromatic petroleum solvent. Do not give anything by mouth to an unconscious person.

IF ON SKIN: Immediately wash with plenty of soap and water. Get medical attention.

IF IN EYES: Flush with plenty of water for 15 minutes. Get medical attention.

IF INHALED: Remove to fresh air if symptoms of cholinesterase inhibition appear and get medical attention immediately.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate significance of exposure (baseline data are useful). Atropine, only by injection, is the preferable antidote. Oximes, such as 2-PAM/protopam, may be therapeutic if used early; however, use only in conjunction with atropine. In case of severe acute poisoning, use antidote immediately after establishing an open airway and respiration.

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

AVISO:

PRECAUCION AL USUARIO:

Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

FOR CONTROL OF WOOD-INFESTING INSECTS IN LUMBER AND LOGS

FOR INDUSTRIAL AND COMMERCIAL USE ONLY

INGREDIENT STATEMENT

ACTIVE INGREDIENTS:

Chlorpyrifos (O,O-diethyl O-(3,5,6-trichloro-2-pyridinyl)

phosphorothioate) 44.9%

INERT INGREDIENTS 55.1%

Contains 4 pounds of chlorpyrifos per gallon

AGRICULTURAL CHEMICAL

Do Not Ship or Store with Food, Feeds, Drugs, or Clothing

BATCH NO. [REDACTED]

NET CONTENTS: 2 1/2 (86704080) 55 GAL (86702001)

IBC MANUFACTURING COMPANY

416 East Brooks Road - P O Box 9158
Memphis, TN 38109

CHAPCIDE 4-EC

252

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not formulate this product into other end-use products.

Treatment of Preconstruction Lumber and Logs

General Information VACATE 4-EC Insecticide can be diluted with water or suitable base oil. To prepare the mixture, dilute VACATE 4-EC as shown in the following Dilution Chart.

Dilution Chart

Gallons of Mixture Desired	Gallons of VACATE 4-EC to Use	
	0.5% Spray	1.0% Spray
Oil or Water Based Mixture		
50	1/2	1
100	1	2
250	2 1/2	5
500	5	10
1000	10	20

DIRECTIONS FOR APPLICATION

To protect unseasoned or seasoned lumber and logs from wood destroying insects, such as termites, carpenter ants and beetles (ambrosia, powder-post, old house borers and others), treat the wood with up to a 1.0% dilution of chlorpyrifos. This dilution can be applied by spraying, brushing, dipping or pressure treatment. Monitoring of the treating mixture may be necessary to insure that the desired level of chlorpyrifos is maintained. Wear protective clothing and chemically resistant gloves during treatment and when handling freshly treated wet wood. Wood can be safely handled after treatment when dry.

1. Dip Treatment. Rates of 0.5% to 1.0% are recommended for dip treatments to insure adequate retentions. The wood should be totally submerged in the dilution until thoroughly wet and then allowed to dry in a suitable location. Dipping solutions to which VACATE 4-EC has been added should be agitated before use if left unused for a period of time.
2. Pressure Treatment. Rates of 0.25% to 0.5% are recommended for adequate penetration and retention. After the pressure is released and the system drained, the wood should be placed in a suitable location for drying.

3. Spray Treatment and Brush Treatments. Rates of 0.5% to 1.0% are recommended for spray and brush treatments. The wood should be sprayed or brushed thoroughly, including back and ends, with the treating mixture.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in original container in secured dry storage area. Prevent cross-contamination with other pesticides and fertilizers. Do not store above 100°F for extended periods of time. Storage below 20°F may result in formation of crystals. If product crystallizes, store at 50 to 70°F and agitate to redissolve crystals. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: METAL Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

CONTAINER DISPOSAL: PLASTIC Triple rinse (or equivalent). Then dispose of in a sanitary landfill, or by incineration, or, if allowed by local authorities, by burning.

WARRANTY AND LIMITATION OF DAMAGES

Seller warrants that this material conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions of use and Buyer assumes the risk of any use contrary to such directions. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY, AND NO AGENT OF SELLER IS AUTHORIZED TO DO SO. In no event shall Seller's liability for any breach of warranty exceed the purchase price of the material as to which a claim is made.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

May be fatal if swallowed. Excessive absorption through skin may be fatal. Causes substantial but temporary eye injury. Causes skin irritation.

Do not get in eyes, on skin or on clothing. Wear eye protection. Avoid breathing vapors and spray mist. Handle concentrate in a ventilated area. Wear protective clothing and chemically resistant gloves when handling. Wash thoroughly with soap and water after handling and before eating or smoking.

Remove contaminated clothing and wash before reuse. Keep away from food, feedstuffs and water supplies.

PHYSICAL OR CHEMICAL HAZARDS

Combustible Do not use or store near heat or open flame. Do not cut or weld container.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds and wildlife, and extremely toxic to fish and aquatic organisms. Do not apply directly to water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate spills. Do not contaminate water by cleaning of equipment or disposal of waste.

IN CASE OF AN EMERGENCY

Endangering life or property involving this product, call 800/424-9300.

IBC MANUFACTURING COMPANY

416 East Brooks Road - P.O. Box 9158
Memphis, TN 38109

BEST AVAILABLE COPY