

PM 19

1022-543

1/9

Net Contents:

CHAPCIDE 4-EC

INSECTICIDE WOOD TREATMENT CONCENTRATE

For control of wood-infesting insects
in lumber, logs, and other wood products.

FOR INDUSTRIAL AND COMMERCIAL USE ONLY

Ingredient Statement

Active Ingredient(s):

Chlorpyrifos [O,O-diethyl O-(3,5,6-trichloro-2-pyridinyl)
phosphorothioate]..... 44.9%

Inert Ingredients: 55.1%

Total: 100.0%

Contains 4 pounds of chlorpyrifos per gallon.


EPA Reg. No. 1022-543

EPA Est. No. 1022-TN-1

KEEP OUT OF REACH OF CHILDREN

WARNING

See Precautionary Statements



Manufactured by:
IBC Manufacturing Company
416 East Brooks Road
P.O. Box 9158
Memphis, TN 38109-0158

96 SEP 13 P4:33

RECD EPA/OPP/DPD1

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS**WARNING AVISO**

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

**MAY BE FATAL IF SWALLOWED • EXCESSIVE ABSORPTION
THROUGH SKIN MAY BE FATAL • CAUSES SUBSTANTIAL BUT
TEMPORARY EYE INJURY • CAUSES SKIN IRRITATION**

Do not get in eyes, on skin or clothing. Avoid breathing vapors and spray mist. Handle concentrate in a ventilated area. Wear protective clothing and chemically resistant gloves when handling. Wear eye protection. Wash thoroughly with soap and water after handling and before eating or smoking. Remove contaminated clothing and wash before reuse. Keep away from food, feedstuffs and water supplies.

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center immediately. Do not induce vomiting. Contains an aromatic petroleum solvent. Do not give anything by mouth to an unconscious person.

If on skin: Immediately wash with plenty of soap and water. Get medical attention.

If in eyes: Flush with plenty of water for 15 minutes.. Get medical attention.

If inhaled: Remove to fresh air if symptoms of cholinesterase inhibition appear and get medical attention immediately.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate significance of exposure (baseline data are useful). Atropine, only by injection, is the preferable antidote. Oximes, such as 2-PAM/protopam, may be therapeutic if used early; however, use only in conjunction with atropine. In case of severe acute poisoning, use antidote immediately after establishing an open airway and respiration.

3/9

ENVIRONMENTAL HAZARDS

~~This product is extremely toxic to fish, birds, and other wildlife. Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. This pesticide is toxic to birds and wildlife, and extremely toxic to fish and aquatic organisms.~~ Do not apply directly to water. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent aquatic sites. Cover or incorporate spills. Do not contaminate water by cleaning of equipment or disposal of waste.

PHYSICAL AND CHEMICAL HAZARDS

COMBUSTIBLE • Do Not Use or Store Near Heat or Open Flame. • Do Not Cut or Weld Container.

Notice: Read the Entire Label. Use only according to label directions. Before buying or using this product, read "Warranty Statement and Disclaimer" elsewhere on this label.

IN CASE OF AN EMERGENCY, endangering life or property involving this product, call 800/424-9300.

AGRICULTURAL CHEMICAL

Do Not Ship or Store with Food, Feeds, Drugs or Clothing.

4/9

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Read all directions for use carefully before applying.

Do not formulate this product into other end-use products.

Treatment of Preconstruction Lumber and Logs

~~General Information:~~ CHAPCIDE 4-EC insecticide can be diluted with water or suitable base oil. To prepare the mixture, dilute CHAPCIDE 4-EC as shown in the following ~~Dilution Chart~~.

MIXING AND APPLICATION DIRECTIONS

Dilution Chart

Gallons of Mixture Desired Oil or Water Based Mixture	Gallons of Chapcide 4 EC to Use	
	0.5% Spray	1.0% Spray
50	1/2	1
100	1	2
250	2 1/2	5
500	5	10
1000	10	20

GENERAL INFORMATION

Chapcide 4-EC insecticide is an emulsifiable concentrate that can be diluted with water or a suitable base oil (such as mineral spirits) to protect lumber, logs, pallets, poles, posts, wooden containers, and processed wood products (such as chips and composite materials) from insect attack. Applications may be made by dipping, brushing, spraying, or by pressure treatment. For longer control use the higher use rates and/or apply by pressure treating.

Wood destroying insects are often very small. Therefore complete coverage of the wood product is essential for optimal control. Application by dipping, spraying, or brushing is a surface treatment. Milling or cutting surface treated wood may expose unprotected wood for insect attack. Where control of wood rotting or staining organisms is desired, an appropriate fungicide will need to be added to the treatment solution or applied separately.

Handling Procedures

Wear protective clothing including eye protection and chemically resistant gloves when using this product to reduce exposure to eyes and skin.

To avoid breathing spray mist during application in confined areas wear a mask or respirator of a type recommended by NIOSH for filtering spray mists.

Wood can be safely handled without the use of protective clothing when dry. Refer to respective safety information concerning handling precautions for cobioicides and/or solvents.

Mixing Directions

Dilute Chapcide 4-EC with water or suitable oil according to the tables below. Agitate during filling to ensure uniform mixing.

Dilution Charts

<u>Gallons of Mixture Desired</u>	<u>Gallons of Lentrek WT Needed for Water-Based Mix</u>		
	<u>0.5 %</u>	<u>1.0 %</u>	<u>2.0 %</u>
50	0.6	1.1	2.2
100	1.1	2.2	4.4
250	2.7	5.3	10.6
500	5.3	10.6	21.3
1000	10.6	21.3	42.6

<u>Gallons of Mixture Desired</u>	<u>Gallons of Lentrek WT Needed for Oil-Based Mix*</u>		
	<u>0.5 %</u>	<u>1.0 %</u>	<u>2.0 %</u>
50	0.4	0.8	1.7
100	0.9	1.7	3.3
250	2.1	4.2	8.3
500	4.2	8.3	16.7
1000	8.4	16.7	33.2

*Assumes oil weighs 6.5 lbs/gallon

Tank Mixing

Unless prohibited by a product's label, users can tank mix pesticides currently labeled for similar use patterns. It is always recommended that a small jar compatibility test using proper proportions of chemicals and water be run to check for chemical compatibility prior to tank mixing.

DIRECTIONS FOR APPLICATION:

To protect unseasoned or seasoned lumber and logs from wood destroying insects, such as termites, carpenter ants and beetles (ambrosia, powder post, old house borers and others), treat the wood with up to a 1.0% dilution of chlorpyrifos. This dilution can be applied by spraying, brushing, dipping or pressure treatment. Monitoring of the treating mixture may be necessary to insure that the desired level of chlorpyrifos is maintained. Wear protective clothing and chemically resistant gloves during treatment and when handling freshly treated wet wood. Wood can be safely handled after treatment when dry.

1. **Dip Treatment.** Rates of 0.5% to 1.0% are recommended for dip treatments to insure adequate retentions. The wood should be totally submerged in the dilution until thoroughly wet and then allowed to dry in a suitable location. Dipping solutions to which CHAPCIDE 4 EC has been added should be agitated before use if left unused for a period of time.
2. **Pressure Treatment.** Rates of 0.25% to 0.5% are recommended for adequate penetration and retention. After the pressure is released and the system drained, the wood should be placed in a suitable location for drying.
3. **Spray Treatment and Brush Treatments.** Rates of 0.5% to 1.0% are recommended for spray and brush treatments. The wood should be sprayed or brushed thoroughly, including back and ends, with the treating mixture.

DIRECTIONS FOR APPLICATION

To control wood infesting insects such as termites, carpenter ants, ambrosia beetles (*Scolytidae*), powder-post beetles (*Lycitidae*), false powder-post beetles (*Bostrichidae*), deathwatch beetles (*Anobiidae*), old-house borers (*Cerambycidae*), and others treat the wood with up to a 1% dilution of chlorpyrifos. Use up to a 2% dilution for certain utility pole and post treatments. Monitoring of the treating solution may be necessary to ensure that the desired level of chlorpyrifos is maintained, particularly where the treating solution may be used for an extended time period.

Dip, spray, and brush treatments are intended to kill localized infestations of workers and winged reproductive forms of termites and to prevent infestation for a temporary period. These applications are not intended as a substitute for soil or pressure treatments.

Dip Treatment

Beetles, wood-infesting ants, and termites may be controlled in freshly cut lumber, wooden containers, millwork, pallets, and processed wood products by dipping. Use rates up to 1%. Rates of 0.5% to 1% are recommended to ensure residual protection. The wood should be totally submerged in the dilution until thoroughly wet (minimum 3 minutes) and then allowed to dry in a suitable location. Dipping solutions should be monitored to ensure the desired level of chlorpyrifos is maintained. Dipping solutions should be agitated if left unused for a period of time (such as overnight). For optimal performance and economy, avoid heavy buildup of wood debris in dip tanks as chlorpyrifos may bind to the debris and thus reduce the strength of the dilution.

7/9

Spray Treatment and Brush Treatment

Beetles, wood-infesting ants, and termites may be controlled in lumber, logs, wooden containers, millwork, poles, posts, and processed wood products by spraying or brushing. A 0.5% to 1% dilution is recommended for maximum efficacy. The wood should be sprayed or brushed thoroughly, including backs and ends, with the treatment mixture. Apply to surfaces, voids, and channels where insects may be located. When spraying, use a sprayer capable of delivering a coarse, low pressure (about 20 psi) spray. On logs, ensure thorough bark coverage as untreated areas are subject to insect attack. When treating processed wood products, Chapcide 4-EC may be sprayed onto wood chips (wood particles) or mixed with compatible adhesive. The Chapcide 4-EC and adhesive mixture may be applied by methods suitable for application of the adhesive (such as spraying, rollers, or blending). Test compatibility and application method on a small scale prior to full scale production.

Pressure Treatment

For long-term control of beetles, wood-infesting ants and termites in lumber, wooden containers, millwork, pallets, processed wood products, utility poles and fence posts apply by pressure treatment. Combine with an appropriate fungicide for control of wood-decay organisms. Chapcide 4-EC may be applied in either oil-borne or water-borne systems. Treat to attain a minimum retention of 0.0175 pcf (pounds per cubic foot) in the appropriate assay zone. Depending upon the treatment process this usually requires a 0.25% to 1% dilution. Use lower concentrations for full-cell treatments and higher concentrations for empty-cell treatment.

In-Place Treatment of Utility Poles and Fence Posts

Preventative Treatment: For the preventative control of termites when placing a pole or post in service, use a 1% to 2% dilution. After pole or post hole has been dug, mix the dilution with the soil as it is being replaced to a depth of approximately 10 inches. Place pole or post on top of this layer. Mix the remaining soil fill with treatment solution while back-filling the hole. The treated soil zone around the post or pole should be approximately 6 inches wide. Soil for the base layer back-fill of each pole or post should be treated at a rate of 4 gallons of dilution per 10 cubic feet of soil.

Remedial Treatment: To control existing infestations of termites or to prevent infestation of poles and posts already in place, use a 1% to 2% dilution. The solution should be injected into termite galleries or channels in the wood. For maximum protection, injection sites should be at or below ground level.

Poles and post may also be treated by rodding down to the base. Rod holes should be placed approximately 3 inches away from the pole and about 6 inches apart. Inject approximately 12 fluid ounces of dilution per foot of depth into each rod hole.

It may be appropriate to use one or both treatment techniques depending upon the specific circumstances at the work site (such as soil type). Retreatment may be made any time there is evidence of reinfestation, disruption, or loss of the barrier due to construction, excavation, landscaping, etc. Annual retreatment is prohibited unless reinfestation or barrier disruption has occurred.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in original container in secured dry storage area. Prevent cross-contamination with other pesticides and fertilizers. Do not store above 100°F for extended periods of time. Storage below 20°F may result in formation of crystals. If product crystallizes, store at 50 to 70°F and agitate to redissolve crystals. If container is damaged or spill occurs, use product immediately or dispose of product and damaged container as indicated below.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

METAL CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PLASTIC CONTAINER DISPOSAL: Triple rinse (or equivalent). Then puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

WARRANTY STATEMENT AND DISCLAIMER

Proper application is critical to the effectiveness of this product; however, when applied and used according to this label, this product is capable of protecting wood as described above. The actual life of the treatment will be affected by the condition of the wood when treated, the species of wood, the type of wood, the type of exposure, and previous and subsequent treatments.

READ THE LABEL THOROUGHLY BEFORE USE AND COMPLY WITH ALL DIRECTIONS, AND USE COMMON SENSE IN HANDLING.

IBC MANUFACTURING COMPANY MAKES NO WARRANTIES EITHER EXPRESS OF IMPLIED, OTHER THAN WHAT IS SET FORTH ON THE LABEL, AND IBC MANUFACTURING COMPANY DISCLAIMS ANY IMPLIED WARRANTY OR MERCHANTABILITY NOT SPECIFICALLY SET FORTH ON THIS LABEL. IBC MANUFACTURING COMPANY SHALL NOT BE RESPONSIBLE FOR ANY PERSONAL INJURY OR PROPERTY DAMAGE OR THE TYPE RESULTING FROM FAILURE TO FOLLOW DIRECTIONS FOR USE, WARNINGS AND PRECAUTIONARY LANGUAGE ON THIS LABEL. IBC MANUFACTURING COMPANY SHALL NOT BE RESPONSIBLE FOR DAMAGE TO PROPERTY BEYOND THE PURCHASE PRICE OF THIS PRODUCT; HOWEVER, SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OF CONSEQUENTIAL DAMAGES, SO THIS LIMITATION MAY NOT APPLY TO YOU.

File: IBC/ISK Product Labels/IBC Labels/Chlropyrifos/Chapcide 4-EC

Last EPA Stamped Approved Label: April 24, 1995

Final Printed Label Submitted to EPA: February 14, 1996

Label amendment submitted to EPA on September 11, 1996.

Chapcide 4-EC label revised as per Dow's Lentrek WT Label EPA Reg. No. 62719-69.

Revisions: Deleted "combustible" from Physical and Chemical Hazards Section.

Under Directions for Use: (1) Added "General Information" Section; (2) Added "Handling Procedures" Section; (3) Provided separate tables for dilution of Chapcide 4-EC in water or oil; (4) Added "Tank Mixing" Section; (5) Elaboration of use directions for dip, spray and brush, and pressure treatments; and (6) Addition of use instructions for "In-Place Treatment of Utility Poles and Fence Posts."