

U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (73-747) WASHINGTON, DC 20460 NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGRISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	EPA REGISTRATION NO. 1022-552	DATE OF ISSUANCE 3-6-90
	TERM OF ISSUANCE Conditional	
	NAME OF PESTICIDE PRODUCT Chapm... CA-59	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

C.H. all

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is registered under the Federal Insecticide, Fungicide, and Rodenticide Act, 7 U.S.C. 136(a)(1)(A) and 136(b)(1)(A).

1. Submit to the Administrator a copy of the label for your product and a copy of the label for each of the registrants of similar products to be registered.

2. Make the labeling changes listed below and release the product for shipment.

- a. Add the phrase "EPA Registration No. 1022-552"
- b. Note the typographical error in the word "product" in the first sentence of the statement.
- 3. Submit to the Administrator a copy of the label for your product and a copy of the label for each of the registrants of similar products to be registered.

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL: *Diana Lewis* DATE: 3-6-90

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

SL

Susan Lewis
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosures

CHAPCO CCA-50

WOOD PRESERVATIVE

CHROMATED COPPER ARSENATE

ACTIVE INGREDIENTS:

Chromic Acid (CrO ₃)	23.75%
Copper Oxide (CuO)	9.25%
Arsenic Pentoxide (As ₂ O ₅)	17.00%

INERT INGREDIENTS:

.....	50.00%
TOTAL:	100.00%
Arsenic in water soluble form	
expressed as metallic	11.00%

Chapco CCA-50 weighs approximately 13.4 lbs/gal.

Keep Out of Reach of Children

DANGER POISON



STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES: Flush with plenty of water. Call a physician.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

Refer to additional precautionary statements elsewhere on the heading "Precautionary Statements Hazardous to Humans and Domestic Animals."

- EPA Reg. 47097-3-1022
- EPA Est. No. 1022-TN-1
- EPA Est. No. 47097-GA-1

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. 47097-3-1022.

1022-532

MANUFACTURED BY
CHAPMAN CHEMICAL COMPANY
MEMPHIS, TENNESSEE 38109

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER

Corrosive. Causes irreversible eye damage, skin, or mucous membrane irritation. Harmful or fatal if swallowed, inhaled or absorbed through skin. Handle in a well ventilated area. Do not get on skin, in eyes, or on clothing. Keep container closed when not in use.

Applicators must wear gloves impervious to the wood treatment formulation in all situations where dermal contact is expected (e.g., handling freshly treated wood and manually opening cylinder doors).

Individuals who enter pressure treatment cylinders and other related equipment that is contaminated with the wood treatment solution (e.g., cylinders that are in operation or are not free of the treatment solution) must wear protective clothing, including overalls, jacket, gloves, and boots, impervious to the wood treatment formulation. In addition, individuals who enter pressure-treatment cylinders must wear properly fitting, well maintained, high efficiency respirators, MSHA/NIOSH-approved for inorganic arsenic, if the level of inorganic arsenic in the plant is unknown or exceeds 10 micrograms per cubic meter of air (10 ug/m³) averaged over an 8-hour work period. Air monitoring programs procedures and record retention and submission must be conducted in accordance with the instructions on the attached labeling material.

Applicators must not eat, drink or use tobacco products during those parts of the application process that may expose them to the wood treatment formulation (e.g., manually opening/closing cylinder doors, moving trams out of cylinders, mixing chemicals, and handling freshly treated wood).

Wash thoroughly after skin contact and before eating, drinking, use of tobacco products or using restrooms.

Protective clothing must be changed when it shows signs of contamination. Applicators must leave protective clothing and workshoes or boots and equipment at the plant. Worn-out protective clothing and workshoes or boots must be left at the plant and disposed of in a container approved for pesticide disposal and in accordance with state and federal regulations.

Processes used to apply inorganic arsenical formulations shall leave no visible surface deposits on the wood as defined by AWWPA Standard C-1 and AWPB standards LP2 and LP22. Visible surface deposits means a surface residue or crystallization on the treated wood. Small isolated or infrequent spots of chemical on otherwise clean wood shall be allowed.

Individuals in the work area of an arsenical wood treatment plant must wear properly fitting, well-maintained, high efficiency filter respirators MSHA/NIOSH-approved for inorganic arsenic, if the level of inorganic arsenic in the plant is unknown or exceeds 10 micrograms per cubic meter of air (10 ug/m³) averaged over an 8 hour work period. Air monitoring programs, procedures and record retention and submission must be conducted in accordance with the instructions on the attached labeling material.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
NOTE TO USER: Examine label for special handling instructions (e.g., gloves, overalls, handling of inorganic arsenic, neoprene, NBR (Butyl Nitrile))

ENVIRONMENTAL HAZARDS:
This product is toxic to aquatic life in wetlands. Do not apply to wetlands. Do not use on equipment wash.

PHYSICAL HAZARDS:
Do not use or store in unapproved containers.

DISPOSITION:
It is a violation of federal law to dispose of this product in a manner inconsistent with its labeling.

CHAPCO CCA-C-50 is used in wood treating plants, to concentrations recommended by the American Wood Preservers Institute. Treatment of wood with this product kills wood-boring insects, fungi, and other wood destroying organisms.

Refer to label attached to this container for additional information regarding the "Safety Program" for additional information.

STORAGE:
PROHIBITIONS: Do not use for disposal. Open drums only for disposal.

SPILLS: Cover liquid spills with absorbent material. Spill into street or sewer or stream.

PESTICIDE DISPOSAL: Dispose of excess product in accordance with federal, state, or local law. If these waste disposal instructions, contact the Hazardous Waste Response Team for guidance.

METAL DRUM DISPOSAL: Dispose of metal drums in accordance with applicable law or other procedure.

Chapman Chemical Company warrants the quality and such as described and further described on such goods are used. We assume no responsibility for any loss resulting from use of this product.