1022-562

07-27-201

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

JUL 2 7 2011

Gail Watson, Registrations Representative IBC Manufacturing Company 416 East Brooks Road Memphis, TN 38109 OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Subject: Notification per PR Notice 2007-4 Chap-Fume EPA Registration Number: 1022-562 Application Date: July 12, 2011 Application Receipt: July 12, 2011

Dear Ms. Watson:

This acknowledges receipt of your notification submitted under the provisions of FIFRA section 3 (c) 9 and PR Notice 2007-4.

### **Proposed Notification:**

Label revision per PR Notice 2007-4.

### **General Comments:**

Based on a review the submitted material, your notification revising the label to comply with PR Notice 2007-4 is acceptable. A copy of this letter has been made a part of the permanent file for 1022-562.

If you have further questions concerning this letter, then please contact me by telephone at 703-308-6416 or by email at <u>campbell-mcfarlane.jacqueline@epa.gov</u> or Killian Swift by telephone at 703-308-6346 or by email at <u>swift.killian@epa.gov</u>. When you are submitting information or data in response to this letter, send a copy of this letter to accompany the submission to facilitate processing.

incerely bell-McFarlane feline C

Product Manager 34 Regulatory Management Branch II Antimicrobials Division (7510P)

Please read instructions on r	everse before comp	form.		Form Approved	AB No. 2	070-006	0. Approval expires 2-28-95
SEPA	EPA United States Environmental Protection Ag Washington, DC 20460			Re		tion nent	OPP Identifier Number
	Ap	plication	n for Pesticide	- Section	1		
1. Company/Product Number 1022-562			2. EPA Product Manager Campbell-McFarlane			3. Proposed Classification	
4. Company/Product (Name) Chap-fume			<b>РМ#</b> 34				
5. Name and Address of App IBC Manufacturing Co 416 East Brooks Road Memphis, TN 38109	ompany		(b)(i), my p to:	roduct is sim	ilar or identi		FIFRA Section 3(c)(3) mposition and labeling
		1	Section - II		1244		
Amendment - Explain Resubmission in respo ✓ Notification - Explain I Explanation: Use addition Notification of Minor Label Ch Notification to bring labels int 40 CFR 152.46, and no other of 18 U.S.C. Sec. 1001 to will 98-10 and 40 CFR 152.46, thi FIFRA.	onse to Agency letter dat below. al page(s) if necessary. ( anges. o compliance with PR Noti changes have been made fully make any false staten	(For section I ce 2007-4.Th to the labelin nent to EPA.	Ag "M Oth and Section II.) and Section II.) and Section II.) and Section II.)	atement of form at if this notifica	ed ation. elow. ovisions of PR nula of this pro ttion is not con	Notice 98- duct. 1 und sistent with	derstand that it is a violation h the terms of PR Notice
1. Material This Product Will	Be Packaged In:	2004-5		F. C. Start			A CONTRACTOR
Child-Resistant Packaging Yes ✓ No * Certification must be submitted		lo. per container		nging No. per container	2. Type of C	Container Metal Plastic Glass Paper Other (S	pecify)
3. Location of Net Contents I	nformation 4.	Size(s) Retai	I Container 5-gal & 55-gal	5. Lo	cation of Labo	al Directio	ns
6. Manner in Which Label is A	Affixed to Product	J Lithogra Paper gl Stencile	ph ued d	Other			
			Section - IV	1.2 - 1 - 1	- Alera		
1. Contact Point (Complete i	tems directly below for it	dentification	of individual to be con	ntacted, if nec	essary, to pro	cess this	application.)
Name Gail Watson			i <b>tle</b> Registrations Repres	entative		Telephone 001-244-5	No. (Include Area Code)
	nents I have made on this knowlinglly false or mis		attachments thereto				6. Date Application Repeived (Stamped)
2. Signature	Watsor		Title Registrations Represen	tative			
4. Typed Name Gail Watson		5.	Date 6/28/1	1			

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

27

# C MANUFACTURING COMPANY

June 28, 2011

Ms. Jacquie Campbell-McFarlane, Acting Team Leader (34) Regulatory Management Branch II Antimicrobials Division (7510W) U.S. Environmental Protection Agency Room S4900, One Potomac Yard 2777 S. Crystal Drive Arlington, VA 22202

Re: Notification Chap-Fume (EPA Reg. No. 1022-562) Revised Label per PR Notice 2007-4

Dear Jacquie:

Enclosed please find a notification for the above product to update the Storage and Disposal Statements and bring this label into compliance with PR Notice 2007-4. The Container Disposal instructions have been updated to comply with Agency guidelines.

This submission includes:

- EPA Form 8570-1
- 1 copy of updated label language

Changes to the label have been marked for ease of review.

If you have questions or need additional information, I can be reached at 901-344-5316 or <u>watsong@ibio.com</u>.


Sincerely,

aiewalson

Gail Watson Registrations Representative

gw

Enclosures



Net Contents:

# CHAP-FUME

# A FUMIGANT FOR CONTROLLING DECAY AND INSECTS IN WOOD POLES

#### **INGREDIENT STATEMENT**

<b>ACTIVE INGRE</b>	DIENT:	
Sodium Met	hyldithiocarbamate (Anhydrous)	33.0%*
INERT INGRED	IENTS:	67.0%
TOTAL:		100.0%

\*Contains 3.18 lbs. active ingredient per gallon **UN 3006** 

(Contains Sodium Methyl Dithiocarbamate)

(IMO: Dithiocarbamate Pesticides, Liquid, Toxic, N.O.S., UN 3006)

This product is sold only for uses stated on its label. No expressed or implied license is granted to use or sell this product under any patent in any country except as specified: Country, United States.

#### EPA Reg. No. 1022-562

#### EPA Est. No. 1022-TN-1

# KEEP OUT OF REACH OF CHILDREN DANGER

	FIRST AID				
IF ON SKIN OR	<ul> <li>Take off contaminated clothing.</li> </ul>				
CLOTHING:	<ul> <li>Rinse skin immediately with plenty of water for 15 – 20 minutes.</li> </ul>				
	Call a Poison Control Center or doctor for further treatment advice.				
IF IN EYES:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.</li> </ul>				
	<ul> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.</li> </ul>				
Contraction of the	<ul> <li>Call a poison control center or doctor for treatment advice.</li> </ul>				
IF INHALED:	<ul> <li>Move person to fresh air.</li> </ul>				
	<ul> <li>If person is not breathing, call 911 or an ambulance, then give artificia respiration, preferably mouth-to-mouth if possible.</li> </ul>				
	<ul> <li>Call a Poison Control Center or doctor for further treatment advice.</li> </ul>				
IF SWALLOWED:	<ul> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> </ul>				
	<ul> <li>Do not induce vomiting unless told by a Poison Control Center or doctor.</li> </ul>				
Second Second	<ul> <li>Do not give anything by mouth to an unconscious person.</li> </ul>				
	HOT LINE NUMBER				
In	case of emergency, call Chemtrec toll free at 800-424-9300.				
Have the product	container or label with you when calling a poison control center or doctor or going for treatment.				

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

See Back Panel for Additional Precautionary Statements

IBC Manufacturing Company 416 East Brooks Road Memphis, TN 38109

Chap-Fume

1

# **PRODUCT INFORMATION**

**CHAP-FUME** is a fumigant solution. When used as directed, it will arrest internal decay and control insects present in Douglas Fir, Western Red Cedar and Southern Pine. During the sterilization of the treated area, a fungitoxic residue is deposited in the cells of the wood. This residue is effective for an indefinite period. Poles known to have internal decay should be scheduled for treatment before they have decayed to the point where replacement is necessary.

# USE PRECAUTIONS

**READ ALL LABEL DIRECTIONS BEFORE USING.** Apply this product only as specified on this label. Keep children and pets out of treated area. Keep off desirable lawns and plants. Wash contaminated hands, skin, eyes or clothing immediately upon exposure to chemical and always before eating or smoking. Use respirators, waterproof protective gloves and footwear when appropriate and required. Keep container tightly closed when not in use. Do not store near feed or food.

# **PRECAUTIONARY STATEMENTS**

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

# DANGER

Corrosive, causes skin damage. Do not get in eyes, on skin, or on clothing. May be fatal if swallowed or absorbed through skin. Prolonged contact may cause severe skin irritation. Do not breathe vapor or spray mist. Use waterproof gloves, safety goggles or face shield, and protective clothing when handling. Wash hands, arms and face thoroughly with soap after handling and before eating or smoking. Wash clothing and shoes before reuse. Do not apply to food or forage. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons. When applying in enclosed areas, wear a mask or respirator of a type passed by the U.S. Bureau of Mines for Metam-Sodium protection.

# ENVIRONMENTAL HAZARDS

This product is toxic to fish and other wildlife. DO NOT discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. DO NOT discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the Environmental Protection Agency.

#### DIRECTIONS FOR USE

## It is a violation of Federal Law to use this product in a manner inconsistent with its labeling co

#### POLES

**Groundline Treatment:** When a pole is detected with rot or insect damage, dig the soil away from the base of the pole to a depth of 12 inches. Drill 3/4 to 7/8 inch diameter holes in each duarter of the pole at groundline and one 3/4 to 7/8 inch hole two feet above the groundline, preferably above the decay booket. These holes should be drilled at a 45 to 65 degree downward angle. Use the Rate Table of determine the number and length of holes to hold the prescribed amount of **CHAP-FUME**. Avoid drilling across seasoning checks and knots that will cause leakage.

. . . .

...

Plug all holes with treated wood plugs that are 1/16 inch larger in diameter than the hole. Wear impermeable waterproof protective gloves and safety goggles or face shield to avoid splashing any of the liquid **CHAP-FUME** on the skin or into the eyes.

When the **CHAP-FUME** treatment is for the control of insects, the pole should be wrapped over the treated area with 48 inch laminated kraft paper. Staple and seal the seam and top edge with 1-inch masking tape. NO WRAPPING IS NECESSARY WHEN CONTROLLING DECAY IN POLES. Backfill and tamp the excavated area to form a seal against the kraft paper.

**Above Groundline Treatment to Control Decay:** Drill 3/4 to 7/8 inch holes in a spiral pattern up the pole starting at groundline. Avoid drilling across seasoning checks and knots that will cause leakage. The holes should be drilled at a 45 to 65 degree downward angle. Space holes at least 6 inch to 1 foot vertically from each other. Use the Rate Table to determine the number and length of holes to hold the prescribed amount of CHAP-FUME. If rot pocket is intersected by drilling, attempt to drill holes in sound wood above and below the pocket.

In areas of the pole above the groundline that are susceptible to internal decay, drill two 3/4 to 7/8 inch diameter holes 90 degrees apart and avoid seasoning checks. Holes should be one foot apart vertically.

Before applying **CHAP-FUME** assure that no one is below you. Pour **CHAP-FUME** into the holes slowly, watching for leakage. If leakage occurs, stop pouring chemical, plug the hole and drill a replacement hole observing the one foot vertical spacing between holes. Plug all holes with treated wood plugs 1/16 inch larger in diameter than the hole.

	POLE APPLICATION	RATE TABLE	
Approximate Pints Per Pole CHAP-FUME	Diameter of Hole (inches)	Length of Hole (inches)*	Number of Holes**
3/4 Pint	3/4"	10" 12"	6 5
(poles with less than 30" circumference)	7/8"	8" 9"	6 5
1.0 Pint	3/4"	11" 13"	<u>4</u> 6
(poles 30" to 45" in Circumference)	7/8" "	10" 12"	6 5
2.0 Pints (poles greater than 45" in circumference)	7/8"	18"	6
*Effective length is 2.0 inches less **CHAP-FUME should be evenly <b>Note:</b> Care should be taken not t	divided among the hole	es drilled in the pole.	

00



# STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Store away from food or feed in a secure, well-ventilated area protected from extreme temperatures. DO NOT STORE BELOW 0 degrees F. Product crystallizes at lower temperature. Warm or store at higher temperatures and mix to redissolve crystals and assure uniformity before use. Do not transfer to unmarked containers. Keep container closed when not in use.

**PESTICIDES DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER HANDLING:** Nonrefillable Container. Do not reuse or refill this container. Triple rinse as follows: Fill container ¼ full with water and recap. Shake for 10 seconds. Follow Pesticide Disposal instructions for rinsate disposal. Drain for 10 seconds after flow begins to drip. Repeat procedure two more times. Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Rinsate from the containers may be applied around the bottom of the pole. Care should be taken to prevent contamination of water and desirable vegetation.

#### WARRANTY AND LIMITATION OF DAMAGES

Seller warrants to those persons lawfully acquiring title to this product that at the time of the first sale of this product by seller this product conformed to its chemical description and that it was reasonably fit for the purposes stated on the product label when used both in accordance with the Direction for Use appearing on the product label and under normal conditions of use. Buyers and users of this product assume the risk of all loss or damage from use or handling of this product that results from their failure to read and comply with the Directions for Use of this product which appear on the product label. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY, AND NO AGENT OF SELLER IS AUTHORIZED TO DO SO. Unless expressly prohibited by state law, the liability of seller for any breach of warranty shall not exceed the purchase price of the product as to which a claim is made.

