

1022-585

07-25-2011

21-



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

JUL 25 2011

Gail Watson, Registrations Representative
IBC Manufacturing Company
416 East Brooks Road
Memphis, TN 38109

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Subject: Notification per 2007-4
Premier
EPA Registration Number: 1022-585
Application Date: July 12, 2011
Application Receipt: July 12, 2011

Dear Ms. Watson:

This acknowledges receipt of your notification submitted under the provisions of FIFRA section 3 (c) 9 and PR Notice 2007-4.

Proposed Notification:

Label revision per PR Notice 2007-4.

General Comments:

Based on a review the submitted material, your notification revising the label to comply with PR Notice 2007-4 is acceptable. A copy of this letter has been made a part of the permanent file for 1022-585.

If you have further questions concerning this letter, then please contact me by telephone at 703-308-6416 or by email at campbell-mcfarlane.jacqueline@epa.gov or Killian Swift by telephone at 703-308-6346 or by email at swift.killian@epa.gov. When you are submitting information or data in response to this letter, send a copy of this letter to accompany the submission to facilitate processing.

Sincerely,

A handwritten signature in black ink, appearing to read "Jacqueline Campbell-McErlane".

Jacqueline Campbell-McErlane
Product Manager 34
Regulatory Management Branch II
Antimicrobials Division (7510P)

2/9



United States
Environmental Protection Agency
 Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 1022-585	2. EPA Product Manager Campbell-McFarlane	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Premier	PM# 34	
5. Name and Address of Applicant (Include ZIP Code) IBC Manufacturing Company 416 East Brooks Road Memphis, TN 38109 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR SS 156.10, 156.140, 156.144, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the requirements of 0 CFR SS 156.10, 156.140, 156.144, 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container
					Other (Specify) _____
3. Location of Net Contents Information <input type="checkbox"/> Label <input checked="" type="checkbox"/> Container		4. Size(s) Retail Container 5-gal, 55-gal, 270-gal		5. Location of Label Directions <input type="checkbox"/> on label	
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other _____		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Gail Watson	Title Registrations Representative	Telephone No. (Include Area Code) C C C C C C C C C C
<p align="center">Certification</p> <p>I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.</p>		6. Date Application Received (Stamped) C C C C C C C C C C
2. Signature <i>Gail Watson</i>	3. Title Registrations Representative	
4. Typed Name Gail Watson	5. Date July 11, 2011	

July 11, 2011

Ms. Jacquie Campbell-McFarlane, Team Leader (34)
Regulatory Management Branch II
Antimicrobials Division (7510W)
U.S. Environmental Protection Agency
Room S4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

Re: Notification
Premier (EPA Reg. No. 1022-585)
Revised Label per PR Notice 2007-4

Dear Jacquie:

Enclosed please find a notification for the above product to update the Storage and Disposal Statements and bring this label into compliance with PR Notice 2007-4. The Container Disposal instructions have been updated to comply with Agency guidelines.

This submission includes:

- EPA Form 8570-1
- 1 copy of updated label language

Changes to the label have been marked for ease of review.

If you have questions or need additional information, I can be reached at 901-344-5316 or watsong@ibio.com.

Sincerely,

Gail Watson
Registrations Representative

gw

Enclosures

cc c c c
c c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c
c c c c c

2/4

PREMIER®

SAPSTAIN / MOLD CONTROL For Fresh Cut Lumber & Wood Products

Effective on softwoods, including Douglas fir, white fir, spruce, hemlock and pines (including southern and western yellow pines & eastern and western white pines) and many hardwoods, including oak, poplar and maple.

INGREDIENT STATEMENT

ACTIVE INGREDIENTS:

3-Iodo-2-Propynyl Butyl Carbamate 6.0%

Propiconazole:1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]-methyl]-1H-1,2,4-triazole 3.0%

OTHER INGREDIENTS: 91.0%

TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See back panel for additional precautionary statements.

Manufactured by:

IBC Manufacturing Company
416 East Brooks Road
Memphis, TN 38109

EPA Reg. No. 1022-585

EPA Est. No. 1022-TN-1

Net Contents: _____ Batch No.: _____

Printed in USA.

NOTIFICATION
Date Reviewed: 2/2/11
Reviewed By: [Signature]

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not use water collected from treated wood for potable water.

Premier is a liquid concentrate of 3-Iodo-2-Propynyl Butyl Carbamate (IPBC) and 1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]-methyl]-1H-1,2,4-triazole (Propiconazole) which readily mixes with various diluents to form a preservative solution.

Wood products for use in particle board and veneer production processes may be protected from sapstain and mold by the same treating processes recommended for freshly cut lumber and timber.

FOR STAIN AND MOLD CONTROL ON FRESHLY CUT LUMBER, TIMBERS, AND PEELED LOGS: Freshly cut wood should be treated within 24 hours. Otherwise, fungal attack may extend below the surface of the wood beyond the reach of a surface fungicide treatment. Freshly treated lumber should be protected from rain.

The longer the time between falling the log and sawn lumber production, the greater the incidence of pre-infection and the lower the level of stain and mold control will be achieved. This is particularly true of lumber from susceptible tree species such as pine, fir, hemlock, and yellow poplar.


Dip Tank and Across-the-Chain Applications:

The most cost effective strength of a Premier solution will depend on the environment, the lumber treated, and the duration of control required.

Under **mild** stain and mold conditions, dilutions of 1 gallon of Premier to 150 – 200 gallons of dip vat solution are recommended.

Under **moderate** stain and mold conditions, dilutions of 1 gallon of Premier with 100 to 125 gallons of dip vat solution are recommended.

Under **severe** stain and mold conditions, a dilution of 1 gallon of Premier to 50 to 75 gallons of dip vat solution are recommended.



Low Volume Spray Application:

For individual boards which are treated in low volume spray machines, add 1 gallon of Premier to 15 – 50 gallons of water. Smooth surfaced lumber normally retains only about one-half as much fungicide solution as rough cut wood and, therefore, needs the higher rate to deposit the necessary amount of fungicide on the wood.

Addition of a corrosion inhibitor is not required with Premier, as the formulation contains a built-in corrosion-inhibiting system.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Personal Protective Equipment (PPE):

Applicators and other handlers must wear:


- Long sleeved shirt and long pants
- Shoes plus socks

For Cleaning Equipment:

- Chemical-resistant apron

User Safety Requirements:

Follow manufacturer's instructions for cleaning / maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.




User Safety Recommendations:

- Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- User should remove personal protective equipment immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. DO NOT discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. DO NOT discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the Environmental Protection Agency.

FIRST AID	
IF IN EYES	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
In case of emergency call Chemtrec at 1-800-424-9300.	
Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.	



STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store away from food or feed in a secure, well-ventilated area protected from extreme temperatures. Do not transfer to unmarked containers. Keep container closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER HANDLING: Nonrefillable Container. Do not reuse or refill this container. Clean container promptly after emptying. Triple rinse as follows:


For containers small enough to shake: Empty the remaining contents into application equipment or a mix tank. Fill container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after flow begins to drip. Repeat procedure two more times.

For containers too large to shake:

For containers too large to shake: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

*



2/9

WARRANTY AND LIMITATION OF DAMAGES

Seller warrants to those persons lawfully acquiring title to this product that at the time of the first sale of this product by seller this product conformed to its chemical description and that it was reasonably fit for the purposes stated on the product label when used both in accordance with the Direction for Use appearing on the product label and under normal conditions of use. Buyers and users of this product assume the risk of all loss or damage from use or handling of this product that results from their failure to read and comply with the Directions for Use of this product which appear on the product label. SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY, AND NO AGENT OF SELLER IS AUTHORIZED TO DO SO. Unless expressly prohibited by state law, the liability of seller for any breach of warranty shall not exceed the purchase price of the product as to which a claim is made.

