

(NO. 2 STD.)

~~CONFIDENTIAL~~

# CORROSIVE SUBLIMATE TABLETS



## DANGER - POISON



**Keep Out of Reach of Children**

**ANTIDOTE** - Give milk or white of egg beaten with water, then a tablespoon of salt in a glass of warm water & repeat until fluid vomit is clear.

**CALL A PHYSICIAN IMMEDIATELY**

Do not breathe dust. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling? Do not re-use bottle. Destroy when empty.

One tablet will keep one 8 oz. composite milk sample sweet up to two weeks, or one pint composite sample up to one week.

**ACTIVE INGREDIENTS**

Mercuric Chloride..... 46.7%

**INERT INGREDIENTS**..... 53.3%

NET WEIGHT - ONE POUND

U.S.D.A. Registration No. 1028-9

Manufactured by

# KIRK WHITE CHEMICAL COMPANY

Manufacturing Chemists

Oconomowoc

- U. S. A. -

Wisconsin

RECEIVED

MAY 13 1959

U.S. DEPARTMENT OF AGRICULTURE  
NATIONAL BUREAU OF STANDARDS  
REG. NO. 1028-9

ACCEPTED

Manufactured by  
**KIRK WHITE CHEMICAL COMPANY**  
Manufacturing Chemists  
Oconomowoc - U. S. A. - Wisconsin

MAY 13 1950

U.S. DEPARTMENT OF HEALTH  
NATIONAL BUREAU OF PHARMACEUTICALS  
DIVISION OF PHARMACEUTICALS  
WASHINGTON, D. C.  
FILE NO. 1028-9

ACTIVE INGREDIENTS

Mercuric Chloride  
(Bichloride of Mercury) 46.7%

INERT INGREDIENTS

\* 53.3%

\* Salt 53.0%  
Color \*\* .3%

\*\* (Fozan Red # 332)