

DIRECTIONS

For control of exposed stages of Flying, Crawling, and Stored Grain Insects:

FLYING	CRAWLING	CRAWLING (cont'd)
*Angoumois Grain Moth	Ants	*Grain Beetle
Flies	Box Elder Bugs	*Grain Mites
Flying Moth Gnats	*Cecidie	*Granary Weevil
Homots	Cheese Mites	*Meal Worm
Mediteranean Flour Moth	Cheese Skippers	*Rice Weevil
Mosquitoes	*Cigarette Beetle	*Saw Toothed Grain Beetle
Wasps	*Confused Flour Beetle	Scorpions
	Cricket	Silverfish
	Clover Mites	Spider
	Drug Store Beetle	Spider Beetle

*Stored Grain Insect

SURFACE TREATMENT

Apply as a coarse spray using approximately 1 gallon per 300 sq. ft. For crawling insects treat floors, baseboards, walls, cabinets, shelves, sinks, pipes, ant trails and nests, with special attention to cracks, crevices, and dark corners. Repeat applications as needed.

WAREHOUSES, MILLS, AND GRAIN STORAGE BINS

—clean out, remove, and destroy waste grain, dirt, and debris before spraying. Treat floors and walls in unloading, processing, and storage areas giving special attention to cracks, crevices, and other unexposed places. Spray handling and processing equipment including conveyors, elevators and the bases of heavy machinery.


FOR IN-TRANSIT PROTECTION—treat truck beds, boxcars, and ships holds before loading.

FOR TREATMENT OF FOOD PLANTS—In Food plants including Meat and Poultry processing Plants,

FOOD INDUSTRY SPRAY INSECTICIDE

For Control of
Food and Stored Grain
Insect Pests

Ready-to-Use



ACTIVE INGREDIENTS (by weight)	100%
Technical Piperonyl Butoxide	0.302%*
Pyrethrins	0.037%
Petroleum distillate, deodorized	99.661%
	<hr/>
	100.000%

*Equivalent to 0.241% of (butylcarbityl) (6-propylpiperonyl) ether, and 0.061% related compounds.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed.

Note further precautions under directions for individual uses.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME

SURFACE TREATMENT (Cont'd)

Canneries, Bakeries: Apply only when plant is not in operation. Remove or protect all exposed food and packaging material. Clean area thoroughly before spraying. Make general treatment of floors and walls with particular attention to baseboards, door and window frames, machinery bases, cracks, crevices, and unexposed areas. After treatment, and before restarting operations, rinse all food handling equipment and utensils with potable water. Consult local, state or federal inspectors for special restrictions in individual cases.

Infected stored food products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

SPACE SPRAY

For rapid knockdown and kill of listed flying insects --- apply as a fine mist directed at upper portions of the enclosure, using 8 ounces of material per 1000 cu. ft. of space. Direct mist liberally into protected hiding and breeding places. Where possible keep doors and windows closed at least ten minutes after treatment. Ventilate thoroughly before reoccupying.

ENVIRONMENTAL CAUTIONS

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wastes and containers.

CONTAINER DISPOSAL

Do not reuse empty container. Destroy by perforating or crushing, and burying in a safe place away from water supplies. Large drums should be returned to drum reconitioner.

NOTICE

Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

[1029-52]

