

4425

GENERAL DIRECTIONS

Always mix with water. Add some water to spray tank first, then, with agitator running, add the required amount of AIDEX Methoxychlor 2E, and fill to desired level with water.

AIDEX Methoxychlor 2E is suitable for use in high or low volume application. As a contact space spray it can be used either in mist blowers or conventional hydraulic sprayers.

For timing and effectiveness against certain pests in your local area consult your State Agricultural Extension Service.

FOR CONTROL OF INSECT CARRIERS (Elm Bark Beetles) of DUTCH ELM DISEASE:
Dormant Treatment: When using a mist blower apply a 12% Methoxychlor Spray (50 gallons AIDEX Methoxychlor 2E with 50 gallons water) or when using hydraulic or conventional sprayer apply a 2% spray (8 gallons Methoxychlor 2E with 2 gallons water). Make application any time after leaves drop in fall to appearance of buds in spring. Thoroughly cover all bark surfaces. The average 50 ft. elm will require 2 to 3 gallons from a hydraulic sprayer. Spray only when temperature is above freezing and good spraying conditions prevail.

Summer Treatment When Required: For mist blower application use a 6% Methoxychlor Spray (25 gallons Methoxychlor 2E with 75 gallons water) or with hydraulic or conventional equipment use a 1% Spray (4 gallons Methoxychlor 2E with 96 gallons water). Apply 2 1/2 to 3 months after appearance of leaves and flowers in spring. Thoroughly cover all leaf and bark surfaces. More spray is required per tree than in the dormant period.

FORAGE CROPS (alfalfa, clovers, soybean, cowpea, and peanut forage): Use 1 to 2 quarts per acre for control of Spittlebug and Leafhoppers; 1 1/2 to 2 quarts per acre for control of Alfalfa Caterpillar; 2 to 3 quarts per acre for control of Alfalfa Weevil Larvae, Alfalfa Webworm, and Fall Armyworm. 3 to 4 quarts per acre for Armyworm. Low gallonage or conventional spray equipment may be used. Use 50 to 100 gallons spray mix per acre in conventional ground equipment. Do not apply within 14 days of harvest or grazing.

(Continued in Opposite Column)

Emulsifiable Insecticide for Control of Insect Carriers on Livestock, Grain Storage Bins, and as

ACCEPTED

SEP 30 1976

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, the pesticide registered under EPA Reg. No. 1029-10-1

Contains 2 lbs. Methoxychlor

CAUTION

KEEP OUT OF REACH OF CHILDREN
See Additional Cautions

Active Ingredients:

Methoxychlor*, Technical.....
Xylene.....
Petroleum Hydrocarbons.....
Inert Ingredients.....
TOTAL.....

*Methoxychlor Technical is equivalent to 22% 2, 3% Related Compounds.

CAUTION

Harmful if swallowed. Vapor harmful. May produce toxic symptoms. Use only with adequate ventilation. Avoid breathing vapor or spray mist. Avoid contact with skin. If spilled on skin wash promptly with soap and water. If swallowed call a physician immediately.

Avoid eye contact. In case of eye contact flush with water and get medical attention.

Avoid contamination of feed or foodstuffs.

ENVIRONMENTAL CAUTIONS

Toxic to fish. Do not contaminate any body of water by cleaning equipment, disposal of wastes, or in any other manner. Keep out of lakes, streams or ponds.

Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

FLASH POINT (T.C.C.): 85° F.

NET CONTENTS

GALLONS

EPA Est. 1029-10-1



A
CC

BEST AVAILABLE COPY

DIRECTIONS

1. Add some water to spray
 2. In agitator running, add the
 3. AIDEX Methoxychlor 2E, and
 4. In water.

5. 2E is suitable for use in
 6. application. As a contact space
 7. either in mist blowers or
 8. sprayers.

9. Effectiveness against certain pests
 10. Consult your State Agricultural

11. INSECT CARRIERS (Elm
 12. DUTCH ELM DISEASE:
 13. When using a mist blower
 14. Methoxychlor Spray (50 gallons
 15. 2E with 50 gallons water)
 16. Hydraulic or conventional sprayer
 17. 3 gallons Methoxychlor 2E
 18. Make application an time
 19. fall to appearance of buds
 20. cover all bark surfaces. The
 21. require 2 to 3 gallons from
 22. spray only when temperature
 23. and good spraying conditions

24. When Required: For mist
 25. a 5% Methoxychlor Spray
 26. chlor 2E with 75 gallons
 27. hydraulic or conventional
 28. 1% Spray (4 gallons
 29. 96 gallons water). Apply
 30. er appearance of leaves and
 31. thoroughly cover all leaf and
 32. pray is required per tree than

33. Alfalfa, clovers, soybean,
 34. (orange). Use 1 to 2 quarts per
 35. AFB1 and Leafhoppers; 1½
 36. ze for control of Alfalfa
 37. parts per acre for control of
 38. Alfalfa Weevorm, and Fall
 39. parts per acre for Armyworm
 40. conventional spray equipment
 41. to 100 gallons spray mix per
 42. ground equipment. Do not
 43. of harvest or grazing
 44. (Opposite Column)

Emulsifiable Insecticide for Control of Insect Carriers of Dutch Elm Disease, and for use on Certain Crops,
 Livestock, Grain Storage Bins, and as a Space Spray for Control of Flies.

ACCEPTED

SEP 30 1976

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, the pesticide
 registered under
 EPA Reg. No. 1029-74

Contains 2 lbs. Methoxychlor Per Gallon

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Additional Cautions In Other Panels.

| Active Ingredients: | By Weight |
|-------------------------------|-----------|
| Methoxychlor*, Technical..... | 25.0% |
| Xylene | 70.2% |
| Petroleum Hydrocarbons | 2.8% |
| Inert Ingredients | 2.0% |
| TOTAL..... | 100.0% |

*Methoxychlor Technical is equivalent to 22% 2,2-Bis (p-methoxyphenyl)-1,1,1-trichloroethane and 3% Related Compounds.

CAUTION

Harmful if swallowed. Vapor harmful. May produce toxic symptoms. Use only with adequate ventilation. Avoid breathing vapor or spray mist. Avoid contact with skin. If spilled on skin wash promptly with soap and water. If swallowed call a physician immediately.

Avoid eye contact. In case of eye contact flush with water and get medical attention.

Avoid contamination of feed or foodstuffs.

ENVIRONMENTAL CAUTIONS

Toxic to fish. Do not contaminate any body of water by cleaning equipment, disposal of wastes, or in any other manner. Keep out of lakes, streams or ponds.

Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

FLASH POINT (..C.C.): 85° F.

CONTAINER DISPOSAL

Do not reuse empty containers. Destroy promptly by crushing and burying away from water sources. Large drums may be returned to reconditioner.

PRECAUTIONS IN USING

STORE ABOVE FREEZING. If exposed to prolonged cold, place in warm storage for several days and agitate contents before using.

Avoid contact of spray mixtures with automobiles as damage to automobile finish may result

Do not spray trees or crops when temperatures exceed 90° F.

**DO NOT USE, POUR, SPILL OR STORE
 NEAR HEAT OR OPEN FLAME.**

NOTICE

Seller's guarantee shall be limited to the terms of the label and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

SSP - 6-15-76 - 600 - F-2858

ENTS

ONS

EPA Est. 1029-IA-1



AIDEX
CORPORATION

EPA Reg. No. 1029-74

BEST AVAILABLE COPY

Control of Insect Carriers of Dutch Elm Disease, and for use on Certain Crops,
Grain Storage Bins, and as a Space Spray for Control of Flies.

Contains 2 lbs. Methoxychlor Per Gallon

CAUTION

KEEP OUT OF REACH OF CHILDREN

See Additional Cautions In Other Panels.

By Weight

..... 25.0%

..... 70.2%

..... 2.8%

..... 2.0%

TOTAL..... 100.0%

equivalent to 22% 2,2-Bis (p-methoxyphenyl)-1,1,1-trichloroethane and

CONTAINER DISPOSAL

Do not reuse empty containers. Destroy promptly by crushing and burying away from water sources. Large drums may be returned to reconditioner.

PRECAUTIONS IN USING

STORE ABOVE FREEZING. If exposed to prolonged cold, place in warm storage for several days and agitate contents before using.

Avoid contact of spray mixtures with automobiles as damage to automobile finish may result.

Do not spray trees or crops when temperatures exceed 90° F.

**DO NOT USE, POUR, SPILL OR STORE
NEAR HEAT OR OPEN FLAME.**

NOTICE

Seller's guarantee shall be limited to the terms of the label and subject thereto the buyer assumes any risk to persons or property arising out of use or handling and accepts the product on these conditions.

SSP - 6-15-76 - 500 - F-2859

GENERAL DIRECTIONS (Cont'd.)

POTATOES: Use 2 quarts Methoxychlor 2E per acre to control Colorado Potato Beetle, Leafhoppers, and Flea Beetles. Use 50 to 100 gallons spray per acre with conventional ground equipment.

LIVESTOCK: For control of certain parasites on livestock. Do not use on dairy animals.

BEEF CATTLE - Use 1 quart Methoxychlor 2E with 12½ gallons water. Apply 2 quarts spray per large animal to control Hornflies and proportionately less to smaller animals. Repeat every 3 weeks or as needed; to control Short-nosed and Long-nosed Cattle Lice, apply as a drenching spray.

Backrubbers for Hornfly control on Beef Cattle - Use 1 gallon Methoxychlor 2E with 4 gallons of Diesel fuel or furnace type oil. Use 1 gallon of solution to saturate 20 ft. of backrubber cable; soak cable every 2 or 3 weeks.

HOGS - For control of Lice use 1 quart Methoxychlor 2E per 12½ gallons water and apply as a drenching spray.

GRAIN STORAGE BINS: To clean up infestations in empty storage bins, use 1 gallon Methoxychlor 2E in 10 gallons water. Apply at the rate of 2 gallons spray per 1000 sq. ft. floor and wall space before products are stored. This aids in control of Cadelle, Flat Grain Beetle, Lesser Grain Borer, Red Flour Beetle, Long-headed Flour Beetle, Rice Weevil, Granary Weevil, Confused Flour Beetle, Foreign Grain Beetle, and Hairy Fungus Beetle.

NOTE - Do not add grain to bin for at least 24 hours or until walls have dried out thoroughly.

FARM AREA FLY CONTROL - For a contact or space mist or spray to reduce Housefly and Stable Fly populations mix spray at the rate of 1 gallon Methoxychlor 2E to 20 gallons water. Apply as a mist or fine spray in and around farm buildings. Do not apply in buildings when animals or unprotected humans are present. Do not apply to any area occupied by unprotected humans. Care must be taken to avoid contamination of milk handling equipment, feedstuffs, feed troughs, and watering receptacles.

harmful. May pro-
nly with adequate
por or spray mist.
illed on skin wash
. If swallowed call

eye contact flush
tion.

foodstuffs.

CAUTIONS

inate any body of
disposal of wastes,
ut of lakes, streams

s likely to occur.
nditions favor drift
s product only as

3.): 85° F.



AIDEX
CORPORATION

EPA Reg. No. 1029-74

LOT

400 AVAILABLE COPY