

DIRECTIONS

Apply at the rate of 5 to 12 pounds per acre using standard aerial or ground granular application equipment.

For control of EUROPEAN CORN BORER: SWEET CORN - Make first application when 25% of plants show evidence of leaf feeding and continue at 5-day intervals as long as leaf feeding is evident. From one to three treatments may be required. For control of second brood borers, apply when eggs begin to hatch.

FIELD CORN - Apply 10 days after eggs first hatch or when 75% of plants show evidence of feeding in leaf whorls. Repeat in 7 to 10 days if new evidence of feeding is present. For control of second brood borers, apply when eggs begin to hatch.

NOTE: NEVER APPLY EPN WITHIN 14 DAYS OF HARVEST.

DANGER!

EXTREMELY HAZARDOUS BY SKIN CONTACT, INHALATION, OR SWALLOWING. RAPIDLY ABSORBED THROUGH SKIN. REPEATED EXPOSURE MAY, WITHOUT SYMPTOMS, BE INCREASINGLY HAZARDOUS.

Do not get on skin, eyes, or clothing. Do not breathe vapor or loose dust. Wear clean, heavy, natural rubber gloves, rubber boots, and clean, waterproof clothing (coveralls, cap), and goggles when applying or handling. Destroy and replace gloves frequently. Wear an effective mask or respirator of a type passed by the U.S. Bureau of Mines for protection.

After applying or handling wash hands, arms, and face thoroughly with soap and water before eating or smoking. After work bathe at once and change all clothing. Wash clothing with soap and hot water thoroughly before reuse.

In case of any contact or appearance of poison symptoms apply FIRST AID measures shown on front panel.

NOTICE

Seller's guarantee shall be limited to the terms of the label and subject thereto the buyer assumes all risk to person or property arising out of use or handling and accepts the product on these conditions.

AIDEX EPN-4G

4% EPN GRANULAR INSECTICIDE

For Control of European Corn Borer

ACTIVE INGREDIENT:

O-Ethyl O-p-nitrophenyl phenylphosphonothioate* 4%

INERT INGREDIENTS: 96%

From technical EPN Total 100%

DANGER



POISON

KEEP OUT OF REACH OF CHILDREN

Not for Use or Storage in or Around Home

See Additional Cautionary Information on Side Panels.

Study Entire Label Before Opening or Handling.

ANTIDOTE AND FIRST AID

ATROPINE IS ANTIDOTAL - CONSULT PHYSICIAN FOR EMERGENCY SUPPLY. CALL PHYSICIAN IN ALL CASES OF SUSPECTED POISONING. TWO 1/100 gram ATROPINE tablets may be given pending arrival of physician. 2-PAM is also antidotal and may be administered in conjunction with atropine. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.**

See poison symptoms on right panel.

Internal - Give tablespoonful of salt in a glass of warm water and repeat until vomit is clear. Have victim lie down and rest. Get prompt medical attention.

External - Immediately remove all contaminated clothing and wash skin with soap and warm water. For eyes flush with water for 15 minutes and get prompt medical attention.

Note to Physician: Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

WARNING

Keep animals and unprotected humans away from area during treatment and while there is danger from drift or residues.

THIS PRODUCT IS TOXIC TO FISH, BIRDS AND OTHER WILDLIFE. Do not contaminate any body of water or area not specified on label with this material, by spillage, drift, cleaning equipment, disposal of wastes, or in any other manner.

Apply this product only as specified on this label.

Do not apply when weather conditions favor drift from area being treated. Do not apply where runoff is likely to occur.

Store in cool, dry place, away from Feed, Foodstuffs, and domestic animals. Keep container closed.

Do not contaminate Feed or Foodstuffs.

Do not retain or reuse empty container.

Crush and bury when empty or return drums to reconditioner. Bury any spillage and clean up area with strong lye solution.

CAUTION: This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Symptoms of Poisoning

Symptoms of poisoning by any organophosphorus insecticides, including EPN, are likely to be as follows:

- 1 - Digestive upsets, nausea, vomiting, cramps, feeling of pressure under breastbone, diarrhea.
 - 2 - Sweating and excessive salivation.
 - 3 - Restlessness, giddiness, headache.
 - 4 - Muscular tremors, twitching of facial and eye muscles.
- If any of these symptoms are felt remove victim from area and apply First Aid measures. Do not allow victim to resume operations with any organophosphorus insecticide until physician has cleared him after testing blood for organophosphorus effect.

NET CONTENTS 50 LBS.

Manufactured For



AIDEX
CORPORATION

Omaha, Nebraska

EPA Reg. No. 1029-78