DIRECTIONS FOR USE

SUPER FLY-BAN is a ready to use. highly effective product that is artifically colored to prevent accidental usage. No mixing preparation or application equipment is required to use the material as a dry bait. By means of the handy shaker top canister, scatter the bait evenly on floors or other horizontal surfaces where flies alight or congregate in factories picnic areas, patios. kennels, dairy barns, calf barns, hog barns, poultry houses, livestock loafing sheds, kennels, garbage areas, outdoor latrines and dumps. Do NOT use in edible products areas of food processing plants. Good sanitation measures and proper disposal of wastes are necessary for effective fly control.

APPLICATION RATES

Apply to floors or other areas mentioned above at the rate of 1 lb. per 2000 sq. feet. Apply evenly over manure piles and floor areas where flies breed. Applications should be made daily until the fly population is under control. Then applications should be repeated every few days as necessary. Baits should be placed in areas not accessible to children, pets wildlife and domestic animals.

FOR MAGGOT CONTROL

Apply SUPER FLY-BAN at a rate of 1 lb. per 500 sq. ft. of fly breeding area, garbage dumps and manure piles. Repeated applications will be

super FLY-BAN

Fly Killer

READY-TO-USE DRY BAIT Also for mixing as a liquid bait

CAUTION **KEEP OUT OF REACH OF CHILDREN**

See other panel for additional cautions

ACTIVE INGREDIENTS:	By Weight
2,2-Dichlorovinyl dimethyl	
phosphate (DDVP)	0.093%
Related compounds	0.007%
Ronnel (0, 0-dimethyl 0-2, 4, 5-	
trichlorophenyl	
phosphorothioate)	0.250%
INERT INGREDIENTS:	99.650%
Total	100.000%

STORE IN A COOL DRY PLACE **Close Container Tightly After Each Use**


CONTAINS


DDVP and RONNEL

NOTICE

Seller's guarantee shall be limited to the terms of the label, and subject thereto the buyer assumes all risk of handling and accepts the product on these conditions.

Net Weight 100 Pounds





DIRECTIONS

「大教王」 とうしょうしょう しょう and a finite l

AS LIQUID BAIT

SE BALL OF SUPER FLY HAT. HAT. gation of water and sprinkle ontioors of above mentioned buildings. Do not exceed a rate of 1 jailon per 1000 sc. ft. Application of the liquid bait should be made daily until flies are under control and then 2 to 3 times per veek as required.

CAUTION

Avoid contact with skin. Wash thoroughly after handling. Avoid contamination of feed and foodstuffs. Keep out of reach of children. Harmful if swallowed. Do not apply the bait in large amounts at any one place and it will be impossible for domestic animals to lick up the bait Do not contaminate livestock feed. Do not use in human dwellings or food processing plants. Do not contaminate milk or milking utansils.

ENVIRONMENTAL CAUTIONS

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

CONTAINER DISPOSAL

Do not reuse empty container. Destroy when empty.

CC(9/3/75)2C

EPA Reg. No. OMAHA, NEBRASKA 1029-93

