

# LIVESTOCK DUST

A Ready - To - Use Insecticide Dust

to control

HORN FLIES and LICE and aid in the control of FACE

FLIES on BEEF CATTLE and DAIRY CATTLE and to control LICE on SWINE

ACTIVE INGREDIENT:

2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate

INERT INGREDIENTS

TOTAL

BY WEIGHT

3.00%

97.00%

# CAUTION KEEP OUT OF REACH OF CHILDREN

See other panel for additional cautions

## **GENERAL DIRECTIONS**

RABEX. Livestock Dust is a ready-to-use insecticide dust which can be applied by hand or through the use of self-treating dust bags. There is no withholding period from last application to slaughter.

Take Time - Observe Label Directions

## USE DIRECTIONS

Animal	insect	Remarks
Beef Cattle Dairy Cattle	Horn Flies Face Flies Lice	HAND DUSTING. Apply approximately 2 oz. of dust by shaker can, rotary duster or by spoon to the upper portions of the back, neck and poll, and to the face as an aid in the control of face flies. Rub in lightly to carry the dust beneath the hair. Repeat as necessary.
		SELF-TREATING DUST BAG  FORCED USE—Put_RABEX_Livestock Dust in cotton cloth or double burlap bags or use pre-packed weather proof cattle dust bags and hang in barn door exits or alleyways leading from animal buildings, salt or mineral blocks or watering holes. Protect cloth or burlap bags from weather
		FREE CHOICE USE. Use the same dust bags as above but place in loafing sheds, holding pens. feedlots, near watering holes or other areas where cattle gather. The free choice use aids in the

control of lice

## PRECAUTIONS IN USING

## CAUTIONS

narmful if swallowed. Avoid breathing dust. Do not get in eyes, on skin, or on clothing. If the material gets into the eyes, wash with plenty of water for 15 minutes; if irritation persists, see a physician. Yash thoroughly with soap and water after handling and before eating or smoking. Avoid contamination of feed and foodstuffs. Keep away from heat and open flame. Do not apply in dwellings.

## ENVIRONMENTAL CAUTIONS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply where runoff is likely to occur. Apply this product only as specified on this label. Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

**ACTIVE INGREDIENT:** BY WEIGHT 2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate **INERT INGREDIENTS** 

3.00% 97.00%

TOTAL

100.00%

## CAUTION KEEP OUT OF REACH OF CHILDREN

See other panel for additional cautions

## **GENERAL DIRECTIONS**

RABEX. Livestock Dust is a ready-to-use insecticide dust which can be applied by hand or through the use of self-treating dust bags. There is no withholding period from last application to slaughter.

## Take Time - Observe Label Directions

## **USE DIRECTIONS**

Anımai	Insect	Remarks
Beef Cattle Dairy Cattle	Horn Flies Face Flies Lice	HAND DUSTING Apply approximately 2 oz. of dust by shaker can, rotary duster or by spoon to the upper portions of the back, neck and poll, and to the face as an aid in the control of face flies Rub in lightly to carry the dust beneath the hair. Repeat as nec essary.  SELF-TREATING DUST BAG
		FORCED USE—Put_RABEX_Livestock Dust in cotton cloth or double burlap bags or use pre-packed weather-proof cattle dust bags and hang in barn door exits or alleyways leading from animal buildings, salt or mineral blocks, or watering holes, Protect cloth or burlap bags from weather.
		FREE CHOICE USE. Use the same dust bags as above but place in loafing sheds, holding pens, feedlots, near watering holes or other areas where cattle gather. The free choice use aids in the control of lice.
Swine	Lice	HAND DUSTING. Apply 3.4 oz of dust by conventional hand or powder duster to each animal with special attention given to the neck and around the ears. Repeat as necessary but not more often than once every 14 days. In severe infestations, both individual animals and bedding may be treated. One lb. of 3% dust should be applied per 150 sq. ft. of bedding.

#### PRECAUTIONS IN USING

## CAUTIONS

Harmful if swallowed. Avoid breathing dust. Do not get in eyes, on ekin, or on clothing. If the material gets into the eyes, wash with plenty of water for 15 minutes; if irritation persists, see a physician. Yash thoroughly with soap and water after handling and before eating or smoking. Avoid contamination of feed and foodstuffs. Keep away from heat and open flame. Do not apply in dwellings.

## ENVIRONMENTAL CAUTIONS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply where runoff is likely to occur. Aprly this product only as specified on this label. Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place.

## NOTICE

Seller's guarantee shall be limited to the terms of the label and subject thereto the buyer assumes all risk to persons or property arising out of use or handling and accepts the product on these conditions.

:1029-118

EPA Est. 1029-IA-1

NET CONTENTS\_

EPA Reg. No. 1029-118

MANUFACTURED BY



OMAHA, NEBRA3KA