

PA 133
K...
1...

staphene

DISINFECTANT SPRAY AND AIR SANITIZER

ACTIVE INGREDIENTS: o-benzyl p-chlorophenol 0.077%, p-tertiary amylphenol 0.074%, o-phanyphenol 0.041%, n-ethyl (80% C₁₂, 30% C₁₀, 5% C₁₈, 5% C₁₆) dimethylbenzyl ammonium chloride 0.042%, n-ethyl (50% C₁₂, 30% C₁₄, 17% C₁₆, 3% C₁₈) dimethyl benzylbenzyl ammonium chloride 0.042%, propylene glycol 4.538%, ethanol 63.096%.

INERT INGREDIENTS 42.09%

EPA Reg. No. 1043-19

**Germicidal
Tuberculocidal
Air Deodorizer
Fungicidal
Virucidal***

ACCEPTED
NOV 06 1989
U.S. for the Federal Government
Fungicide, Disinfectant, Virucide
as shown on label for the use of
pesticide under
EPA Reg. No. 7643-19

SPRAY FROM ANY ANGLE, EVEN UPSIDE DOWN

**KEEP OUT OF REACH
OF CHILDREN
CAUTION**

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

See side panel for additional precautionary and practical treatment statements.

Can Size 20 fl. oz.

Net Contents 16 oz. (1 lb. avdp.)

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Do not use on surfaces which will come in prolonged contact with skin. Avoid prolonged inhalation of spray mist and spraying of food, skin or varnished surfaces.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.


DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

General and Tuberculous Disinfection, Elimination of Fungi and Viruses*: Spray hard, non-porous environmental surfaces from any angle even upside down from a distance of 6-8 inches for 2-3 seconds or until surface is thoroughly wet. Allow surfaces to remain wet for 10 minutes or allow to air dry without wiping or rinsing. Gross filth or heavy soils must be removed before disinfection.

To Prevent Mold and Mildew on Leather Goods and Fabrics: Spray surface until wet. Repeat as necessary, usually within 21-30 days.

To Deodorize, Sanitize and Refreshen the Air: Direct spray upward toward the center of the room for 3-5 seconds.




staphene

DISINFECTANT SPRAY
AND AIR SANITIZER
Germicidal . Tuberculocidal
Air Deodorizer . Fungicidal . Virucidal

Staphene Disinfectant Spray and Air Sanitizer is an aerosol-dispensed, spot disinfectant and deodorant for schools, medical, dental and business offices, homes, sick rooms, nursing homes and general hospital use.

- . Air filters an ventilating ducts
- . Bedsprings and frames
- . Bedside and office furniture
- . Chart racks and equipment cabinets
- . Countertops
- . Sinks and mirrors
- . Light fixtures and switches
- . Supply, dressing and trash carts
- . Telephones
- . Waste cans and laundry hampers
- . Wheel chairs and walkers



Germicidal: Passes A.O.A.C. Germicidal Spray Products Test (Staphylococcus aureus, Salmonella choleraesuis, Pseudomonas aeruginosa) in the presence of 5% blood serum, 10 minutes at 20°C.

Tuberculocidal: Passes A.O.A.C. Germicidal Spray Products Test (Mycobacterium tuberculosis var.bovis) in the presence of 5% blood serum, 10 minutes at room temperature (25° c/77°F) on hard inanimate surfaces. Gross filth or heavy soils must be removed before disinfection.

Fungicidal: Passes A.O.A.C. Germicidal Spray Product Test (Trichophyton Mentagrophytes) in the presence of 5% blood serum, 10 minutes at 20°C.

*Virucidal: Passes virucidal assay (EPA Proposed Method) [Influenza A2 (Japan), Vaccinia, Herpes simplex type 2, Rhinovirus 39 (Common cold virus)] in the presence of 5% blood serum, 10 minutes at 20°C on hard inanimate surfaces.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not use or store near heat or open flame. Open dumping is prohibited. Do not reuse empty container. Wrap container and put in trash.



DIVISION OF CALGON CORPORATION
SUBSIDIARY OF MERCK & CO., INC.
St. Louis, Missouri 63133

EPA Est. 10900-OH-1

498-11-1

33595-MO-1

91A-101