

PM32

1043-19

(AIR DEODORIZER)

Kills HIV-1 (AIDS virus) on inanimate surfaces.

### PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Do not use on surfaces which will come in prolonged contact with skin. Avoid prolonged inhalation of spray mist and spraying of food, skin or varnished surfaces.

### STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse.

If swallowed, promptly drink a large quantity of water. Avoid alcohol. Do not induce vomiting. Call a physician immediately.

### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measure against circulatory shock, respiratory depression and convulsion may be needed.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**General and Tuberculous Disinfection, Elimination of Fungi and Viruses:** Spray hard, non-porous environmental surfaces from any angle over inside down from a distance of 8-9 inches for 2-3 seconds or until surface is thoroughly wet. Allow surfaces to remain wet for 10 minutes or allow to air dry without wiping or rinsing. Gross filth or heavy soils must be removed before disinfection.

**KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS FREQUENTLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV-1) (associated with AIDS).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (HUMAN IMMUNODEFICIENCY VIRUS OR AIDS VIRUS) ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:**

**Personal Protection:** Wear appropriate barrier protection such as latex gloves, gowns, masks, or eye coverings.  
**Cleaning procedure:** blood and other body fluids must be thoroughly cleaned from surfaces and objects before application. Apply solution as directed in paragraphs above.  
**Contact time:** While the HIV-1 virus is inactivated in 1 minute, use a 10-minute contact time for disinfection of all organisms on this label. Infectious materials disposal: blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious material.

To Prevent Mold and Mildew on Leather Goods and Fabric: Spray surface until wet. Repeat as necessary, usually within 21-30 days.

To Deodorize, and Refreshen the Air: Direct spray upward toward the center of the room for 3-5 seconds.

# staphene®

## DISINFECTANT SPRAY AND DEODORIZER

**ACTIVE INGREDIENTS:** o-benzyl-o-chlorophenol 0.077%, p-tertiary amylphenol 0.074%, o-phenylphenol 0.041%, N-alkyl (60% C<sub>12</sub>, 30% C<sub>14</sub>, 5% C<sub>16</sub>) dimethylbenzyl ammonium chlorides 0.042%, N-alkyl (50% C<sub>12</sub>, 30% C<sub>14</sub>, 17% C<sub>16</sub>, 3% C<sub>18</sub>) dimethyl ethylbenzyl ammonium chlorides 0.042%, ethanol 53.096%

**INERT INGREDIENTS** 46.828%

E.P.A. Reg. No. 1043-19

Germicidal  
Tuberculocidal  
Air Deodorizer  
Fungicidal  
Virucidal

APPROVED  
with COLGON  
in EPA Letter Dated

AUG 8 1990

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended for the purpose  
regulation under title 40, Part  
104.3-19

KEEP OUT OF REACH  
OF CHILDREN

CAUTION

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperature above 130°F may cause bursting. Never throw container into fire or incinerator.

See side panel for additional precautionary and practical treatment statements.

Can Size 20 fl. oz.

Net Contents 16 oz. (1 lb. avdp.)



ps. 1 of 1

## staphene® DISINFECTANT SPRAY AND DEODORIZER

Germicidal • Tuberculocidal  
Air Deodorizer • Fungicidal • Virucidal  
Staphene Disinfectant Spray and Deodorizer is an aerosol dispensed, cool disinfectant and deodorizer for schools, medical, dental and business offices, homes, sick rooms, nursing homes and general hospital use.

- Bedsprings and frames
- Bedside and office furniture
- Chair racks and equipment cabinets
- Countertops
- Sinks and mirrors
- Light fixtures and switches
- Supply, dressing and trash carts
- Telephones
- Waste cans and laundry hampers
- Wheelchairs and walkers

**Germicidal:** Passes A O A C Germicidal Spray Products Test (Staphylococcus aureus, Salmonella choleraesuis, Pseudomonas aeruginosa) in the presence of 5% blood serum, 10 minutes at 20°C.

**Tuberculocidal:** Passes A O A C Germicidal Spray Products Test (Mycobacterium tuberculosis var bovis) in the presence of 5% blood serum, 10 minutes at room temperature (25°C/77°F) on hard inanimate surfaces. Gross filth or heavy soils must be removed before disinfection.

**Fungicidal:** Passes A O A C Germicidal Spray Products Test (Trichophyton mentagrophytes) in the presence of 5% blood serum, 10 minutes at 20°C.

**Virucidal:** Passes virucidal assay (EPA Proposed Method) (Influenza A<sub>2</sub> (Japan), Vaccinia, Herpes simplex type 2, Rotavirus 39 (Common cold virus)) in the presence of 5% blood serum, 10 minutes at 20°C on hard inanimate surfaces.

When tested by an EPA-approved Cattlest Method, the HIV-1 (AIDS) virus, with added 10% organic soil (serum), was completely inactivated in 60 seconds at 20 - 25°C. Although efficacy at 1 minute contact time has been shown to be adequate against HIV-1, this time would not be sufficient for other organisms. Use a 10-minute contact time for disinfection against all of the organisms claimed.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Do not use or store near heat or open flame. Open dumping is prohibited. Do not reuse or rely on inner wrap (in inner and do not wash).

Calgon Vestal Laboratories  
Division of Calgon Corporation  
Subsidiary of Merch & Co., Inc.  
St. Louis, Missouri 63133

EPA Est. 1000 OH 1181 498 2 19  
33595-MO-1181 6789 71A