

Center Panel



1STROKE VES-PHENE[®]

U.S. PATENT NO. 3,538,217

EPA Reg. No. 1043-21

Fungicide • Deodorant • Germicide • Tuberculocide

ACTIVE INGREDIENTS: Sodium o-phenylphenate, 11.1%; Sodium o-benzyl-p-chlorophenate, 8.9%; Sodium p-tertiary-amylphenate, 2.3%

INERT INGREDIENTS.....77.7%

KEEP OUT OF REACH OF CHILDREN

DANGER

See side panel for additional precautions


NET CONTENTS: 64 FL. OZ. (1/2 U.S. GALLON)

ACCEPTED
NOV 06 1968
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 1043-21

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

DANGER



Read carefully the following statement which applies to the contents of this container.

Corrosive to tissues. Causes eye and skin damage. Harmful or fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles and rubber gloves when handling.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, do not induce vomiting; drink large quantities of fluid and call a physician immediately.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOR USE ON ALL WASHABLE PRECLEANED HARD ENVIRONMENTAL SURFACES INCLUDING TUBERCULOUS AREAS. USE A 1:256 SOLUTION (1/2 OUNCE PER GALLON OF WATER).

For simplicity and accurate solution control, use this concentrate with Calgon Vestal's One-Stroke Dispenser. Use 1 dispenser stroke (up and down) for each gallon of solution prepared (each stroke delivers 1/2 oz.). Apply with normal techniques using wiping cloths, sponge or mop to thoroughly wet all surfaces. Treated surfaces should remain wet for 10 minutes. Remove excess solution with a wrung-out applicator. Discard solution when it becomes dirty and replace with a fresh solution. When used as directed, this product is harmless to resilient flooring, tile, terrazzo, painted and varnished surfaces. It is GERMICIDAL, PSEUDOMONICIDAL, TUBERCULOCIDAL and FUNGICIDAL. Always remove gross filth or heavy soil before applying the solutions of this product. Heavily soiled surfaces should be precleaned and rinsed before applying the 1 Stroke Vesphene solutions. This is a complete product. Do not add other chemicals. Use only as directed.

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide Disposal: This germicide, its solutions or rinsings from empty containers, should be disposed of in a toilet or service sink served by a sanitary sewer or in a landfill approved for pesticides.

Container Disposal: Triple rinse and deposit in a waste container for incineration or burial in a landfill approved for pesticide containers.

General: Consult Federal, State or Local disposal authorities for approved alternative procedures such as limited open burning. If frozen, thaw and remix before use.

1 STROKE VES-PHENE

1 Stroke Vesphene is a detergent based germicide intended for use only in institutions such as hospitals, nursing homes, industrial plants, schools, medical and dental offices, and veterinary clinics where disinfection and deodorization are needed.


Use this product on chrome, stainless steel, other metal surfaces, porcelain, glass, tile, washable painted or varnished surfaces, as well as resilient vinyl, asphalt, linoleum, rubber, terrazzo, or other combination type floors.

It is effective against pathogenic bacteria and fungi including *S. aureus*, *S. typhosa*, *Ps. aeruginosa*, *M. tuberculosis* and *T. mentagrophytes* when used as directed in 10 minutes at 20°C.

GERMICIDAL QUALIFICATION (A.O.A.C. use-dilution confirmation, 10 minutes at 20°C, when diluted 1:256 (1/2 ounce per gallon of water) in 400ppm A.O.A.C. hard water.

Tuberculocidal Activity Test (A.O.A.C.) *M. tuberculosis* (BCG) at 1:256 in soft or hard water (400 ppm as CaCO₃) effective in 10 minutes at 20°C. Remove heavy soil or gross filth and thoroughly clean surfaces.

TUBERCULOCIDAL ACTIVITY TEST (AOAC, <i>M. tuberculosis</i>).....	1:256
VIRUCIDAL QUALIFICATION.....	1:256
FUNGICIDAL TEST (AOAC, <i>T. mentagrophytes</i>).....	1:256
GERMICIDAL, PSEUDOMONADICIDAL, TUBERCULOCIDAL, AND FUNGICIDAL BY OFFICIAL AOAC QUALIFICATION IN SOFT OR HARD WATER (AOAC 400 PPM as CaCO ₃)	
PHENOL COEFFICIENT (AOAC)	



*Disinfects viruses such as Influenza A₂, Herpes simplex, Type 2 Adenovirus, and Vaccinia; avian viruses such as Newcastle disease, Infectious bronchitis, Infectious laryngotracheitis and Marek's disease; and Hog cholera virus carried on inanimate environmental surfaces when used as directed.

Classified by Underwriters Laboratories, Inc., ^(R) as to electrical conductivity when used on conductive floors and spontaneous heating. CALGON VESTAL 1 STROKE VESPHENE Germicidal Detergent--For use with listed electrically conductive flooring of the vinyl type. 942P

Calgon Vestal Laboratories
Division of Calgon Corporation
Subsidiary of Merck & Co., Inc.
St. Louis, MO 63110

