
ENVIRON®

CONCENTRATED PHENOLIC GERMICIDAL DETERGENT

ACCEPTED

DEC - 6 1968

UNDER THE FEDERAL INSECTICIDE FUNCICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERMENT DER NO. / () 4 3 - 3 |



U.S.D.A. REGISTRATION NO. 1043-31

Minimum Phenol Coefficient (AOAC 20°C): S. typhosa -9, S. aureus -8 Minimum Use Dilution Confirmation (AOAC): S. choleraesuis — 1:100, S. aureus — 1:1 aeruginosa — 1:100

p-tertiary amylphenol 2.30%, 2,2'-methylenebis (3,4,6-trichlorophenol) 0.18%

TOTAL INERT INGREDIENTS......91.27%

ENVIRON combines the high detergent action of a general purpose cleaner with the non-selective germicidal action of a general purpose disinfectant. It effectively cleans, disinfects and deodorizes <u>farm</u> and <u>poultry buildings</u>; equipment; poultry processing plants; confinement rearing areas.

RECOMMENDATIONS FOR USE: ENVIRON must be diluted for use. A 1% dilution of ENVIRON (for exceptionally dirty areas use 2%) is recommended for all ning and disinfecting. 1% solution kills pathogenic bacteria and fungi such as S. aureus, S. typhosa, Ps. aeruginosa, M. tuberculosis, T. interdigitale, E. floccosum and many lypophilic viruses.

CAUTION: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Avoid contact with skin and eyes. Particular care should be taken in handling the undiluted concentrate, including proper shielding of eyes to prevent accidental splashing. In case of exposure, flush exposed parts immediately with large amounts of flowing water. Use rubber gloves for manual cleaning operations. Avoid contamination of feed and feedstuffs. Do not apply to poultry or animals enroute to processing plants. Ringse food handling emigment with potable water after treatment.



YESTAL LABORATORIES
Division of W. R. Grace & Co.
St. Louis, Missouri