

enviroquat

DEODORIZER AND DISINFECTANT SPRAY

ACTIVE INGREDIENTS: n-alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈) dimethyl benzyl ammonium chloride, 0.042%, n-alkyl (50% C₁₂, 30% C₁₄, 17% C₁₆, 3% C₁₈) dimethyl ethylbenzyl ammonium chloride, 0.042%, propylene glycol 5.15%, ethanol 52.73%

INERT INGREDIENTS: including sodium nitrite 42.036%

For General disinfection of bacteria such as mycobacterium tuberculosis, pathogenic fungi, and many viruses*: Spray surface from a distance of 12 inches for 2-3 seconds or until surface is wet.

To Deodorize, Sanitize and Refreshen Room Air: Direct spray upwards toward the center of the room for 3-5 seconds; repeat as necessary.

*Kills viruses such as Vaccinia, Influenza A₂, Adenovirus Type 5, and Herpes Simplex on inanimate surfaces when used as directed.

Air filters and
ventilating duct
louvers

Bedsprings and frames
Bedside and office
furniture

Chart racks and
equipment
cabinets

Countertops

Sinks and mirrors
Light fixtures and
switches

Supply, dressing and
trash carts

Telephones

Waste cans and
laundry hampers

Wheel chairs and
walkers

WARNING: Flammable! Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

WARNING: Irritating to eyes. If sprayed in eyes, immediately flush eyes with plenty of water for 15 minutes, and call a physician.

Do not use on surface which will come into prolonged contact with skin. Avoid prolonged inhalation of spray mist, and spraying on food, skin or varnished surfaces.

VESTAL LABORATORIES • DIVISION OF CHEMED CORP. • ST. LOUIS, MO. 63110



GERMICIDAL
FUNGICIDAL
STAPHYLOCIDAL
AIR DEODORIZER
TUBERCULOCIDAL
PSEUDOMONACIDAL
VIRUCIDAL*

WARNING: KEEP OUT OF
REACH OF CHILDREN

See Back Panel For Additional
Precautions and First Aid

COMBUSTIBLE:
KEEP FROM HEAT OR FLAME

NET CONTENTS:
14.2 Ounces avdp.

CAN SIZE:
18 Fl. Oz. (1 pt. 2 oz.)

1975

UNDER
FEDERAL
REGISTRATION
ACT
EPA REG. NO. 10900-OH-1

enviroquat

ACTIVE INGREDIENTS: 1,2-Dichloro-4,4'-bis(4-chlorophenyl)ethane 15.00%
Sodium Nitrite 42.036%
Inert Ingredients 42.964%

INERT INGREDIENTS: including sodium nitrite 42.036%

DIRECTIONS FOR USE

For General disinfection of bacteria such as mycobacterium tuberculosis, pathogenic fungi, and many viruses. Spray from a distance of 12 inches for 2-3 seconds or until surface is wet. To Deodorize, Sanitize and Refreshen Room Air: Direct spray upwards toward the center of the room for 3-5 seconds; repeat as necessary.

*Kills viruses such as Vaccinia, Influenza A, Adenovirus Type 5, and Herpes Simplex on inanimate surfaces when used as directed.

Air filters and ventilating duct louvers
Bedsprings and frames
Bedside and office furniture
Chart racks and equipment cabinets
Countertops

Sinks and mirrors
Light fixtures and switches
Supply, dressing and trash carts
Telephones
Waste cans and laundry hampers
Wheel chairs and walkers

WARNING: Flammable! Contents under pressure. Do not use near fire, sparks, or flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

WARNING: Irritating to eyes. If sprayed in eyes, immediately flush eyes with plenty of water for 15 minutes, and call a physician.

Do not use on surface which will come into prolonged contact with skin. Avoid prolonged inhalation of spray mist, and spraying on food, skin or varnished surfaces.

**GERMICIDAL
FUNGICIDAL
STAPHYLOCIDAL
AIR DEODORIZER
TUBERCULOCIDAL
PSEUDOMONACIDAL
VIRUCIDAL***

WARNING: KEEP OUT OF REACH OF CHILDREN
See Back Panel For Additional Precautions and First Aid

**COMBUSTIBLE:
KEEP FROM HEAT OR FLAME**

**NET CONTENTS:
14.2 Ounces avdp.**

**CAN SIZE:
18 Fl. Oz. (1 pt. 2 oz.)**



#398 101 E.P.A. Est. No. 10900-OH 1 #6355

ACCEPTED