

PRECAUTIONARY STATEMENTS

DANGER TO HUMANS AND DOMESTIC ANIMALS: Concentrate corrosive, causes eye and skin damage. Avoid getting in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed.

STATEMENT OF PRACTICAL TREATMENT: In case of eye contact, immediately flush eyes with water for 15 minutes and get prompt medical attention. For skin contact, flush thoroughly with water. Remove and wash contaminated clothing before reuse. If swallowed, drink a large quantity of milk, egg whites, gelatin solution, or water, avoid alcohol. Do not induce vomiting. Call physician immediately. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

CLEANING AND DISINFECTING WASHABLE, HARD, NON-POROUS SURFACES: Add $\frac{3}{4}$ fl. oz. (19 cc) to each measured gallon of water used. Always add this product to premeasured water. Thoroughly mix solution until uniform. Apply solution with a cloth, sponge, mop or brush using normal cleaning methods. Thoroughly wet all surfaces to be cleaned, then remove excess solution with a wrung out applicator. Treated surfaces should remain wet for 10 minutes. Remove gross filth mechanically by sweeping before cleaning begins. Discard solution daily or when it becomes dirty and replace with fresh solution. This is a complete product. Do not add other chemicals. If frozen, thaw and remix before use. Use only as directed.

SOLUTION TABLE FOR CONCENTRATE

Water	1 gallon	5 gallons
Concentrate	$\frac{3}{4}$ fl. oz.	$3\frac{1}{2}$ fl. oz.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL: This germicide, its solutions or rinsings from empty containers, should be disposed of in a toilet or service sink served by a sanitary sewer or in a landfill approved for pesticides.

CONTAINER DISPOSAL: Triple rinse, and deposit in a waste container for incineration or burial in a landfill approved for pesticide containers.

GENERAL: Consult Federal, State, or Local disposal authorities for approved alternative procedures such as limited open burning.

Vestal

1 STROKE VESPHENE^{se}

One-Step • Serum Effective
GERMICIDAL-DETERGENT

EPA REG. NO. 1043-88

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

Germicide • Fungicide • Virucide • Tuberculocide
Deodorizer • Cleaner • Detergent

Active Ingredients:

Sodium o-phenylphenate

Sodium p-tertiary amylphenate

Inert Ingredients

14.4

12.4

73.1

SEP 24 1967

1043-88

DANGER: KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PRACTICAL TREATMENT

In case of eye contact, flush with water for 15 minutes. Get prompt medical attention. For contact, flush with water immediately. See side panel for additional precautionary statements.

NET CONTENTS: 1 U.S. GALLON (3.78 liter)

This concentrated product represents state-of-the-art technology as a research-developed germicidal detergent. It is effective in the presence of serum even when solutions are prepared with hard water. This product has been formulated to simultaneously clean, disinfect and deodorize. It may be used for easy cleaning and disinfecting of all washable hard, non-porous environmental surfaces such as floors, walls, woodwork, bathroom fixtures, equipment and furniture. Use for cleaning and disinfecting chrome, stainless steel, other metal surfaces, porcelain, glass tile, washable painted or varnished surfaces, as well as resilient vinyl, asphalt, linoleum, terrazzo or other combination type floors.

This germicidal detergent is intended for use in institutions such as hospitals and nursing homes, industrial plants, schools, medical and dental offices, pharmaceutical plants, veterinary clinics and other indoor areas where disinfection, cleaning and deodorizing are a necessity.

GERMICIDAL: Passes A.O.A.C. Germicidal Use-Dilution Method (*S. aureus*, *S. choleraesuis*, *P. aeruginosa*) when diluted with 400 ppm A.O.A.C. hard water to make a 1:200 (2/5 ounce per 1 gallon) solution, in the presence of 5% organic soil (serum), 10 minutes at 20°C.

BROAD SPECTRUM DATA: In addition, the following organisms pass the A.O.A.C. Use-Dilution Test in 400 ppm A.O.A.C. hard water at a dilution of 1:200 in the presence of 5% organic soil (serum):

Acinetobacter calcoaceticus, ATCC 19606
Candida albicans, Clinical Isolate
Candida parapsilosis, Clinical Isolate
Citrobacter freundii, ATCC 8090
Enterobacter aerogenes, ATCC 13048
Enterobacter cloacae, ATCC 23355
Escherichia coli, ATCC 25922
Klebsiella pneumoniae, ATCC 13883
Multiply (Methicillin)—Resistant
Staphylococcus aureus (MRSA),
Clinical Isolate
Proteus mirabilis, Clinical Isolate

Proteus vulgaris, ATCC 13315
Pseudomonas aeruginosa, ATCC 27853
Salmonella typhi, ATCC 6539
Salmonella typhimurium, ATCC 14028
Serratia marcescens, ATCC 8100
Shigella flexneri, ATCC 12022
Shigella sonnei, ATCC 25931
Staphylococcus aureus, ATCC 25923
Staphylococcus epidermidis, ATCC 12228
Streptococcus faecalis, ATCC 19433
Streptococcus pyogenes, ATCC 19615

FUNGICIDAL: Passes A.O.A.C. Fungicidal Test (*Trichophyton mentagrophytes*) when diluted with 400 ppm A.O.A.C. hard water to make a 1:200 (2/5 ounce per 1 gallon) solution, in the presence of 5% organic soil (serum), 10 minutes at 20°C.

TUBERCULOCIDAL: Passes A.O.A.C. Tuberculocidal Test (*Mycobacterium tuberculosis* var. *bovis*) when diluted with 400 ppm A.O.A.C. hard water to make a 1:200 (2/5 ounce per 1 gallon) solution, in the presence of 5% organic soil (serum), 10 minutes at 20°C.

VIRUCIDAL: Passes Virucidal Assay (EPA Proposed Method) (Influenza A₂ (Japan), Herpes simplex Type 2, Vaccinia, and Adenovirus Type 2) when diluted with 400 ppm A.O.A.C. hard water to make a 1:200 (2/5 ounce per 1 gallon) solution in the presence of 5% organic soil (serum), 10 minutes at 20°C.

ODOR CONTROL: It eliminates many odors by killing odor-causing bacteria while simultaneously chemically neutralizing their odors and leaving a pleasant fragrance.

Vestal Laboratories, Inc. • A Subsidiary of Chemed Corp. • St. Louis, MO 63110

95-126

EPA Est. No. 1043-MO-1

6456

Classified by Underwriters Laboratories, Inc. as to
Electrical Conductivity when used on conductive
floors and spontaneous heating. 1 Stroke Vesphene se