AUG - 4 2003

Mr. Michael Sarli Steris Corporation P.O. Box 147 St. Louis, MO 63166-0647

Subject:

Process NPD

EPA Registration No. 1043-90 Amendment Date: July 1, 2003 EPA Receipt Date: July 1, 2003

Dear Mr. Sarli,

The following amendment submitted in connection with registration under FIFRA, as amended, is acceptable with the conditions listed below.

Addition of Directions to Control Witchweed and Broomrape

Conditions

Revise the label as follows:

Revise the "Animal Husbandry/Animal Research/Poultry Facility and Fogging" 1. directions by stating:

Remove all animals and feed from the premises, vehicles and enclosures. Remove all litter and manure from the floors, walls, and surfaces of facilities transversed or occupied by animals. Empty all troughs, racks, and other feeding and watering appliances. Thoroughly clean all surfaces with soap or detergent and rinse with water. Saturate surfaces with a use solution of ½ oz per gallon water (1:256 dilution) [include applicable fogging information for those specific directions]. Allow surfaces to remain wet for 10 minutes. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals as well as forks, shovels, and scrapers used for removing litter and manure. Ventilate buildings, vehicles, and other closed spaces. Do not house livestock or employ equipment until treatment has absorbed, set, or dried. Thoroughly scrub all treated feed racks, mangers, troughs, automatic feeders, and waterers with soap or detergent and rinse with potable water before resuse.

EPA Form 1320-1A (1/90)			Printed on Recycled Paper			OFFICIAL FILE COF		
DATE								
SURNAME)								
SYMBOL				 		 		
	regular c	leaning and d	isinfecting pro	CONCURREN	25			
2.	Revise th	ne "Fogging" (directions by	deleting the p	hrase, "either	preceding or bel guidance:	following for animal	

- premises, the area must be cleaned first before disinfection. Therefore, you must state "This product may be used for fogging following cleaning."
- 3. The use of the term, decontaminate, on a public health label is unacceptable; delete the term. Alternatively, you may state, "To prevent the spread of Witchweed/Broomrape on items" and "Standard Preventive procedures."
- 4. On the right panel, you must qualify surfaces, "tile and porcelain," as hard nonporous by stating "glazed tile" and "glazed porcelain."
- 5. Revise the "Fungicide" directions by adding the statements "....at 20oC in areas such as lockers rooms, showers, and bath areas."

General Comments

A stamped copy of the labeling accepted with conditions is enclosed. Submit three (3) copies of your final printed label before distributing or selling the product bearing the revised labeling.

If you have any questions or comments regarding this letter, please contact Jacqueline McFarlane at (703) 308-6416.

Sincerely,

Velma Noble

Product Manager (31)

Regulatory Management Branch I Antimicrobials Division (7510C)

CICRECTIONS FOR USE

Office of the BPA.

perionsky malifying the boost armays treatment plant authority. For guidance consists your fisher Wang Dagional

products pro-consecred weter. Couly sick for a militare, solution. Again, solution with a choic, sympt, may, brack or course sparsy unitsy normal chemics markets. Theorogalsty was all markets to be changed. Also texted surfaces to social for 10 chouses trajecs. Discused sufficient when it becomes distributed and a suffix a fact substitut. This is a complete product. To not pienes. Then entrone transit scholars with a strang-on applicator. Bothers gives like exchangely, by encaping laters CLEANGNG AND DISORBECTING: And one-belt contro (150) to each personnel pallon of trains until Abrays and tils [1] So a richtericas of Parlamed Law to note this product in a negative inconsistent with he labelling.

range Kurcusany. Bayay al tocopis, rads, fectors and wateren, Intensie all surfaces with a 1.256 solution (ameliad sunsee or gallon prepared so disorbed above? Services beares addressing scale. Allow to anal for 10 minutes, then pick up excess with cover all bead, beckensts, practicular materials and towards. Nature all Birs, masses and other stable from Cons and walks ereng bet upplicater. Bend fenden mit webend with patelle water ofter finishering. Dreis all sections, wealthe buildings ANDLAL FUSBANDILY, ANDLAL RESIMBER, POLITIT FACILITY CLIAMING AND DRIMFICTIONS. ILLIONS II and salves to air day backers take or referenting parteries. and other chemicals. The outy as timesed.

on gailtes progression of discools above). Sonch to because all solds. Albert to unable for 10 minutes. There apply that all weaters and se namene all fond and participas materials. Remove all post soits. Susants all authous with the uncastation (one-had outso <u>CLEAGNO AND OSSREBCTENG POOF PERPALATROM AND PROCESSING FACELTIES AND BIÇATMEDIT. COM</u> cleans nations with potents water.

vencidal activity against canbe paryoveis, feldre calentide and reschous blesal DESEASE: Dilate; product 1;64 (2 oc. per gallon) and apply as directed shore.

ned mencellenking facilities, in positry operations, baickering, soviet operations, makent caso facilities, andered consect facilities. Restorch operations, vestellasty facilities, most and branchs. The s 1.25% élection (one-half course par galles of westel). Revoyer POGODNE AS AN ADRIANCT TO REGULAR (LEAVENG AND DESINFECTIONS. This product may be mad to deging (we resident) on an adjustal collect paracelety on Sultaning tograde chaming and disinfecting procedure in naminal and the sample and designation of the sample samples in connect all minustrans food from these to the faggrad. Menoto this likes and from an food made or near towards by society. Direct ALOCOVINCIO Y FLIDS in brailicise secings or coins secings in which there is an expected Malinood of acting of insulants nd incognis, racks and other faciling and vetacing uppleaces. The couplity class of an floor. Buy the fashed was at 25 to 64 owners of any district to 1900 oxide fact color gap person with an automatic floor. Do not normal in weated around floor of base to be facilities for the control of the control of the coupling to complete before restricting fagured seem. Refere fraging or cover new found or participal materials with waterproof coversing. Treated anabove reast he floorestyle resolution materials with waterproof coversing. Treated anabove reast he floorestyle resolution materials with waterproof coversing. KILLS HIP ON PRE-CLEANED ENVIRONMENTAL SURFACES/ORIECTS PREVIOUSLY SOLLED WITH that I with possible water before rente. Do not uphose invastable or registry equipment with technolous daid.

material objects with blood or body fields, and in which the surfaces objects takely to be analog with blood or body fleids can be Cheming Procedure. Blood and abber body finids from he sharoughly chanted from surfaces and objects before application of a PARACINODERICIENCY VIRUS OR AIDS YOUS) ON SURFACESCORDECTS SOLLED WITH BLOODBADDY FLUTES provided with the polestick for transmission of huston immenochficiency view Type HIV-1 (associated with AIDS). from lintertice. Wen uppropriate basic protection such as lake gover, gover, make or cyc coverings. SPECIAL INSTRUCTIONS FOR CLEANING AND DECINITARENATION ADAREST HIV-1 (FILMAN 1256 empetation (exceled course per gallant). Propuse and upply solution as directed in puragraphs share.

infections. Naterials Disposati Blood and other body flaids should be untockered and disposed of securding to lacul regulation

For Cantral of Whekweed and Scoomings on Parts and Construction Squipsout

C00Z/70/80

Whethered (\$Prijor 149.) For use to decontantiate forms such as water proof boots, rebicies, tien, farm and construction equipment contained on the contraction of the construction of the contained with Little age to sold a sold on the Witz-wood Quaracter are sold on the total construction containing age to sold a sold of the construction of the

Preson NPD wild not deviation tooks combined in seed sook as they are not accombly securited down a superiord securiorization procedure. Attempt to conserve as such plant material as postsible before bestieting decontenesiation

Process NPD

One Step Germicidal Detergent Gerald de Paggicide Vitucide Detental Destying Contestal

EEA BA, No. 1040-1480-1 BPA BA, 1840-1410-2 REA XBG. NO. 1843-99

FOR ACRECITATION, REQUITERLAND DETITIONAL UKE COULY

1 1 Akyl (1934) (404) (4 404) (11, 109) (16) discript bezyl stransius dibbids Dotyl decyl financhyl semosium chloride Distroy disputely annualing obtains Dicetyl disether memorine charite

CORP OUT OF REACH OF CHILDREN DAKEL

DA TRAIN

(0-15 minutes. Remark contact haves, Kiposeal, ofer first I minute, if in Lyne Hold aye apen and nice alounly and genity with which for farm the product consider at land with you when calling potent posteral center or doctor or going for beamount. Den continue risaing cyc.

I'Swellkowed: Call a perion control confer or ductor incoglished; for If on Sides we Challege, Take of conservances and hading, Union ables reconfinedly with planty of water for 15-30 minutes. Call a poison mobilities. De not induce wassiting enforce said to do se by a pointon costrol oculor or elector. Do not give anything by mouth to im venezani advice. Have a pesta sip a glass of water if abide to method exects or destar instantialely list incument strike.

Ebelocht: Mora pecson to track sic. If person is not broubling ask 31 or an anthritation, those give artificial respiration, professibly by nastik-te-mouth, Kipasofishe Call a paiensa essaked tester ar dactea

mtonacions penen.

innoclarify to matern objec. NOTE TO PRYSICIAN Poblik mesond dangs may contrainticate the use of gustric lawge.

STATISTICS IN

PRODUCT MARITHACOMMENTS St. Land, WACCEEPTED STERMS Corporation JUST Page Avenue

in EPA Letter Dated:

AUG 4

Fungicide, and Rodenticide Act as registered under EPA Reg. No. Under the Federal Insecticide, amended, for the pesticide,

1043-30

This product is a research developed hard wases effective, privaçuat-fice concentrated germunous estrusum Assems theisprod to transferenceally elem, tilembers and dendemise in the presents of 1th organic seal (secur) when diluted with 450 pars handwater.

d for use on washable hard, non-porous anvivouncetal purisces such as floors, walk, conston, took scrites feelibing in painted benkander, peopley and feels grootsting fleelibin, reterminy clinics, restand restand incitition and in other steer where inferious contratation means in an exempty.

drume, poseciem, plassica, gless, tile, vrustadės puinėnėl ar vrazielinei satikca, teociteta, in veili sa resilient inžyk tepista, lincheus, redeus or oslaro containuišcus dyras Dome GERANCIDA: Pastra A.D.A.L. (Symickali DiscOllation Method (S. mens.) 3. cholectoria is) višen distoct with Use the new substitute for the chearing and diskibition of mead surfaces and as stainless or galestained steel and

88 gras A O.A.C. band water to reside a 1,256 (crassiand master per gallon) solution, in the presence of 5% regamin and (annual). He minutes at 30°C.

that she been shown in the A.O.A.C. Use Dilation Test, when dilated with 400 year A.O.A.C. hard water to inden a 1236 (new-half names per galfen) in der prametan af 3% erganis und (semed), 10 mississe at 20°C to

cinctalanter calegoration, ATCC 19606 Listech monocytogenet, ATOC 19111 Mycophome galingtisme, ATOC 19610 Pastracia embecità, ATOC 19977 ooksalla koonskiepties, ATCC 14500 Zaterolauter scroppass, ATCC J3648 Ochaicha pracamanine, ATCC 15453 Supplements Johns ATCL 29439 Cardish yampaikosis, Cindest Indust Checkester Francisi, AFCC 1899 Coulife Minney, Chairel Brille. MANAGES SPINISH, ATTCC 35000 Protess malgarit, ATCC 13315 Sudavishis and, 47 CC 13971.

Makiph (Makiphin) Maine Chies tolse Saphyberocus spideroids, ATCC 1223 Resphosotion programm, ATCC 19615 Selectede Applications, ATCC (400) Persional arregimes, ATOC 9421 Staphylecoccus succes, ATCC 15923 Paradouscess faces (s. ATCC 1945) Personal maner, ATCC 2509 informatic mention, ATCC 19936 Sertica manuscens, ATCC \$100 Suphyboxcom weres, (MRSA), Majorith Marrawel, ATCC 13922 Shipells round, ATCC 25931

teceraling to the A.O.A.C. the Dilution Test when diluted with 405 ppm band water to make a 1 128 (one other RUNCHUR: Passe the A.O.A.C. Prophish Tax (T. nestographyte) when diluted with 400 ppm A.O.A.C. hand water to make a 1,236 (1900-had Togace per gallent) solution, is the presence of 196 engable sold (secure), 10 Process 1987) is effective in 3 minutes as land underes against Dandonness sempions, ATCC 13581, ocr pation) substant, in the proposes of 5% added regards and (second). Nimeter of NOT.

nten dilates with 400 years had water to make a 1,236 (and had annua per galles) solution, in the presence of dense Heputhi, ATCC VR-764 and Vasclain Vives, accoméng as the JRA approved vivadables so sy maches VOLUME: Passes NPD is effective against Stages Stagtes Types I and 7, Induces AJ (Super-195), 9% Organic and (second) in 30 minutes at

20-20°C on lates, most-parase coviramental serfaces.

easy probled whee dikeed wild 200 paper hard transic to make a 1,256 (reschaff mater yer golden) solution, in the VILLICELE: Proces NED is effective against the following sinusa accepting to the 12th approved visicidal respect of 3% regards soil (screen) in 10 paintings in 20-2.7°C as hand, sure-parties convicuous and surfaces: Infections broachitis, ATCC VR-22

Infections laryagestacheits, ATCE VX-783 Newtosile Disease, ATCC VR-109 March's Disease, ATCC VR-2002. Osbernydle pafelid (Refee Procuronitis) Februs chinorautheits, ATCC VR-636 Davine permits Auctor, ATCC VR-399 Omise distantant, ATCC 128

zaliczycine, ATCC VII. Liza neomaling to the BPA approved whereigh excep method when diluted 1.64 (2 ouests ne galloo) in 1818 ppen land weden (300 ppen for Poline calcivins) in 3% engants achi (sentan) in 18 minutes a Effective against Chaine parrovines, ATCE VR-953, Infection Dursh Disease (Labert Strain) and Feline 28-23°C on land, non-porous symmetrical surfaces.

raic in 30 sexuads at 27°C. Although efficacy at 10 sexuads contact time has took shown to be adoptable agains (schart), was comprisedy inschinated by a 1.256 (one had owner per yallon) volution in 400 ppen A.O.A.C. hard "IV-1, this time would not be sufficient for cater organisms. Use a 14-minute contact time for disinfections When tested by an ETA-approved Dilettion Method, the HIV-! (ADS) wise, with action 5% expans: and guinst all of the organisms chained.

2008 CONTROL: Windows and other by killing other consing teature and simulate mushy decentrally tertradicing their other. Cleans unpleasued scretifing soils.

STORACE AND DISPOSAL

Do not continuitable water, forth, or find by storage or disposed.

drestices, exclud your State Pesticide to Environmental Control Agency, or the Hazadous Waste representative Protecte Storeget Store in a secure area away foun flournable muschalt. If fourn, than and ro-mis before and colxime of thesia is a violation of Pederal Law. ((these waster comed be dispused of by use according to tribel Patitoide Mayossk Pariloide wates are sculedy barantus. Improyer dispuss of expens pesticide, spary or

Supose of in a saiding landfill, or by other procedures approved by State and Local authorities, by barrang. If Container Bispanic Triple rinse (or expirated). Then offer for recycling or recognizioning, or puncture and at the pomest EPA Regional Office for guidance franced, stay and of smaltz.

8

ZIEKIZ COKŁ

TTTPSZZTTT

07:50 FAX

Ge Wie libel

Crouncy Tierre White the HIV-4 vised is transformed in 30 records, use n is minute contact time for deiesfection at 36 argument

Skinds in Thetal