#### ED STATES ENVIRONMENTAL PROTECTION AGENCY



#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

DEC 2009

#### December 8, 2009

Michael G. Sarli STERIS Corporation P.O. Box 147 St. Louis, MO 63166

Subject:

LpHse

EPA Registration No. 1043-92 Application Date: November 5, 2009 Receipt Date: November 9, 2009

Dear Mr. Sarli:

This acknowledges receipt of the notification identified above submitted under the provision section 3 (c) 9 of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended and PR Notice 98-10.

#### **Proposed Amendment:**

Add Influenza A H1N1 Claim

#### **General Comment:**

Based on a review of the material submitted, the following comment applies:

A copy of this accepted notification has been inserted in your file for future reference.

Should you have any questions concerning this letter, you may contact Stacey Grigsby by telephone at (703) 305-6440 or by email at grigsby.stacey@epamail.epa.gov during the hours of 8:00 am to 4:00 pm EST. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Curhele SYMBOL lulatory Management Bran Antimicrobials Division (7510F) SURNAME

Sincerely

EPA Form 1320-1A (1/90)

Printed on Recycled Paper

OFFICIAL FILE COPY

							24.	
EPA . United States Environment otection Agency Washington, DC 20460				( r	Registration Amendment Other		OPP Identifier Number	
	Appli	cation for Per	sticide - Sec	ction I				
1. Company/Product Number 1043-92			2. EPA Product Manager ShaRon Carlisle  3. Proposed Classification					
4. Company/Product (Name) LpHse			PM # 34 X			X	None Restricted	
5. Name and Address of App STERIS Corp. P.O. Box 147 St. Louis, MO 63166-0647 Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.						
		Section	Product Name					
Amendment Double hel		Section	1 - 11	T.	Englasia	etad labala	in recognite	
Amendment – Explain below.  Resubmission in response to Agency letter dated			Final printed labels in response to Agency letter dated "Me Too" Application					
X Notification - Explain b	elow.				Other ~	Explain be	low.	
Explanation: Notification This notification is consistent with made to the labeling or the confirmate any false statement to EP. 152.46, this product may be in vital to the confirmation of the confirmation	rith the provisions of PR dential statement of form A. I further understand t	Notice 95-2 and mula of this produth that if this notific	EPA regulation in EPA regulation is understare at the end of the e	ons at 40 C nd that it is nsistent wi	CFR 152 a violati ith the te	2.46, and no ion of 18U. erms of PR	S.C. Sec. 1001 to willfully Notice 95-2 and 40 CFR	
102. 10, this product may be in .	TOTALION OF FIRE TATALICE F	Section		action and	ponazo	oo unaar ba		
1. Material This Product will	he Packaged In·	Beetion						
Child-Resistant Packaging Yes* X No  *Certification must be submitted	Unit Packaging Yes X No  If "Yes" Unit Packaging wgt. container	No. per	Water Solub Yes If "Yes" Package wgt	X No	per	X P	f Container  Ietal lastic lass aper other (Specify) foil pouch	
3. Location of Net Contents I	nformation	4. Size(s) Reta	il Container	Ī	5. Loc	ation of La	ibel Directions	
X Label Container		1/8 fl. oz., 1 fl. 55 gal.	fl. oz, 1 qt., 1 gal., 5 gal. And			X On Label On Labeling accompanying product		
6. Manner in Which Label is	Affixed to Product	X Lithograph X Paper glue Stenciled	d 		Other			
	· · · · · · · · · · · · · · · · · · ·	Section						
1. Contact Point (Complete ite	ems directly below for i	,	ndividual to be	e contacted				
Name Michael G. Sarli Lead Regular							, , , , , , , , , , , , , , , , , , ,	
I certify that the statements I has acknowledge that any knowingle	ve made on this form an y false or misleading sta						6. Date Application Received  (Stamped)	
2. Signature		3. Title Lead Regulatory Specialist				6 0 C C C C C C C C C C C C C C C C C C	C C C	
4. Typed Name Michael G. Sarli		<b>5. Date</b> 11/05/09				000000 0 0 0 0		
EPA Form 8570-1						دررزر		

## STERIS®



November 5, 2009

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
Regulatory Management Branch 1
Antimicrobials Division (7510C)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501
Attn: ShaRon Carlisle, PM #34

Re: Notification for LpHse (EPA Reg. No. 1043-92) Addition of H1N1 Influenza Virus in Compliance with PR Notice 95-2

Dear Ms. Carlisle:

Enclosed in support of the subject action, please find the following:

- Application for Pesticide (EPA Form 8570-1)
- Labeling (1 copy) Changes described with comments
- Labeling (1 copy) "Clean" copy

The language related to the H1N1 Influenza A virus is drawn verbatim from the "Guidance for Testing and Labeling Claims against Pandemic 2009 H1N1 Influenza A Virus (Formerly called Swine Flu)" EPA publication.

If you have any questions I can be reached at 314-290-4704 or at mike\_sarli@steris.com.

Sincerely.

Michael G. Sarli

Lead Regulatory Specialist

STERIS Corporation

**Enclosures** 

# LpH<sup>®</sup> se ONE-STEP GERMICIDAL DETERGENT (or SERUM EFFECTIVE ONE-STEP GERMICIDAL DETERGENT)

Germicide Fungicide Virucide Tuberculocide Deodorizer Cleaner Detergent When diluted with soft or hard water (400 ppm CaCO<sub>3</sub>) even in the presence of organic soil (5% serum)

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

#### **Active Ingredients:**

o-phenylphenol	7.7%
p-tertiary amylphenol	•
Inert Ingredients:	
Total:	

NOTIFICATION Date Reviewed: 12/2/09
Peviewed By: 1/2/2/09

## KEEP OUT OF REACH OF CHILDREN **DANGER**

See side panel for additional precautionary statements

	FIRST AID
If in eyes	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing the eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If on skin or clothing	<ul> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If inhaled	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If swallowed	<ul> <li>Call poison control center or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
	HOT LINE NUMBER
Have the product conta	ainer or label with you when calling a poison control center or doctor, or going for
	NOTE TO PHYSICIAN
Probable mucosal dam	nage may contraindicate the use of gastric lavage.

**NET CONTENTS:** 

STERIS Corporation 7501 Page Ave. St. Louis, Mo 63133 U.S.A.

EPA REG. NO. 1043-92

EPA Est. No. 1043-MO-2

DRAFT 11/05/09

•

### PRECAUTIONARY STATEMENTS LS:

**DANGER**: Corrosive. Causes irreversible eye damage. Do not get in eyes, or on clothing. Wear protective eyewear. Wash hands thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. **ENVIRONMENTAL HAZARD STATEMENT**: (For use on containers 5 gallons and larger) Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

This non-alkaline phenolic germicidal detergent is a state-of-the-art, concentrated scientifically developed product effective in hard or soft water even in the presence of organic soil (5% blood serum). The use-solution of this product when diluted one-half ounce per gallon of water is specially formulated to clean, disinfect and deodorize in a simple one-step process. With its non-alkaline base, it will remove soap scum and hard water salts which can harbor bacteria. Use this product on washable, hard, non-porous environmental surfaces: floors, walls, counters in food processing preparation and service facilities, veterinary clinics, animal research facilities, healthcare facilities, hospitals, medical and dental offices.

This product is not for use in the neonatal (newborn) units in hospitals specifically isolettes and other infant contact surfaces.

Use for one-step cleaning, disinfecting and deodorizing of stainless or galvanized steel and chrome, glazed porcelain, plastics, glass, glazed tile, washable painted or varnished surfaces, as well as resilient vinyl, linoleum, rubber, glazed terrazzo and glazed concrete floors.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1)is introduced directly into the human body, either into or in contact with the blood stream or normally sterile areas of the body, or (2)contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body.

**GERMICIDAL**-When tested against S. aureus (ATCC 6538), S. enterica (ATCC 10708), P. Aeruginosa (ATCC 15442), it passes the A.O.A.C. Germicidal Use-Dilution Test when diluted with 400 ppm A.O.A.C. hard water to make a 1:256 (one half ounce per 1 gallon) solution, in the presence of 5% organic soil (serum), 10 minutes at 20°C.

**BROAD SPECTRUM DATA:** The following additional organisms pass the A.O.A.C. Use-Dilution Test in 400 ppm A.O.A.C. hard water at a dilution of 1:256 in the presence of 5% organic soil (serum), 10 minutes at 20°C.

Acinetobacter calcoaceticus, ATCC 19606 Candida albicans, Clinical Isolate Candida parapsilosis, Clinical Isolate Citrobacter freundii, ATCC 8090 Enterobacter aerogenes, ATCC 13048 Enterobacter cloacae, ATCC 23355 Escherichia coli, ATCC 25922 Klebsiella pneumoniae, ATCC 13883 Proteus mirabilis, Clinical Isolate Proteus vulgaris, ATCC 13315 Pseudomonas aeruginosa, ATCC 27853

Salmonella typhi, ATCC 6539
Salmonella typhimurium, ATCC 14028
Serratia marcescens, ATCC 8100
Shigella flexneri, ATCC 12022
Shigella sonnei, ATCC 25931
Staphylococcus aureus, ATCC 25923
Staphylococcus aureus, (MRSA), Multiply (Methicillin)-Resistant Clinical Isolate
Staphylococcus epidermidis, ATCC 12228
Streptococcus faecalis, ATCC 19433
Streptococcus pyogenes, ATCC 19615

**FUNGICIDAL:** When tested against T. mentagrophytes (ATCC 9533), it passes the A.O.A.C. Fungicidal Test when diluted with 400 ppm A.O.A.C. hard water to make a 1:256 (one-half ounce per 1 gallon) solution, in the presence of 5% organic soil (serum), 10 minutes at 20°C.

**TUBERCULOCIDAL:** When tested against Mycobacterium tuberculosis var. bovis, BCG (ATCC 35743), it passes the A.O.A.C. Tuberculocidal Test when diluted with 400 ppm A.O.A.C. hard water to make a 1:256 (one-half ounce per 1 gallon) solution, in the presence of 5% organic soil (serum), 10 minutes at 20°C.

\*VIRUCIDAL: When tested against Influenza A<sub>2</sub> (Japan) (Clinical Isolate), Herpes simplex Type 2 (ATCC VR 734), Vaccinia (Clinical Isolate) and, Adenovirus Type 2 (ATCC VR 846), it passes the Virucidal Assay (EPA Proposed Method) when diluted with 400 ppm A.O.A.C. hard water to make a 1:256 (one-half ounce per 1 gallon) solution in the presence of 5% organic soil (serum), 10 minutes at 20°C.

When tested against Duck Hepatitis B virus (DHBV) as a surrogate for Human Hepatitis B virus (HBV) it passes Virucidal Efficacy Test when diluted with 400 ppm A.O.A.C. hard water to make a 1:256 (one-half ounce per 3 gallon) solution in the presence of 5% organic soil (serum), 10 minutes at 24°C.

When tested by an EPA-approved Dilution Method, the HIV-1(AIDS) virus (Clinical Isolate), with added 5% organic soil

DRAFT 11/05/09

(serum), was completely inactivated a 1:256 (one-half ounce per 1 gallon) solvern in 400 ppm A.O.A.C. hard water in 60 seconds at 20°C. Although efficac, at 1 minute contact time has been shown be adequate against HIV-1, this time would not be sufficient for other organisms. Use a 10-minute contact time for disinfection against all of the organisms claimed.

This product has demonstrated effectiveness against influenza A virus and is expected to inactivate all influenza A viruses including Pandemic 2009 H1N1 influenza A virus.

or

Kills Pandemic 2009 H1N1 influenza A virus formerly called swine flu.

**ODOR CONTROL:** It eliminates many odors by killing odor-causing bacteria while simultaneously chemically neutralizing their odors and leaving a pleasant fragrance. Follow "CLEANING AND DISINFECTING WASHABLE, HARD, NON-PORUS SURFACES" directions.

#### **DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

CLEANING AND DISINFECTING WASHABLE, HARD, NON-PORUS SURFACES: To make solution, add one-half fl. oz (15 cc) to each pre-measured gallon of water [or one 1/8 fl. Oz (3.70ml) packet per quart (0.946) of water].and gently mix until solution is uniform. NOTE: Always add this product (concentrate) to pre-measured water. Apply solution with a cloth, sponge, mop, brush or by coarse spray using normal cleaning methods. Allow treated surfaces to soak for 10 minutes. Then remove excess solution with a wrung-out applicator. As solution becomes dirty, discard and replace with a fresh one. A properly prepared solution of LpHse intended for use as a hard surface disinfectant has a shelf life of 14 days (use life) when stored in a closed container such as a spray bottle. Before cleaning begins, always sweep or dust mop area to be cleaned thoroughly, removing any gross filth. This is a complete product. Do not add other chemicals. If frozen, thaw and re-mix before use. Use only as directed.

**Directions for use with Twin-Neck Dispensing Bottle:** To make one gallon (1:256) solution, loosen cap from dispensing chamber. Gently squeeze bottle to fill measuring chamber to the ½ fluid ounce line. Remove cap from dispensing chamber. Pour measured product (concentrate) from the chamber into one gallon (128 ounces) of premeasured cold water and mix well. Apply as directed above.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (HUMAN IMMUNODEFICIENCY VIRUS OR AIDS VIRUS) and HBV OF SURFACES / OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

**Personal Protection**: Wear appropriate barrier protection such as latex gloves, gowns, masks or eye coverings. **Cleaning Procedure:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of a 1:256 use-solution (one-half ounce per 1 gallon) [or one 1/8 fl. Oz (3.70ml) packet per quart (0.946) of water]. Prepare and apply solution as directed in paragraph above.

Contact Time: While the HIV-1 virus is inactivated in 1 minute, use a 10-minute contact time for disinfection of HBV and all organisms on this label.

**Infectious Materials Disposal:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious disposal.

CLEANING AND DISINFECTING FOOD PREPARATION, PROCESSING FACILITIES AND EQUIPMENT: Cover or remove all food and packaging materials. Remove all gross soils. Saturate all surfaces with the use-solution (one-half ounce per gallon prepared as directed above). Scrub to loosen all soils. Allow to soak for 10 minutes, then pick up excess solution with a wrung-out applicator. Thoroughly rinse all wetted and cleaned food contact surfaces with potable water.

#### STORAGE AND DISPOSAL

**PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

**PESTICIDE DISPOSAL:** This germicide, its solutions or rinsings from empty containers, should be disposed of in a toilet or service sink served by a sanitary sewer, or in a landfill approved for pesticides.

#### **CONTAINER DISPOSAL:**

(For Packet:) Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. (For ≤5 gal:) Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment of a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. ⊕ tank or 10 seconds after the flow begins to drip. Repeat this procedure two more times.

(For > 5 gal.): Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Elean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank.

DRAFT 11/05/09

Fill the container ¼ full with water. For lace and tighten closures. Tip container operits side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container of the end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

GENERAL: Consult Federal, State, or Local disposal authorities for approved alternative procedures such as limited open burning.

ERAFT 11/05/09