

PM32

1043-95

1044

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 1043-95	DATE OF ISSUANCE MAR 18 1990
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT	

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
 (Under the Federal Insecticide, Fungicide,
 and Rodenticide Act, as amended)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Calceon Pestal Laboratories
 Division of Calceon Corporation
 1000 Maccrestor Avenue
 St. Louis, MO 63110

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is registered under the Federal Insecticide, Fungicide, and Rodenticide Act, section 241(7)(C) of the Act, and the following conditions apply:

1. The registrant shall maintain a file of all correspondence, including all communications from the Administrator, and shall make such file available to the Administrator upon request.

2. The registrant shall submit to the Administrator, for review and approval, a copy of the labeling for this product before releasing the product to the market.

3. The registrant shall submit to the Administrator, for review and approval, a copy of the labeling for this product before releasing the product to the market. The labeling shall include a description of field application procedures.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with section 241(7)(C) of the Act. Your failure to submit to the Administrator a copy of the labeling for this product at these conditions, as stated on the label, is a violation of the Act.

BEST AVAILABLE COPY

wj

Approved for registration under the Act
 Administrator, U.S. Environmental Protection Agency
 Washington, D.C. 20460

ENCLOSURE
 ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
---------------------------------	------

Pringle-312

Panel 2

STAPHENE [®] se

Serum Effective

Multi-Purpose Hospital Germicide

EPA Registration No. 1043-xx

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAR 13 1990

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the purpose
registered under EPA Reg. No.

1043-95

FOR INDUSTRIAL, INSTITUTIONAL AND PROFESSIONAL USE ONLY

Germicide • Fungicide • Virucide * • Tuberculocide

Deodorizer • Cleaner • Natural Soap

Active Ingredients:

o-phenylphenol, potassium salt 14.96%

p-tertiary-amylphenol, potassium salt 13.12%

Inert Ingredients: 71.92%

DANGER: KEEP OUT OF REACH OF CHILDREN

Statement of Practical Treatment

In case of eye contact, flush with water for 15 minutes.
Get prompt medical attention. For skin contact, flush
with water immediately. See side panel for additional
precautionary statements.

NET CONTENTS: 1 U.S. Gallon (3.78 Liters)

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS**DANGER**

Hazard to Humans and Domestic Animals: Corrosive: causes eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Do not use, pour, spill or store near fire or open flame.

Statement of Practical Treatment: In case of eye contact, immediately flush eyes with water for 15 minutes and get prompt medical attention. For skin contact, flush thoroughly with water. Remove and wash contaminated clothing before reuse. If swallowed, drink a large quantity of water; avoid alcohol. Do not induce vomiting. Call physician immediately. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Disinfecting Washable, Hard, Non-Porous Surfaces: Add 1/2 fl. oz. (15cc) to each measured gallon of water used for all light general cleaning and disinfection, including tuberculous areas. Always add this product to premeasured water. Thoroughly mix solution until uniform. Apply solution with a cloth, sponge, mop or brush using normal cleaning methods. Thoroughly wet all surfaces, then remove excess solution with a wrung out applicator. Treated surfaces should remain wet for 10 minutes. Pre-clean and rinse heavily soiled surfaces before disinfection. Discard solution daily or when it becomes dirty and replace with fresh solution. This is a complete product. Do not add other chemicals. If frozen, thaw and remix before use. Use only as directed.

SOLUTION TABLE FOR CONCENTRATE

Water	1 Gallon	5 Gallons
Concentrate	1/2 ounce	2 1/2 ounces

Cold Metal Instrument and Thermometer Disinfection: Pre-clean instruments thoroughly, removing all soils including blood and serous exudates using a 1% to 2% use-solution (1 1/4 - 2 1/2 ounces per gallon of water). Rinse, then drain instruments. Disinfect in a fresh 1:256 Staphene[®] solution for 15 minutes; always discard used solution daily. (Always consult instrument manufacturers' recommended disinfection procedure.)

Terrazzo Care: Use at 1 ounce per gallon of water to increase patina and highlight the natural beauty of terrazzo floors; buffing after cleaning will improve the patina and lustre of the terrazzo.

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

Pesticide Disposal: This germicide, its solutions or rinsings from empty containers, should be disposed of in a toilet or service sink served by a sanitary sewer or in a landfill approved for pesticides.

Container Disposal: Triple rinse, and deposit in a waste container for incineration or burial in a landfill approved for pesticide containers

BEST AVAILABLE COPY

PANEL 3

Staphene ^(R) se germicide represents the most advanced, research-developed technology in the field of disinfection. It has been designed to be effective even in the presence of blood serum. This natural vegetable oil soap-based product is for use on all washable hard non-porous environmental surfaces such as floors, walls, woodwork, bathroom fixtures, equipment and furniture. It may be used on chrome, stainless steel, other metal surfaces, porcelain, glass, tile, washable painted or varnished surfaces, as well as resilient vinyl, asphalt, linoleum, terrazzo or other combination type floors.

Staphene ^(R) se germicide may be used in all of the following facilities: hospitals, nursing homes, industrial plants, schools, medical and dental offices, pharmaceutical plants, veterinary clinics and other indoor areas.

Germicidal: Passes A.O.A.C. Germicidal Use-Dilution Method (S. aureus, ATCC 6538, S. choleraesuis, ATCC 10708, Ps. aeruginosa, ATCC 15442) when diluted to make a 1:256 (1/2 ounce per 1 gallon) solution, in the presence of 5% organic soil (serum), 10 minutes at 20°C.

Broad Spectrum Data: In addition, the following organisms pass the A.O.A.C. Use-Dilution Test at a dilution of 1:256 in the presence of 5% organic soil (serum).

- | | |
|---|--|
| Acinetobacter calcoaceticus, ATCC 19606 | Proteus Mirabilis, Clinical isolate |
| Candida albicans, Clinical isolate | Proteus vulgaris, ATCC 13315 |
| Candida parapsilosis, Clinical isolate | Salmonella typhi, ATCC 6539 |
| Citrobacter freundii, ATCC 8090 | Salmonella typhimurium, ATCC 14028 |
| Enterobacter aerogenes, ATCC 13048 | Serratia marcescens, ATCC 8100 |
| Enterobacter cloacae, ATCC 23355 | Shigella flexneri, ATCC 12022 |
| Escherichia coli, ATCC 25922 | Shigella sonnei, ATCC 25931 |
| Klebsiella pneumoniae, ATCC 13883 | Staphylococcus aureus, ATCC 25923 |
| Multiple (Methicillin)-Resistant | Staphylococcus epidermidis, ATCC 12228 |
| Staphylococcus aureus(MRSA), Clinical isolate | Streptococcus faecalis, ATCC 19433 |
| | Streptococcus pyogenes, ATCC 19615 |

Fungicidal: Passes A.O.A.C. Fungicidal Test (T. mentagrophytes, ATCC 9533 and 6232) when diluted to make a 1:256 (1/2 ounce per 1 gallon) solution, in the presence of 5% organic soil (serum), 10 minutes at 20°C.

Tuberculocidal: Passes A.O.A.C. Tuberculocidal Test (Mycobacterium tuberculosis var. bovis (BCG)) when diluted to make a 1:256 (1/2 ounce per 1 gallon) solution, in the presence of 5% organic soil (serum), 10 minutes at 20°C.

* Virucidal: Passes Virucidal Assay (EPA Proposed Method) (Influenza A₂ (Japan), Herpes Simplex Type 2, Vaccinia and Adenovirus Type 2) when diluted to make a 1:256 (1/2 ounce per 1 gallon) solution in the presence of 5% organic soil (serum), 10 minutes at 20°C.

Odor Control: It eliminates many odors by killing odor-causing bacteria while simultaneously chemically neutralizing their odors and leaving a pleasant fragrance.

Calgon Vestal Laboratories
Division of Calgon Corp.
St. Louis, MO 63133



Label #

EPA EST. NO. 1043-MO-1

Product Code #