

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS.**

**DANGER**

**KEEP OUT OF REACH OF CHILDREN**

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

**STATEMENT OF PRACTICAL TREATMENT:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately. **NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

**STORAGE AND DISPOSAL**

**PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal.  
**WASTE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.  
**CONTAINER DISPOSAL:** Plastic Bottles — Securely wrap original container in several layers of newspaper and discard in trash.  
Drums — Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

1009-XJ

PRODUCT MADE IN U.S.A.

one step

**totil**

**STAPHYLOCIDAL/PSEUDAMONACIDAL/SALMONELLACIDAL  
CLEANS • DISINFECTS • DEODORIZES • SANITIZES**

**ACTIVE INGREDIENTS:**

n-alkyl (40% C<sub>12</sub>, 50% C<sub>14</sub>, 10% C<sub>16</sub>) ..... 10.0%  
dimethyl benzyl ammonium chloride .....

**INERT INGREDIENTS:**

..... 90.0%  
(\*Includes water softening, deodorizing, solubilizing and stabilizing agents.)

**KEEP OUT OF REACH OF CHILDREN**

**DANGER: STATEMENT OF PRACTICAL TREATMENT:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately. See left panel for additional precautionary statements.

Phenol Coefficients (AOAC 20°C): Staphylococcus aureus 50, Salmonella typhosa 38

E.P.A Reg. No. 1043-99

E.P.A. Est. No. 1043-MO-2

**CONTENTS: 1 U.S. GAL. 7 FL. OZ. (4 Liters)**



DIVISION OF CALGON CORPORATION  
SUBSIDIARY OF MERCK & CO., INC.  
St. Louis, Missouri 63133



Recommended for cleaning in  
veterinary clinics, school  
age processing plants,  
is essential. Effective  
surfaces.


Recommended for high  
suites, isolation areas  
for surgical instruments  
soft metals.

It is a violation of Federal  
labeling.

**LIGHT DUTY CLEANER**  
Totil added to four gallons  
Apply solution and  
residual bacteriostatic  
cleaning solution with  
with potable water

**HEAVY DUTY CLEANER**  
Totil added to each gallon  
Follow instructions for use

Not Reviewed. Registrant claims to be in accordance with  
Reregistration of Pesticide Product Guidance for Phase 2  
Response, Page 2.12, Active to Inert Change in Status.



IENTS  
ND DOMESTIC ANIMALS.

## DANGER

### OF REACH OF CHILDREN

nd skin irritation. Do not get in eyes, on skin or on  
ten handling. Harmful if swallowed. Avoid contami-

**TREATMENT:** In case of contact, immediately flush  
for at least 15 minutes. For eyes, call a physician.  
clothing before reuse. If swallowed, drink promptly  
s, gelatin solution or if these are not available, drink  
nysician immediately. NOTE TO PHYSICIAN: Prob-  
indicate the use of gastric lavage. Measures against  
ression and convulsion may be needed.

### AGE AND DISPOSAL

minate water, food, or feed by storage or disposal.  
resulting from the use of this product may be  
approved waste disposal facility.

**Plastic Bottles** — Securely wrap original container  
er and discard in trash.

ivalent). Then offer for recycling or reconditioning,  
n a sanitary landfill, or incineration, or, if allowed  
by burning. If burned, stay out of smoke.

PRODUCT MADE IN U.S.A.

one step

# totil

STAPHYLOCIDAL/PSEUDAMONACIDAL/SALMONELLACIDAL  
CLEANS • DISINFECTS • DEODORIZES • SANITIZES

#### ACTIVE INGREDIENTS:

n-alkyl (40% C<sub>12</sub>, 50% C<sub>14</sub>, 10% C<sub>16</sub>)  
dimethyl benzyl ammonium chloride ..... 10.0%

#### INERT INGREDIENTS:\*

(\*Includes water softening, deodorizing, solubilizing and stabilizing agents.) ..... 90.0%

KEEP OUT OF REACH OF CHILDREN

**DANGER: STATEMENT OF PRACTICAL TREATMENT:** In case  
of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes,  
call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink  
promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink  
large quantities of water. Call a physician immediately. See left panel for additional precautionary  
statements.

Phenol Coefficients (AOAC 20°C): *Staphylococcus aureus* 50, *Salmonella typhosa* 38

E.P.A. Reg. No. 1043-99

E.P.A. Est. No. 1043-MO-2

CONTENTS: 1 U.S. GAL. 7 FL. OZ. (4 Liters)



DIVISION OF CALGON CORPORATION  
SUBSIDIARY OF MERCK & CO., INC.  
St. Louis, Missouri 63133

U

Recommended for cleaning, disinfecting, and deodorizing  
veterinary clinics, schools and other public institutions, food  
age processing plants, restaurants, farms and other areas where  
is essential. Effective on hard surfaces such as floors, walls,  
surfaces.

Recommended for high risk cross-infection areas such as:  
suites, isolation areas and physical therapy suites. Effective  
for surgical instruments, and as a sanitizer for physical therapy  
soft metals.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner  
labeling.

**LIGHT DUTY CLEANING AND SANITIZATION:** One ounce  
Totil added to four gallons of water will provide 200 ppm available  
Apply solution and allow to soak on surface for 5-10 minutes.  
residual bacteriostatic activity on the cleaned surface, disinfect  
cleaning solution with a mop, sponge, or wet vacuum. Rinse  
with potable water before reuse.

**HEAVY DUTY CLEANING AND DISINFECTION:** One ounce  
Totil added to each gallon of water will provide 780 ppm available  
Follow instructions for Light Duty Cleaning and Sanitization.

