

1043 100

P11 32

1/30/70

15/1

BEST AVAILABLE COPY

GENERAL USE DIRECTIONS

1. To clean, disinfect and deodorize walls, floors, tables, drinking fountains, sinks, refrigerators, stoves, restroom fixtures, telephone booths, animal and bird cages, kennels, and garbage cans. Remove gross filth, heavy soils and grease, then wash with solution containing 1 ounce of Calgo San per gallon of water.

2. To clean and disinfect such articles as combs, brushes, razors, mirrors, instruments and rubber goods. Wipe article clean and soak for ten minutes in a solution containing 2 ounces of Calgo San per gallon water.

3. To disinfect fabrics such as sheets, linens, aprons and uniforms. Soak for ten minutes in solution containing 1 ounce of Calgo San per gallon of water.

4. To control mold and mildew on surfaces such as floors, walls, woodwork and metal surfaces, remove gross filth, heavy soil and grease then apply 1 oz. of Calgo San per gallon of water and repeat the application when new growth appears or weekly.

Kills *Trichophyton interdigitale* (athletes foot fungi) on environmental surfaces when applied at 1 oz. per gallon.



Calgon Vestal Laboratories
Division of Calgon Corp.
Subsidiary of March & Company
St. Louis, MO 63103

CALGO-SAN®

CLEANS DISINFECTS DEODORIZES
BACTERICIDAL FUNGICIDAL TUBERCULOCIDAL
VIRUCIDAL* PSEUDAMONACIDAL

A synthetic detergent with broad spectrum kill of both gram positive and gram negative microorganisms for outstanding cleaning and disinfecting in one operation. An effective deodorizer for surfaces contaminated by bacterial putrefaction. No unpleasant residual perfume odor.

*Inactivates suspensions of Influenza Type A/575 and Adenovirus Type 2 viruses.

ACTIVE INGREDIENTS

Oxolin Benzyl Para Chlorophenol 12.0%

INERT INGREDIENTS

88.0%

Nonflammable and nonvolatile in use dilutions. Excellent solubility in hot, cold, soft or hard water. Contains biodegradable detergent. Dilute as directed. Do not mix with other cleaners.

DANGER: Keep out of reach of children. See First Aid and other precautions on right side panel. Do not use, pour, spill, or store near heat or open flame.

CONTENTS: 1 U.S. GAL., 7 FL. OZ. (4 LITERS)

HOSPITAL USE DIRECTIONS

1. To clean, disinfect and deodorize surfaces such as floors, walls, woodwork and metal surfaces, use 1 ounce of Calgo San per gallon of water.

2. To fog an unoccupied room as an adjunct either preceding or following regular cleaning and disinfecting procedures, use a dilution of 1/42 or 3 ounces of Calgo San per gallon of water per average size room. Allow two hours after fogging has stopped before entering room.

DANGER: Keep out of reach of children. Corrosive. Causes eye damage and severe skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Avoid contact with eyes and skin with diluted product. Wash thoroughly after using dilutions. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.



If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probably mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

EPA Est. No. 1013M01
EPA Reg. No. 443.1-10

PRODUCT MADE IN U.S.A.

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.



104-...
 11 32
 1000

GENERAL USE DIRECTIONS

1. To clean, disinfect and deodorize walls, floors, tables, drinking fountains, sinks, refrigerators, closets, restroom fixtures, telephone booths, animal and bird cages, kennels, and garbage cans. Remove gross filth, heavy soils and grease, then wash with solution containing 1 ounce of Calgo San per gallon of water.
 2. To clean and disinfect such articles as combs, brushes, razors, mirrors, instruments and cutlery goods. Wipe article clean and soak for ten minutes in a solution containing 2 ounces of Calgo San per gallon water.
 3. To disinfect fabrics such as sheets, linens, aprons and uniforms. Soak for ten minutes in solution containing 1 ounce of Calgo San per gallon of water.
 4. To control mold and mildew on surfaces such as floors, walls, woodwork and metal surfaces, remove gross filth, heavy soil and grease then apply 1 oz. of Calgo San per gallon of water and repeat the application when new growth appears or weekly.
- Kills Trichophyton interdigitale (athlete's foot fungi) on environmental surfaces when applied at 1 oz. per gallon.



Calgon Vestal Laboratories
 Division of Calgon Corp.
 Subsidiary of Merck & Co., Inc.
 St. Louis, MO 63133

CALGO-SAN[®]

CLEANS DISINFECTS DEODORIZES
 BACTERICIDAL FUNGICIDAL TUBERCULOCIDAL
 VIRUCIDAL* PSEUDOMONACIDAL

A synthetic detergent with broad spectrum kill of both gram positive and gram negative mikro organisms for outstanding cleaning and disinfecting in one operation. An effective deodorizer for surfaces contaminated by bacterial putrefaction. No unpleasant residual perfume odor. *Inactivates suspensions of Influenza Type A/575 and Adenovirus Type 2 viruses.

ACTIVE INGREDIENTS

Ortho Benzyl Para Chlorophenol 12.0%

INERT INGREDIENTS

88.0%

Nonflammable and nonvolatile in use dilutions. Excellent solubility in hot, cold, soft or hard water. Contains biodegradable detergent. Dilute as directed. Do not mix with other cleaners.

DANGER: Keep out of reach of children. See First Aid and other precautions on right side panel. Do not use in air, spill, or store near heat or open flame.

CONTENTS: 1 U.S. GAL., 7 FL. OZ. (4 LITERS)

HOSPITAL USE DIRECTIONS

1. To clean, disinfect and deodorize surfaces such as floors, walls, wood work and metal surfaces, use 1 ounce of Calgo San per gallon of water.
2. To fog an unoccupied room as an adjunct either preceding or following regular cleaning and disinfecting procedures, use a dilution of 1/2 or 3 ounces of Calgo San per gallon of water per average size room. Allow two hours after fogging has stopped before entering room.

DANGER: Keep out of reach of children. Corrosive. Causes eye damage and severe skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Avoid contact with eyes and skin with diluted product. Wash thoroughly after using dilutions. Harmful if swallowed. Avoid contamination of food.


FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

NOTE TO PHYSICIAN: Probably mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

EPA Est. No. 1041 MO 1
 EPA Reg. No. 1041 MO 1

PRODUCT MADE IN U.S.A.



Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

BEST AVAILABLE COPY