

# T.B.Q.<sup>®</sup> RTU

EPA Reg. No. 1043-116

- Germicidal
- Deodorizer
- Virucidal\*
- Fungicidal
- Tuberculocidal

### Active Ingredients:

Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>10</sub>) dimethyl benzyl ammonium chloride ..... 0.125%

Inert Ingredients: ..... 99.875%

Total Ingredients: ..... 100%

**KEEP OUT OF REACH OF CHILDREN**

## CAUTION

### Statement of Practical Treatment

**IF IN EYES:** Flush eyes with plenty of water. Call a physician if irritation persists.

**IF ON SKIN:** Wash with plenty of soap and water. Get medical attention if irritation persists.

**IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat with finger. If person is unconscious, do not give anything by mouth and do not induce vomiting.

See Side Panel For Additional Precautionary Statements

Net Contents:

24 fl. oz. disinfection.

**ACCEPTED**

OCT - 2 1998

(Logo)STERIS Corporation

St. Louis MO 63111

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 1043-116

(Logo)STERIS Corporation

St. Louis MO 63111

### Precautionary Statements

#### Hazard to Humans and Domestic Animals

##### CAUTION

Harmful if swallowed. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Use only as directed. This is a complete product. Do not add other chemicals. The removal of heavy soils and the cleaning of all surfaces prior to application of this product is required.

**Disinfection of Hard Surfaces**-- floors, walls, bathroom fixtures, chrome, stainless steel and other washable painted or varnished surfaces. Hold container six to eight inches from surface to be treated and spray area until it is covered with solution. Allow the surface to remain wet for 10 minutes.

**Disinfection of Food Handling Surfaces:** Protect or remove food during application. Rinse with potable water before reuse of surface. Always remove heavy soil before applying the solution of this product. Heavily soiled surfaces should be precleaned and rinsed before applying TBQ.

### KILLS HIV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS

in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids, can be associated with the potential for transmission of human immunodeficiency virus Type 1 (HIV -1) (associated with AIDS).

### SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (HUMAN IMMUNODEFICIENCY VIRUS OR AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

**Personal Protection:** Wear appropriate barrier protection such as latex gloves, gowns, masks or eye coverings.

**Cleaning Procedures:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of TBQ RTU.

**Contact Time:** Use a 10-minute contact time for all organisms on this label.

**Infectious Materials Disposal:** Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious disposal.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**Container Disposal-** Do not reuse container. Rinse thoroughly before discarding in trash.

**Storage-** Store in a cool, dry place.

TBQ RTU is a phosphate free, detergent based, ready to use hospital use germicide. It is effective against bacteria, fungi and viruses including S. Aureus, S. Choleraesuis, Ps. Aeruginosa, Methicillin resistant Staphylococcus aureus, Vancomycin-resistant Enterococcus faecium, M. Tuberculosis, T. Mentagrophytes, \*HIV-1 (AIDS Virus), Vaccinia, Type 5 Adenovirus, and Herpes simplex, in 10 minutes at 20°C on environmental hard surfaces.

TBQ RTU is recommended for use on floors, walls, woodwork, bathroom fixtures, chrome, stainless steel, porcelain, glass, tile and other washable painted or varnished surfaces. It is intended for use only in institutions such as hospitals, nursing homes, schools, restaurants, industrial plants, food preparation and service facilities, and medical and dental offices and ambulance services. It is not harmful to fabrics, resilient flooring, tile, painted or varnished surfaces.

This product is not to be used as a terminal sterilant/high level on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level

EPA Est. No. 1043-MO-1

PM 31  
 1043-116  
 10/12/98  
 Page 1 of 1