UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460



United States Environmental Protection Office of Pesticide Programs Agency

JUN 2 4 2010

STERIS Corporation P.O. Box 147 St. Louis, MO 63166-0147

Attention:

Michael G. Sarli

Subject:

SPOR-KLENZ® RTU

EPA Registration No: 1043-119 Notification Dated June 10, 2010

This will acknowledge receipt of your notification, submitted under the provisions of FIFRA Section 3(c) (9).

Proposed Notification

- To revise Storage and Disposal statement per PR Notice 2007-4

General Comments

Base on a review of the submitted material, the following comments apply:

The Notification is in compliance with PR Notice 98-10 and is acceptable. This information has been added to your file.

If you have any questions concerning this letter, please contact Zebora Johnson at (703) 308-7080.

Sincerely

Marshall Swindell Product Manger (33)

Regulatory Management Branch I Antimicrobial's Division (7501P)

EPA .					,		2/3	
	A United StatesEnvironmeal Protection Agen Washington, DC 20460				stration Amendment X Other		OPP Identifier Number	
		A	pplication for					
1. Company/Product Number 1043-119			2. EPA Product Manage Marshall Swindell			3. Proposed Classification		
4. Company/Product (Name) SPOR-KLENZ [®] RTU				PM # 33		X N	lone Restricted	
5. Name and Address of Applicant (include Zip Code)					6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to:			
STERIS Corporation P.O. Box 147 St. Louis, MO 63166-0147				EPA Reg. No.				
Check if this is a new address				Product Name				
			Sec	tion - II				
Resubmiss	nt - Explain E ion in respon on – Explain	se to Agency letter dated		Final printed lab "Me Too" Appl Other – Explain		gency letter dated		
been made to the willfully make an	labeling or y false stat	ement to EPA. I furthe	nent of formula of er understand that	f this product. I u if this notification	nderstand that in is not consiste	t is a violation ent with the ter	of 18 U.S.C. Sec. 1001 to ms of PR Notice 98-10 alties under sections 12	
and 14 of FIFRA			Sect	ion - III				
1. Material This Pro	duct will be	Packaged In:	5000	1011 111				
Child-Resistant Packa Yes* X No	ging	Unit Packaging Yes No X		Yes M No X PI		2. Type of Conta Metal Plastic X Glass	lastic X	
*Certification must be submitted	e	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	No. per container	Paper Other (Specify)		
3. Location of Not C	antonte Info		4. Size(s) Retail C	ontainer	5. Locat	ion of Label Dire	ctions	
3. Location of Net Contents Information Label X Container		i quait, 50 ganon			On Label X On Labeling accompanying product			
	Label is Aff	ixed to Product	Lithograph Paper glued Stenciled	x	Other			
6. Manner in Which								
6. Manner in Which			Sect	ion - IV			cccc	
	mplete items	directly below for identifica		ion - IV	sary, to process this		, c c c	
1. Contact Point (Co	implete items	directly below for identifica		e contacted, if neces	sary, to process this	Telephone No. 314-290-4764	(Include Area Code)	
Contact Point (Contact Point) Name Michael G. Sarli I certify that the stater	nents I have		Title Manager, Regulato Certification eachments thereto are t	ry Affairs	mplete. I acknowled	Telephone No. 314299.44(4	0	
1. Contact Point (Contact Point) Name Michael G. Sarli I certify that the stater knowingly	nents I have	C made on this form and all at	Title Manager, Regulato Certification eachments thereto are t	ry Affairs	mplete. I acknowled	Telephone No. 314299.44(4	(Include Area Code) Congos co Date Application seried	
1. Contact Point (Co Name Michael G. Sarli	nents I have	C made on this form and all at	Title Manager, Regulato Certification cachments thereto are to	ry Affairs rue, accurate and corprisonment or both u	mplete. I acknowled	Telephone No. 314299.44(4	(Include Area Code) Congos o Date Application ceived o Cocco (Stainped)	
1. Contact Point (Contact Point) Name Michael G. Sarli I certify that the stater knowingly	nents I have false or misl	C made on this form and all at	Title Manager, Regulato Certification cachments thereto are to inshable by fine or important the control of th	ry Affairs rue, accurate and corprisonment or both u	mplete. I acknowled	Telephone No. 314299.44(4	(Include Area Code) Congos o Date Application ceived o Cocco (Stainped)	





June 10, 2010

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
Regulatory Management Branch 1
Antimicrobials Division (7510C)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington, VA 22202-4501
Attn: Marshall Swindell, PM #33

Re: Notification for SPOR-KLENZ® RTU (EPA Reg. No. 1043-119) Addition of Optional Label Language Related to Packaging

Dear Mr. Swindell:

Enclosed in support of the subject action, please find the following:

- Application for Pesticide (EPA Form 8570-1)
- Labeling (1 copy)

The additional optional language is presented in bold type on page 5 of 5 of the attached label.

If you have any questions I can be reached at 314-290-4704 or at mike_sarli@steris.com.

Sincerely,

Michael G. Sarli Regulatory Affairs STERIS Corporation

Enclosures

For Use in Pharmaceutical, Medical Device, Biotech and Cosmetic Manufacturing Facilities

Sterilant/Sporicidal, Bactericidal, Tuberculocidal, Fungicidal, *Virucidal, Non-food Contact Sanitizer

Active Ingredients:

Hydrogen Peroxide

1.00%

Peroxyacetic Acid

0.08%

Inert Ingredients:

98.92%

Total

100.00%

KEEP OUT OF REACH OF CHILDREN

DANGER - PELIGRO

See side panel for precautionary statements

FIRST AID					
	•Move person to fresh air.				
IF INHALED	•If person is not breathing, call 911 or an ambulance, then give				
	artificial respiration, preferably by mouth-to-mouth, if possible.				
	•Call a poison control center or doctor for further treatment advice.				
IF ON SKIN OR ON CLOTHING	Take off contaminated clothing.				
	•Rinse skin immediately with plenty of water for 15-20 minutes.				
	Call a poison control center or doctor for treatment.				
	•Hold eye open and rinse slowly and gently with water for 15-20				
	minutes.				
IF IN EYES	•Remove contact lenses, if present, after the first 5 minutes, then				
	continue rinsing the eye.				
	Call a poison control center or doctor for treatment advice.				
	Call poison control center or doctor immediately for treatment				
IF SWALLOWED	advice.				
	Have person sip a glass of water if able to swallow.				
	•Do not induce vomiting unless told to do so by the poison control				
	center or doctor.				
	•Do not give anything by mouth to an unconscious person.				
HOT LINE NUMBER					
For chemical emergency, spill, leak, fire, exposure and accident, call Chemtrec, day or night (800) 424-					
9300, (703) 527-3887.					
Have the product container or label with you when calling a poison control center or doctor, or going for					
	mtrec at 1-800-424-9300 for emergency medical treatment				
information.	(
	Note to Physician:				
Probable mucosal damage may contraindicate the use of gastric [අිvage. ි					

NET CONTENTS:

STERIS Corporation 7501 Page Avenue St. Louis, MO 63133 U.S.A.

Exp. Date:

Lot No.:

DANGER - PELIGRO

Corrosive. Causes irreversible eye damage. Harmful if absorbed through skin. Do not get in eyes, on skin, or on clothing. Avoid contact with skin. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash hands before reuse. Caution should be used when applying indoors because pets may be at risk.

Personal Protective Equipment (PPE)

Handlers must wear: Goggles or face shield, and protective rubber gloves.

Environmental Hazards

This pesticide is toxic to birds, fish and aquatic invertebrates.

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in a NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage plant authority. For guidance, contact your State Water Board or Regional Office of the U.S. Environmental Protection Agency.

Physical and Chemical Hazards

This product contains an oxidizing agent.

PRODUCT CLAIMS					
Sterilant/Sporicidal [B. subtilis (ATCC 19659), C. sporogenes	undiluted 51/2 hours 20°C				
(ATCC 3584)]					
Bactericidal					
Fungicidal					
Virucidal					
Sporicidal – Non-porous Surfaces [B. subtilis (ATCC 19659), C.	undiluted 30 minutes 20°C				
sporogenes (ATCC 3584)]					
Broad Spectrum Disinfectant [Staphylococcus aureus (ATCC	undiluted 10 minutes 20°C				
6538), Salmonella enterica (ATCC 10708), Pseudomonas					
Aeruginosa (ATCC 15442)]					
Tuberculocidal (Mycobacterium bovis BCG) (Clinical Isolate)					
Mycoplasma gallisepticum (ATCC 15302)					
*HIV-1** (Clinical Isolate)					
*Minute virus of mice (Clinical Isolate)					
*Murine parainfluenza virus type 1 (Sendai) (ATCC VR-907)					
*Mouse hepatitis virus (Clinical Isolate)	0 c c (
*Murine norovirus (Clinical Isolate)	(0,000				
Mouse parvovirus (Clinical Isolate)	Undilued 25 minutes at 20°C				
Aspergillus niger (ATCC 16404)	undiluted 5 minutes 20°C				
Germicidal Spray Disinfectant [S. aureus (ATCC 6538), S. enterica	undiluted 30 seconds 20°C				
(ATCC 10708)]	000000				
Non-food Contact Surface Sanitizer [S. aureus (ATCC 6538), K.	diluted 50X (1 part to 49 part				
pneumoniae (ATCC 4352)]	water) for 5 minutes 21°C				

^{**}KILLS HIV- 1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODILY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with

6/8

the potential for transmission of HIV-1 (Human Immunodeficiency Virus Type 1 - associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS:

PERSONAL PROTECTION: Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks and eye coverings. CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before the application of the sterilant.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal. CONTACT TIME: Leave surfaces completely immersed with undiluted SPOR-KLENZ Ready to Use for a minimum of 10 minutes.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage

Store in shipping carton. Do not expose to direct sunlight. Maintain temperature below 75° F (24° C). Avoid contact with combustible materials. Store in original closed container. For chemical emergency, spill, leak, fire, exposure and accident, call Chemtrec, day or night (800) 424-9300, (703) 527-3887.

Pesticide Disposal

Wastes resulting from the use of this product may be disposed of on-site in a sanitary sewer or at an approved waste disposal facility. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for Guidance.

Container Disposal

Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

(For ≤ 5 gal.): Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

(For > 5 gal.): Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its fabeling.

Do not use after Expiration Date. Do not allow SPOR-KLENZ Ready to Use to mix with alkaline substances such as blead. Sodium Hypochlorite) or other oxiding agents. Use purified water (e.g. deionized) for making dilutions, cleaning and rinsing. Some materials may be incompatible with SPOR-KLENZ Ready to Use. Test material prior to use. Spor-Klenz Ready to Use has been shown to be compatible with Polyvinyl chloride, polypropylene, polyurethane, aceto-copolymers, polycarbonate, polysulfone, polystyrene, stainless steel. Reuse of diluted SPOR-KLENZ Ready to Use is not recommended.

DIRECTIONS FOR STERILIZATION

SPOR-KLENZ Ready to Use is <u>not</u> to be used as a terminal sterilant on any critical/semi-critical medical device. Remove any obvious debris or organic material from the surface to be sterilized. This can often be accomplished by rinsing with water or by detergent cleaning followed by a water rinse. Immerse the item to be sterilized in a sufficient volume of undiluted SPOR-KLENZ Ready to Use to cover the item and fill all passages requiring sterilization. Hold in the sterilizing solution for a minimum of 5½ hours at 20°C temperature (68°F). Remove items after 5½ hours and rinse with sterile water until rinse water shows levels of 10 ppm or The solution may be used and reused for up to 14 days in a manual system with 5½ hours immersion.

DIRECTIONS FOR USE AS A SPORICIDE: Use only on hard, non-porous surfaces. Remove any obvious debris or organic material from the surface to be sterilized. This can often be accomplished by rinsing with water or by detergent cleaning followed by a water rinse. Immerse hard, non-porous surfaces in a sufficient volume of undiluted Spor-Klenz Ready to Use. Treated surfaces must remain completely immersed for 30 minutes. Wipe dry or allow to air dry.

[HIV-1, Mouse hepatitis virus Murine parainfluenza virus type 1 (Sendai), Mouse parvovirus and Murine novovirus]/ Mycoplasma gallisepticum/ Aspergillus niger: Use only on hard, non-porous surfaces. This product is not to be used as a terminal high level disinfectant on any critical/semi-critical medical device. Remove any obvious debris or organic material from the surface to be disinfected. This can often be accomplished by rinsing with purified water (e.g. deionized), mechanical action, or by detergent cleaning followed by a water rinse. Apply product to hard, non-porous surfaces, thoroughly wetting surfaces with a cloth, mop, sponge, sprayer, or by immersion. Treated surfaces must remain wet for 10 minutes (For Aspergillus niger, contact time is 5 minutes) (For mouse parvovirus, keep surfaces completely immersed for 25 minutes). Wipe dry with a cloth, sponge or mop or allow to air dry. For sprayer applications, use a coarse spray device. Spray 6 – 8 inches from the surface, rub with a brush, sponge or cloth. Do not breathe spray.

8/8

FOGGING AS AN ADJUNCT TO REGULAR CLEANING AND DISINFECTING: This product may be used in fogging an adjunct either preceeding or folloging, remove or carefully protect all food products and packaging materials. Ensure room is properly ventilated. Vacate all personnel from the room during fogging and for a minimum of 2 hours after fogging or until the hydrogen peroxide air concentration is below 0.5 ppm. Fog areas using one quart (946 ml) per 1,000 cu. Ft. (28.3 m³) of room volume with undiluted SPOR-KLENZ Ready to Use solution. Allow surfaces to dry thoroughly before operations are resumed. Note: In all applications, always prepare a new solution daily to ensure effectiveness. Do not reuse solutions. Dispose of any unused solution.

DIRECTIONS FOR USE AS A GERMICIDAL DISINFECTANT SPRAY: Use only on hard, non-porous surfaces. Spray SPOR-KLENZ Ready to Use undiluted onto cleaned surfaces using a plastic spray bottle. Allow to remain on surface for 30 seconds. Let air dry or rinse with purified water, drain off excess water if possible and allow to dry.

DIRECTIONS FOR USE AS A CLEANER/SANITIZER (Non-food contact surfaces): Using water or mechanical action, remove heavy soil or gross filth from hard surfaces such as formica, stainless steel or vinyl surfaces. Apply by cloth, mop or sponge so as to wet all surfaces thoroughly, a freshly made 50X dilution (1 part product to 49 part water) of SPOR-KLENZ READY TO USE, made using purified water, to the pre-cleaned surface or immerse pre-cleaned items to be sanitized in the solution. Allow 5 minutes of contact time. Let air dry or rinse with purified water, drain excess if possible and allow to dry. May <u>not</u> be reused as a cleaner/sanitizer.

USES

Primarily intended for sterilization, or disinfection of:
Stainless Steel
Plastic Items and surfaces
Hard Surfaces e.g. counter tops
Floors
Walls
Bathroom Fixtures
Glass
Formica
Vinyl

(Optional Label Text)
Packaged with Sprayheads
Double Bagged
ETO Exposed Packaging
ETO Processed Packaging
Ethylene Oxide Exposed Packaging
Ethylene Oxide Processed Packaging

