

BRITNEY -- Recommendations for use in the following:

- Hospitals.
- Nursing Homes.
- Rest homes.
- Doctors' offices.
- Veterinarians' offices.
- Veterinary hospitals.
- Clinics.
- Schools.
- Colleges.
- Laboratories.
- Office buildings.
- Factories.
- Institutions.
- Jails and prisons.
- Warehouses.
- Churches.
- Motels.
- Hotels.
- Country Clubs.
- Athletic Clubs.
- Gymnasiums.
- Dental offices.
- Homes for the aged.
- Sanitariums.
- Asylums.
- Undertakers.
- Barber shops.
- Beauty salons.
- Stores.
- Common areas of large apartment buildings, hotels, etc.
- Theatres.
- Auditoriums.

ACC
APR 11 1977
1057-533

ACCEPTED
 June 5, 1967
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT
 FOR ECTOPARASITIC DISINFECTANTS
 ED UNLESS OTHERWISE SPECIFIED
 TO ATTACH TO LABELS AND COMMENTS

FOR INDUSTRIAL, COMMERCIAL AND INSTITUTIONAL USE ONLY

HOW TO USE

Disinfection: Hold can upright 6-8 inches from surface and spray until entire surface is moist with mist. Spray for at least 4 seconds.

Air Deodorant: Stand in center of room and direct spray slightly upward into the air for several seconds.

WHERE TO USE

Hospital Uses: Sanitizes and deodorizes fomites, such as bedpans, hampers, diaper containers and bedding.

Disinfects surfaces contaminated by body discharges after cleaning. Spray the air a few seconds and sick room odors vanish.

General Uses: Sanitizes and kills odors in garbage pails, under sinks and in damp and musty areas.

The C. B. DOLGE Co.
 Westport, Connecticut
 NET WEIGHT 14 OUNCES

Purifex

**DISINFECTANT
 SPRAY**

**BACTERICIDAL DEODORANT
 STAPHYLOCIDAL, FUNGICIDAL
 TUBERCULOCIDAL
 PREVENTS MILDEW**

ACTIVE INGREDIENTS:

O-phenyl phenol	0.10%
N-alkyl (60% C ₁₄ , 30% C ₁₆ , 5% C ₁₂ , 5% C ₁₈) dimethyl benzyl ammonium chlorides	0.04%
N-alkyl (50% C ₁₂ , 30% C ₁₄ , 17% C ₁₆ , 3% C ₁₈) dimethyl ethyl benzyl ammonium chlorides	0.04%
Essential oils	0.20%
Alcohol	67.20%

INERT INGREDIENTS:

Water, dichlorodifluoromethane	32.42%
TOTAL	100.00%



CAUTION

KEEP OUT OF REACH OF CHILDREN
 SEE SIDE PANEL FOR OTHER CAUTIONS

Purifex fulfills the requirements of the official A.O.A.C. Pressurized Spray Test for determining the effectiveness of pressurized spray products as spot disinfectants for contaminated surfaces.

CAUTION

**CONTENTS UNDER PRESSURE
 FLAMMABLE MIXTURE**

Do not use near open flame. Do not smoke while spraying.

Avoid contact with eyes. In case of contact, flush with plenty of water.

The contents of this can are under pressure. Do not puncture container. Never throw can into fire, even when empty. Do not expose to temperatures higher than 120° F.

Store at room temperature only, never on radiators, stoves or in direct sunlight. Avoid contact with foodstuffs. Before using on lacquered or varnished surfaces, test on small area.

USDA REG. NO 1057-47