

MINTOL-XL

FRAGRANT MINT DISINFECTANT

All surfaces should be cleaned before using disinfectant. Thoroughly wet the surface with recommended dilution of the disinfectant. Allow solution to remain in contact with surface as long as possible, at least not less than 10 minutes. All food contact surfaces such as food carts must be rinsed with potable water for reuse.

DIRECTIONS

For general industrial and institutional disinfection such as walls, floors, toilet seats, urinals, garbage receptacles, use 1 to 100 dilution. Always pour water on the disinfectant and stir thoroughly to a uniform milky emulsion.

For hospitals and where *Pseudomonas aeruginosa* is suspected in the environment, apply Mintol, diluted 1:64 on the foregoing.

PHENOL COEFFICIENT 9 A.O.A.C. METHOD

ACTIVE INGREDIENTS: Isopropanol, potassium ricinoleate, o-benzyl p-chlorophenol, o-phenylphenol, p-tertiary amylphenol, tetrasodium ethylenediaminetetraacetate, essential oils, propargyl alcohol 40.9%
INERT INGREDIENTS: Water, dyestuff 59.1%


TOTAL 100.0%

Westport



Conn.

MTL-172



1057-54

DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: in case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink PROMPTLY a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

RINSE EMPTY CONTAINER THOROUGHLY WITH WATER AND DISCARD IT

The C. B. DOLGE Co.

E.P.A. Reg. No. 1057-54