ACCEPTED

DIRECTIONS

FUNCTION OF THE FEDERAL INSECTICIDE PUNCTICIDE AND RODENTICIDE ACT POR ECONOMIC POISON I EGISTERED UNDER NO. 1257 - 63

Disinfection

Use at 2 ounces per gallon. This product will be effective against Pseudomonas aeruginosa PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is fungicidal against pathogenic fungi.

For best results, use NOFEX-NP with a cloth or mop and apply to walls, floors and other hard surfaces.

For heavy soil or organic matter, a precleaning step is recommended.

Sanitization

If used for sanitization of previously cleaned food equipment or food contact items, limit the level of active quaternaries to 200 ppm (2.8 ounces per 5 gallons of water). Treated food contact surfaces must be rinsed with potable water prior to re-use. This product when used on environmental, inanimate, hard surfaces at 2 ounces per gallon of water, is effective against Influenza A₂, Herpes Simplex, Adenovirus type 2, and Vaccinia Viruses.

PHENOL COEFFICIENTS:

Guaranteed Minimum

S. aureus 42

S. typhosa 28

Rinse empty container thoroughly with water and discard.

NOFEX-NP


CLEANER • DISINFECTANT • DEODORIZER • FUNGICIDE

Designed for Hospital and Institutional use

ACTIVE INGREDIENTS.	
n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium	
chlorides	2.25%
n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides	
Sodium carbonate	3.00%
Tetrasodium ethylenediamine tetraacetate	1.00%
INERT INGREDIENTS:	91.50%
WADNING	100.00%

WAKNING KEEP OUT OF REACH OF CHILDREN

See right side panel for additional precautionary and first aid statements.



EPA Est. 1057-CT-1

WESTPORT CON (EDT OUT 06880 (203) 227-9591

EPA Reg. No. 1057-63

NOF such prim surfa as d room Salm

Salm ogen Whe food surfa

Caus if sw

In ca 15 m befor not a

D

ICIDE ACT STER-3

se nic nd

as

ns, }r). se.

per pe

EPA Est. 1057-CT-1

ACTIVE INGREDIENTS.

Tetrasodium ethylenediamine tetraacetate

THE C. B.

chlorides

Sodium carbonate

INERT INGREDIENTS:

WESTPORT CONNECT: CUT 06880 (203) 227-9591

(IDD) CELLCOMPANY

NOFEX-NP

CLEANER • DISINFECTANT • DEODORIZER • FUNGICIDE

Designed for Hospital and Institutional use

WARNING

KEEP OUT OF REACH OF CHILDREN

See right side panel for additional precautionary and first aid statements.

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium

n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides

EPA Reg. No. 1057-63

2.25%

2.25%

3.00%

1.00%

91.50%

100.00%

NOFEX-NP is a cleaner, disinfectant, and sanitizer, designed for institutional use such as hospitals, nursing homes and institutions where housekeeping will be of prime importance in controlling the hazard of cross-infection from environmental surfaces. NOFEX-NP can provide the assurance you need in this area, when used as directed. For use on floors, walls, sink tops, garbage pails, telephones, rest rooms, bed pans and operating rooms. Effective against Staphylococcus aureus, Salmonella choleraesuis and Pseudomonas aeruginosa. Also effective against pathogenic fungi, Trichophyton interdigitale.

When used for sanitization of previously cleaned food processing equipment and food contact items, limit active quaternaries to 200 ppm. Treated food contact surfaces must be rinsed with potable water prior to re-use.

WARNING

KEEP OUT OF REACH OF CHILDREN

Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician. 0875