DOLGE FOOD PLANT FOGGING AQUEOUS PYRETHRUM INSECTICIDE

DIRECTIONS

The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

Close windows and doors and shut off ventilating systems. Use a non-thermal fogger or vaporizer adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns). Apply at the rate of 1 ounce per 1000 cubic feet of space. Direct the spray toward the ceiling and upper corners of the area and behind obstructions. Keep the area closed for at least 15 minutes. Do not remain in treated areas. Ventilate the area after treatment is completed. Repeat treatment as necessary.

The above described applications will kill accessible, exposed stages of flies, fruit flies, mosquitoes, silverfish, small flying moths, gnats, crickets, roaches, spiders, scorpions, wasps, hornets, clover mites, cheese mites, cheese skippers and exposed stages of these common stored product pests, granary weevils, rice weevils, confused flour beetles, saw toothed grain beetles, spider beetles, cigarette beetles, drugstore beetles, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, tobacco moths, meal worms, and grain mites.

A CONCENTRATED MICRO EMULSION

- **CLEAR**
- STABLE
- LEAVES NO OILY OR OBJECTIONABLE RESIDUE

CAUTION: Harmful if swallowed. Avoid contamination of feed and foodstuffs. This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply only as specified on the label. Do not reuse empty container. Destroy by perforating or crushing and burying in a safe place.

DESIGNED FOR USE IN EDIBLE PRODUCT AREAS OF OFFICIAL ESTABLISHMENTS OPERATING UNDER THE MEAT, POULTRY, SHELL EGG GRADING AND EGG PRODUCTS INSPECTION PROGRAMS, AND IN OTHER FOOD PROCESSING PLANTS.

APPLY WITH CONVENTIONAL MECHANICAL OR COMPRESSED AIR EQUIPMENT DESIGNED AND ADJUSTED TO DELIVER A TRUE AEROSOL MIST.

ACTIVE INGREDIENTS:

| Pyrethrins | 0.5% |
|---|-------|
| *Piperonyl butoxide, technical Petroleum distillate | 5.0% |
| INERT INGREDIENTS | 00.50 |
| | 100% |

^{*}Equivalent to 4.0% (butylcarbityl) (6-propylpiperonyl) ether and to 1.0% related compounds.

CAUTION

KEEP OUT OF REACH OF CHILDREN SEE ADDITIONAL PRECAUTIONS ON LEFT HAND PANEL

THE C. B. DOLGE COMPARY

EPA Est. 1057-CT-1

WESTPORT, CONNECTICUT 00000 / (200) 227-0001

EPA Reg. No. 1057-67

APR 25 1975

Under the Follow Insecticity, Funguerie, in destinate Act, as amendra, in the positive Registered under 1057-67