



YH 10 1057-67 TE 203 1994
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

MAY 06 1994

Barbara P. Minor
UNYTEX RESEARCH CORP
AGENT FOR: C.B. DOLGE CO
BOX 818
ROCHESTER, N.Y. 14603

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Subject: Label Amendment Submission of 02/28/94 in Response to PR Notice 93-7
EPA Reg. No. 1057-67
DOLGE FOOD PLANT FOGGING PYRETHRUM INSECTICIDE

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

WHAT THIS ACCEPTANCE MEANS:

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

WHAT YOU NEED TO DO NEXT:

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling
- AND
- WITHIN one year from date of this acceptance.



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber

2 of 4


Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs (7505C)
U.S. Environmental Protection Agency
401 M Street, SW
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)
Office of Pesticide Programs
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

Sincerely,



Jim Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)

Attachment

3044

UNYTEX RESEARCH CORP.

1057-67 02/28/94

DOLGE FOOD PLANT FOGGING PYRETHRUM INSECT.

Original Submission

User Safety Recommendations must either be placed in a box or printed on the label in a contrasting color from surrounding text.

The Agricultural Use Requirements section must be located in a clearly separate box on the product labeling - - with lines or other graphic indicators (such as contrasting color) to separate the section from the surrounding text.

Remove the statement "Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application." from its current position within the Agricultural Use Box and place it above the Agricultural Use Box.

The Non-Agricultural Use Requirements section must either be placed in a box or printed on the label in a contrasting color from the surrounding text.

Delete the crossed-out statements on your proposed label. They are redundant statements or phrases.

copy

Dolge Food Plant Fogging Aqueous Pyrethrum Insecticide is a clear, stable, concentrated micro emulsion. It leaves no oily or objectionable residue. Dolge Food Plant Fogging Aqueous Pyrethrum Insecticide should be applied with conventional mechanical or compressed air equipment designed and adjusted to deliver a true aerosol mist. Dolge Food Plant Fogging Aqueous Pyrethrum Insecticide is designed for use in edible product areas of official establishments operating under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs and in other Food Processing Plants.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed. Do not pour or spill near heat or open flame. Remove pets, birds and cover fish aquaria before spraying. Do not breathe spray mist. Refer to the Dolge Food Plant Fogging Aqueous Pyrethrum Insecticide Material Safety Data Sheet for other safety information.

PERSONAL PROTECTIVE EQUIPMENT: Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- For exposures in enclosed areas: A respirator with either an organic vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-21C)
- For exposures outdoors: Dust/Mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C)

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS: Users should

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing

EPA Est. No. 527-4L-1

EPA Est. No. 527-NY-1

FORM 1115-A-PROPOSED 500
(REV. 1/21/94)

ACCEPTED
with COMMENTS
In EPA Letter Dated
MAY 06 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
1057-67

BEST AVAILABLE COPY

Yellow = WPS

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. The Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not apply this product in a way that will contact users or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Waterproof gloves
- Shoes plus socks

IN MUSHROOM PRODUCTION AND PROCESSING: To control adult *Mushroom Flies*, *Fungus Gnats* and *Cecid Flies* in growing houses, apply at a rate of 1 ounce per 1000 cubic feet of space. Fogger should be operated 8 to 10 feet away from beds and directed slightly upward over them. Circulating fans should be left in operation, but for best results refrigeration should be turned off. In packing and canning plants, use at a rate of 1 ounce to 2000 cubic feet of space.

(continued on right panel)



DIRECTIONS FOR USE (Continued from left panel)

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product which are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

- Vacate treated areas and ventilate before reoccupying

IN FOOD PROCESSING ESTABLISHMENTS: The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment and thoroughly cleaned with an effective cleaning compound followed by a potable water rinse before using.

Close windows and doors and shut off ventilating systems. Use a non-thermal fogger or vaporizer adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns). Apply at a rate of 1 ounce per 1000 cubic feet of space. Direct the spray toward the ceiling and upper corners of the area and behind obstructions. Keep the area closed for at least 15 minutes. Repeat treatment as necessary.

IN BARN, POULTRY HOUSES AND STORAGE ROOMS: To control *House Flies*, *Stable Flies* and *Horn Flies* in barns, poultry houses, warehouses, storage bins and storage rooms, dilute 1 part of material with 4 parts

55 Gallons
208.2 Liters Lot #

**ATICK
DOLGE F
FOGGING
PYRETHRUM
EPA Reg**

ACTIVE INGREDIENTS:

Pyrethrins
*Piperonyl Butoxide, Technical
INERT INGREDIENTS

*Equivalent to 4.0% (butylcarbitol) compounds.

KEEP OUT OF REACH OF CHILDREN

STATEMENT OF PPE

If swallowed: Call a physician or Poison Control Center. Do not induce vomiting unless directed by a physician. Give nothing by mouth to an unconscious person. If inhaled: Remove affected person to fresh air. If in eyes: Flush eyes with plenty of water. If on skin: Remove contaminated clothing. See Left Panel For Additional Information.

**THE C.B. DOUGLAS COMPANY
P.O. BOX 1515 • ROCHESTER, NY 14603
BRANCH WAREHOUSE**

1 U.S. GALLON
NET CONTENTS: 3.8

of water. Apply as a fine mist over the area. Use a fogger or mist generator to direct the area where animals are housed. throughout the entire area sprayed. Repeat application 15 to 20 minutes after spray has been applied thoroughly before milking. Repeat application as required.

The above described application includes *Fruit Flies*, *Mosquitoes*, *Crickets*, *Cockroaches*, *Spiders*, *Mites*, *Cheese Mites*, *Cheese Mites*, *Granary Weevils*, *Rice Weevils*, *Toothed Grain Beetles*, *Spider Beetles*, *Angoumois Grain Moths*, *Indianmeal Moths*, *Tobacco Moths*.

STORAGE

Do not contaminate water, food or feed. **PESTICIDE STORAGE AND DISPOSAL:** Store in original container. Avoid exposure to heat, moisture, and freezing temperatures. Avoid exposure to sunlight. Avoid leakage, soak up with an absorbent material, etc. Dispose of with chemical waste. **PESTICIDE DISPOSAL:** Pesticide should be disposed of according to label instructions. Do not use for any other purpose. **CONTAINER DISPOSAL:** Triplicate, reconditioning, or puncture and disposal according to state and local procedures. **DO NOT TRANSPORT**