

Cross-infection is of major housekeeping concern not only in hospitals, but in schools, institutions, and industry.

NOFEX-HR is formulated for this problem area. It both cleans and disinfects effectively and is virucidal when used as directed. Its hard surface disinfecting action will reduce the hazard of cross-infection.

NOFEX-HD is an extremely effective one-step sanitizer. It cleans and sanitizes in waters up to 800 ppm hardness. This hard water tolerance is in excess of most potable waters and will insure complete sanitizing action when used as directed.

Two ounces of NOFEX-HD per gallon of water will deodorize bathrooms, garbage storage areas, and other areas where bacterial growth can cause malodors.

Precautionary Statements

Hazards to Humans and domestic animals

WARNING

Keep out of reach of children. May cause severe eye irritation or eye damage. Causes skin irritation. Do not get in eyes, on skin, or on clothing. Harmful if swallowed. Avoid contamination of food.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL

OPEN DUMPING IS PROHIBITED

DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

PESTICIDE SPRAY MIXTURE OR RINSATE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES.

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS, OR BURY IN A SAFE PLACE.

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING.

NOFEX-HD

CLEANER • DISINFECTANT • DEODORIZER • FUNGICIDE • VIRUCIDE*

Sanitizer for Hospital and Institutional Use

ACTIVE INGREDIENTS

Didecyl dimethyl ammonium chloride	4.5%
Tetrasodium ethylenediamine tetraacetate	1.9%
Sodium carbonate	1.0%
Sodium metasilicate, anhydrous	0.5%
INERT INGREDIENTS	92.1%
	100.0%

KEEP OUT OF REACH OF CHILDREN

WARNING ACCEPTED

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol. Call a physician immediately.

Manufactured By:

THE C. B. DOLGE COMPANY



EPA Est. 1057-CT-1

WESTPORT, CONNECTICUT 06880 / (203) 237-6881

58

EPA Reg No. 1057-69

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Apply NOFEX-HD to wall surfaces with a cloth or mop. For Hospitals & Nursing Homes: At two ounces per gallon. Staphylococcus aureus. Germicidal performance. Use-Dilution Test. Fungicidal performance. AOAC Fungicidal Test. At 2 ounces per gallon. Virucidal action against the

*At two ounces per gallon of the virus family that causes (e.g., adenovirus Typhoid, poliovirus, hepatitis A, etc.) represented by the strain inanimate environments. For Schools, Institutions: At one ounce per gallon. It is effective against Staphylococcus aureus, Trichophyton interdigitale, etc. confirm suitable performance. For sanitizing add one ounce per gallon to cleaning of utensils, equipment and utensils.

MAY 12 1981
EPA Reg. No. 1057-69
Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1057-69

NOFEX-HD

CLEANER • DISINFECTANT • DEODORIZER • FUNGICIDE • VIRUCIDE*

Sanitizer for Hospital and Institutional Use

ACTIVE INGREDIENTS

Didcyl dimethyl ammonium chloride	4.5%
Tetrasodium ethylenediamine tetraacetate	1.9%
Sodium carbonate	1.0%
Sodium metasilicate, anhydrous	0.5%
INERT INGREDIENTS	92.1%
	100.0%

KEEP OUT OF REACH OF CHILDREN

WARNING ACCEPTED

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of water. **Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1057-69**

Manufactured By:

THE C. B. DOLBE COMPANY



58 EPA Reg. No. 1057-69

EPA Est. 1057-CJ-1

WESTPORT, CONNECTICUT 06880 / (203) 227-6691

Directions for Use

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Apply NOFEX-HD to walls, floors and other hard surfaces such as tables, chairs and bed frames with a cloth or mop. For heavily soiled areas, a preliminary cleaning may be required. For Hospitals & Nursing Homes: Add two ounces per gallon of water.

At two ounces per gallon use-level, NOFEX-HD is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus*, *Salmonella choleraesuis*, *Escherichia coli*, and pathogenic fungi. Germicidal performance against the first four organisms has been confirmed by the AOAC Use-Dilution Test. Fungicidal performance was determined against *T. interdigitale* by the AOAC Fungicidal Test.

At 2 ounces per gallon the broad spectrum effectiveness of NOFEX-HD is shown by its germicidal action against the following additional organisms.

- Brevibacterium ammoniagenes*
- Enterobacter aerogenes*
- Proteus mirabilis*
- Streptococcus pyogenes*
- Klebsiella pneumoniae*
- Salmonella schottmueleri*
- Streptococcus faecalis*
- Shigella dysenteriae*

*At two ounces per gallon use-level, NOFEX-HD is virucidal against Herpes Simplex (a member of the virus family that causes infectious mononucleosis), Vaccinia (representative of the pox viruses), adenovirus Type 5 (a causative virus in respiratory diseases), and Influenza A, as represented by the strains commonly called the Hong Kong Flu and the London Flu Virus, on inanimate environmental surfaces.

For Schools, Institutional and Industrial Uses: Add one ounce per gallon of water.

At one ounce per gallon use-level, NOFEX-HD delivers excellent cleaning and is germicidal. It is effective against *Staphylococcus aureus*, *Salmonella choleraesuis*, *Escherichia coli*, and *Trichophyton interdigitale*, the athlete's foot fungus. The same AOAC tests used above to confirm suitable performance for hospitals were used.

For sanitizing add one-half ounce per gallon of water. Use NOFEX-HD for sanitizing and cleaning of utensils, equipment, and other hard surfaces. When sanitizing food processing equipment and utensils and food contact surfaces, a potable water rinse is required.

59 1279