FOR CONTROL OF: -- The Bollworm, Thrips, Cutworms, Fleahoppers, Tarnished and Rapid Plant Bugs, Yellowstriped Armyworms, Garden Webworms, Cotton Leafworm, Fall Armyworms and Grasshoppers.

MIXING: — Add the amount of Valco Brand Toxaphene Emulsifiable No. 6. concentrate recommended for the control of each insect to water necessary to treat one acre. Mix thoroughly before applying. If solution is allowed to stand several hours, agitate well before using.

USE ON COTTON: — Use Valco Brand Toxaphene Emulsifiable No. 6 at the rates recommended below for particular insect to be controlled. This

product should be used on 5 to 7 day intervals, or as necessary to keep insects under control. The rate and interval of application will depend upon the size of cotton, degree of insect infestation, weather, and method of application. Proper timing and uniform application are essential for best results. DO NOT apply excess of 4 lbs. per acre after bolls open.

THRIPS: — Apply at rate of one (1) gallon per 2 to 7.5 acres.

FLEAHOPPERS, TARNISHED AND RAPID PLANT BUGS: — Apply at rate of one (1) gallon per 1.5 to 3 acres.

CUTWORMS, GARDEN WEBWORMS, FALL ARMYWORMS AND GRASSHOPPERS: — Apply at rate of one (1) gallon per 1.5 to 3 acres.

COTTON LEAFWORMS: — Apply at rate of one (1) gallon per 3 acres.


YELLOWSTRIPED ARMYWORMS: — Apply at rate of one (1) gallon per 2 to 3 acres.

BOLLWORM: — Apply at rate of one (1) gallon per 1 to 3 acres. Do not apply at rate of 1 gallon per acre after bolls open.

WHEN MAKING APPLICATIONS WITH AIRPLANES: — Follow the same application program given for ground sprayer. Applying 1 to 3 gallons of spray mix per acre.

E.P.A. Reg. No. 1063-105





P. O. BOX 1317

GREENVILLE

MISSISSIPPI 38701

Do not feed

Do not graze

this product.

Do not cont

CLEAN UP with sawdus

with strong

DISPOSAL

wash the ou

inside of the

hold or commerced the ring isolated area

then be disp

tainers shoul

may be buri water suppli

CAUTION:

any body of

Do not use \$

as recomme

areas may

not apply will Do not continuous wastes. This

bees are acti

NOTICE TO

Seller warra

and is reaso

in accordant

neither this

fitness for a use of this p

conditions, o

and buyer a Do not use,

stock.

Andrew Communication of the Co

Toxaphene limit in the commenced not treat the commenced not treat the commenced in the commenced polying. It seems to be a first to be a covered bound, against the contract to be fore to the contract of th

Emalstituble No that is rates to another the property of product should be a larger to be a controlled and product should be a larger to be a controlled and product should be a larger to be a controlled approach as a controlled approach to a complete depending to the controlled approach to a controlled by the controlled approach to a controlled by the controlled approach to a controlled by the controlled

THRIPS: Apply to the first land apply the 7.5 agrees

FLEALOPPERS FARNISHED AND RAPID PLANT BUGS: — Apply of acts of a second page of a first order.

CUTWORMS, GARDEN WEBWORMS, FALL ARMYWORMS AND GRASSHOPPERS: The at rate of (1) gallon per 4.5 to 3 acres.


COTTON LEAFWORMS: Apply to the one (1) gallon per accuses.

YELLOWSTRIPED APPLANWORMS: at rate of one (1) on the part 2 to 3 acres.

BOLLWORM: -- Apply thate of the state of the

WHEN MAKING A CARTIONS WITH AIRPLANES: — Follow to controlled to the state of the property April 1.





The product.

CLEAN UP

with lawdus with strong DISPOSAL Country wash the our psicie of the did or country to the did or country the

card the rin rolated area then be dispetamers shoul may be burie water supplie

CAUTION:
The hody of the comment of the comment with the comment of the commen

tion thay be a pay we will be a possible of the pay of

NOTICE TO
Seller warra

fitne for a combine position, or a line of the position of the

Toxaphene Emulsifiable No. 6

(CONTAINS SIX POUNDS TOXAPHENE PER GALLON)

AC GHT 0.11% 29.71% INERT 10.18% 100.00% * Technica 67 - 69%) ANTIDOTE: -**Iful** of salt in a glass of warm v lear. Have patient lie down and kee EXTERNAL: — If ontaminated clothing and immediately wa CALL A EDIATELY

KEEP OUT OF A OF CHILDREN
SEE OTHER WARN S ON RIGHT PANEL

Manufa tured by

VALLEY

CHEMICAL

COMPANY

GREENVILLE P. O. BOX 1317

MISSISSIPPI 38701

WARNING: — Do not get in eyes or on skin. Do not get on clothing. Rapidly absorbed through skin. May be fatal if swallowed, inhaled, or absorbed through skin. Do not breathe the fumes any time. Wear protective clothing, natural rubber gloves and goggles. Wear a mask or a respirator of a type passed by the U.S. Bureau of Mines for protection against Toxaphene mixtures. Keep away from children and domestic animals.

Wash thoroughly with soap and water after exposure. Use clean clothing daily. Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticides and volatile residues have dissipated.

Do not apply, nor allow to drift where there may be grazing by dairy animals or animals being finished for slaughter.

Do not feed gin waste from cotton treated with this product to live-stock.

Do not graze livestock in cotton fields treated late in the season with this product.

Do not contaminate feed or foodstuffs with this product.

CLEAN UP SPILLAGE AND SPRAY WASTE: — Soak up liquid with sawdust or other absorbent material and bury. Clean up area with strong lye solution.

DISPOSAL OF EMPTY CONTAINERS: — Carefully and completely wash the outside of the empty container with water. Rinse out the inside of the container with water, to which has been added household or commercial detergent and caustic soda (lye). Carefully discard the rinse solution by burying at least 18 inches deep in an isolated area away from water supplies. Fifty-five gallon drums may then be disposed of to an approved drum reconditioner; smaller containers should be broken, mutilified and punctured, after which they may be buried at least 18 inches deep in an isolated area away from water supplies.

CAUTION: — Highly toxic to fish and wildlife. Do not contaminate any body of water nor apply to any area not specified on the label. Do not use this material for any purpose nor in any manner other than as recommended on this label. Birds and other wildlife in treated areas may be killed. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. This product is toxic to bees and should not be applied when bees are actively visiting the area.

NOTICE TO USERS:

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability of fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Do not use, pour, spill, or store near heat or open flame.