

1067-122

RESTI
For retail sale to and use only by Cer
uses covered by the Certified Applic

 **DANGER—POISON—PRECAUTIONS** 

PRECAUTIONARY STATEMENTS

NOT FOR HOME USE



**CAN KILL YOU
IF SWALLOWED**

This product can kill you if
swallowed even in small
amounts; spray mist or dust
may be fatal if swallowed.



**CAN KILL YOU
BY SKIN CONTACT**

This product can kill you if
touched by hands or spilled
or splashed on skin, in eyes
or on clothing (liquid goes
through clothes).



**CAN KILL YOU
IF BREATHED**

This product can kill you if
vapors, spray mist or dust
are breathed

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: DAN-

GER — For use only by operators experienced or adequately
trained in the application of toxic insecticides, and only in
power operated, not hand operated sprayers. Do not get in eyes
or on skin. Do not get on clothing. Rapidly absorbed through
skin. Do not breathe the fumes any time. Wear waterproof pro-
tective clothing, natural rubber gloves and goggles. Wear a
pesticide respirator jointly approved by the Mining Enforce-
ment and Safety Administration (formerly the U.S. Bureau of
Mines) and by the National Institute for Occupational Safety
and Health under the provision of 30 CFR Part 11. Keep
away from children and domestic animals. Wash thoroughly
with soap and water after exposure. Use clean clothing daily.
Keep all unprotected persons out of operating areas or vicinity
where there may be danger of drift. Vacated areas should not
be re-entered until drifting insecticides and volatile residues
have dissipated. Workers entering the fields within 48 hours
after treatment should be protected. Do not apply, nor allow to
drift where there may be grazing by dairy animals or animals
being finished for slaughter. Do not graze dairy animals or
animals being finished for slaughter on treated fields. Workers entering fields
within 48 hours after treatment should be protected. Do not apply this product
within 15 days of cotton picking. Do not contaminate feed or foodstuffs with this
product.

PHYSICAL OR CHEMICAL HAZARDS - Do not use, pour, spill, or store near
heat or open flame.

CLEAN UP SPILLAGE AND SPRAY WASTE — Soak up liquid with sawdust or
other absorbent material and bury. Clean up area with strong lye solution.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food, or feed by storage or disposal. Open dumping is
prohibited.

PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinsate that cannot be used or chemically processed
should be disposed of in a landfill approved for pesticides or buried in a safe place
away from water supplies.

CONTAINER DISPOSAL

Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose
of in a sanitary landfill, or by other approved State and local procedures.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Use with
care when applying to areas frequented by wildlife or adjacent to any body of water.
Do not apply directly to water. This product is highly toxic to bees exposed to
direct treatment or residues on crops. Protective information may be obtained from
your Cooperative Agricultural Extension Service.

NOTE TO PHYSICIANS: Treat symptomatically. Methyl Parathion exerts mus-
carinic effect, i.e., stimulation of the parasympathetic nervous system. Re-
peated use of parasympathetic depressant such as atropine to the limit of patient's
tolerance indicated to relieve symptoms. The administration of oxygen is helpful.

*PAM may be administered in conjunction with atropine.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

FPA Reg. No. 1063-122

FPA E.C. 1063-MS-1



A
O-
O.O
Relat
Xylene
INERT
Vegetabl
*EPN
**Methyl Pa

DANGER



Cor
CA

STATEMENT
If swallowed —
touching back
to an unconsci
with plenty of
air. If not brea
mouth. Get m
water.

**KEE
SEE C**

**VALLI
GREENVILLE**

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

FOR CONTROL
Flea Hoppers,
caterpillar, yel
worms, lygus b
beetle.

MIXING: —
EPN-MP-No. 3
each insect to
acre. Mix thor
is allowed to s
fore using.

USE ON COTTON
Brand EPN-M
below for part
product should
as necessary t
rate and interv
the size of cro
ther, and met
and uniform
results. Make
harvest.

MID SEASON CONTROL: Overw
bugs, Lygus bugs — Make four o
day intervals, starting when the co
or when the plants start setting t
6 to 8 acres.

LATE SEASON CONTROL: Boll worm, yellow striped army worm boll weevil infestations reach 10% such as bollworm, etc., are noticeable until infestations are brought down whenever necessary. Apply

SOYBEANS: - For control of stink bugs. Mexican bean beetle 1 lb. per 3 to 6 acres. Do not graze livestock within 21 days after last application.

WHEN MAKING APPLICATION
the same Application Program as
1 to 3 gallons spray mix per acre

NOTICE TO USERS:

Seller warrants that the product is and is reasonably fit for the purpose in accordance with directions on the label. Seller does not warrant, either in writing or orally, that the product is fit for any particular purpose, or that the use of this product contrary to the label directions will not result in damage, injury, or under conditions of use, and buyer assumes the risk of a

1 Reg Trademark of VALLEY

DANGER. THIS LABEL



Consult physician for emergency supply.
CALL A PHYSICIAN IMMEDIATELY

STATEMENT OF PRACTICE AND CURRENT

If swallowed - drink 1 or 2 glasses of water and induce vomiting by
touching back of throat with finger. Do not give anything by mouth
to an unconscious person. Get medical attention. If on skin - wash
with plenty of soap and water. Do not breathe vapors. Remove victim to fresh
air. If not breathing, give artificial respiration, preferably mouth-to-
mouth. Get medical attention. If in eyes - flush with plenty of
water.

DANGER

KEEP OUT OF REACH OF CHILDREN
SEE OTHER WARNINGS ON LEFT PANEL

Manufactured by

VALLEY CHEMICAL COMPANY

GREENVILLE

P. O. BOX 1317

MISSISSIPPI

DE
pervision, and only for those

FOR CONTROL OF:—Boll Weevil, Cotton Aphid, Flea Hoppers, Plant Bugs, Bollworm, Salt Marsh caterpillar, yellow striped armyworm, fall armyworms, lygus bugs, stink bugs, and Mexican bean beetle.

MIXING: — Add the amount of Valco Brand EPN-MP-No. 33 recommended for the control of each insect to the water necessary to treat one acre. Mix thoroughly before applying. If solution is allowed to stand several hours, agitate well before using.

USE ON COTTON OR SOYBEANS: — Use Valco Brand EPN-MP-No. 33 at the rates recommended below for particular insect to be controlled. This product should be used on 3 to 5 day intervals, or as necessary to keep insect under control. The rate and interval of application will depend upon the size of crop, degree of insect infestation, weather, and method of application. Proper timing and uniform application are essential for best results. Make no application within 3 days of harvest.

MID SEASON CONTROL: Overwintering weevils, fleahoppers, plant bugs, Lygus bugs — Make four or five applications, at five to seven day intervals, starting when the cotton is in the six to eight leaf stage, or when the plants start setting tiny squares. Apply one (1) gallon to 6 to 8 acres.

LATE SEASON CONTROL: Boll weevils, bollworm, aphids, fall army worm, yellow striped army worm — Start applications at or before boll weevil infestations reach 10% or when infestations of other pests such as bollworm, etc., are noticed. Make applications at 3-5 day intervals until infestations are brought under control. Repeat applications whenever necessary. Apply one (1) gallon to 3 to 6 acres.

SOYBEANS: — For control of Bollworms, Salt Marsh caterpillar, stink bugs, Mexican bean beetle apply at the rate of one (1) gallon per 3 to 6 acres. Do not graze or feed forage from treated fields to livestock within 21 days after last application.

WHEN MAKING APPLICATIONS WITH AIRPLANES: — Follow the same Application Program given for ground sprayers, applying 1 to 3 gallons spray mix per acre.

NOTICE TO USERS:


Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

® Reg. Trademark of VALLEY CHEMICAL COMPANY

ORGANIC PHOSPHATE COMPOUND MIXTURE, LIQUID




1063-122




PRECAUTIONARY STATEMENTS

NOT FOR HOME USE



CAN KILL YOU IF SWALLOWED

This product can kill you if swallowed even in small amounts; spray mist or dust may be fatal if swallowed.



CAN KILL YOU BY SKIN CONTACT

This product can kill you if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes).



CAN KILL YOU IF BREATHED

This product can kill you if vapors, spray mist or dust are breathed.



HAZARDS TO HUMANS AND DOMESTIC ANIMALS: DANGER

For use only by operators experienced or adequately trained in the application of toxic insecticides, and only in power operated, not hand operated sprayers. Do not get in eyes or on skin. Do not get on clothing. Rapidly absorbed through skin. Do not breathe the fumes any time. Wear waterproof protective clothing, natural rubber gloves and goggles. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. Keep away from children and domestic animals. Wash thoroughly with soap and water after exposure. Use clean clothing daily, keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Vacated areas should not be re-entered until drifting insecticides and volatile residues have dissipated. Workers entering the fields within 48 hours after treatment should be protected. Do not apply, nor allow to drift where there may be grazing by dairy animals or animals being finished for slaughter. Do not graze dairy animals or animals being finished for slaughter on treated fields. Workers entering fields within 48 hours after treatment should be protected. Do not apply this product within 15 days of cotton picking. Do not contaminate feed or foodstuffs with this product.

PHYSICAL OR CHEMICAL HAZARDS — Do not use, pour, spill, or store near heat or open flame.

CLEAN UP SPILLAGE AND SPRAY WASTE — Soak up liquid with sawdust or other absorbent material and bury. Clean up area with strong lye solution.

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL

For Container More Than 30 Gallons:

- (a) Reseal container and offer for reconditioning, or
- (b) Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place.

For Container Less Than 30 Gallons:

Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill or bury in a safe place.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and wildlife. Use with care when applying to areas frequented by wildlife or adjacent to any body of water. Keep out of lakes, streams, or ponds. This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

NOTE TO PHYSICIANS: Treat symptomatically. Methyl Parathion exerts muscarinic effect — i.e., stimulation of the parasympathetic nervous system. Repeated use of parasympathetic depressant, such as atropine to the limit of patient's tolerance is indicated to relieve symptoms. The administration of oxygen is helpful.

2-PAM is antidotal and may be administered in conjunction with atropine.


DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

EPA Reg. No. 1063-122

EPA Est. 1063 MS 1

RESTRICTED

For retail sale to and use only by Certified applicators covered by the Certified Application



Contains 3 lb.

Active Ingredient:
O,O-Dimethyl
p-tert-butylphenyl
Relat.
Xylene
INERT

*EPN
**Methyl

DANGER



Consult
CAI

STATEMENT OF
If swallowed — touch back of
to an unconscious
with plenty of se
air. If not breath
mouth. Get medi
minutes

**KEEP
SEE 01**

**VALLEY
GREENVILLE**