

SURGE TM **K.O. DYNE**
 EPA REGISTRATION NO. 1072-11

IODINE DETERGENT SANITIZER UDDER WASH

ALSO FOR WASHING AND SANITIZING BUCKETS,
 BULK TANKS, UTENSILS AND AS INFLATION DIP

DILUTION TABLE: Prepare Surge K.O. Dyne 25
 PPM available Iodine solution as follows:
 Use water not over 110° F.
 ½ fl. oz. Surge K.O. Dyne to 10 qts. water.
 or 1 fl. oz. Surge K.O. Dyne to 5 gals. water.

Follow state and local health department requirements on cleaning
 and sanitizing.

CONCENTRATED PRODUCT--DILUTE BEFORE USING

DANGER: Keep Out of Reach of Children. Corrosive. Causes
 eye damage and skin irritation. Do not get in eyes, on skin or on
 clothing. Protect eyes and skin when handling. Harmful if swallowed.
 Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin
 with plenty of water for at least 15 minutes. For eyes, call a phy-
 sician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg white,
 gelatin solution or if these are not available, drink large quantities of
 water. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contra-
 indicate the use of gastric lavage. Measures against circulatory shock,
 respiratory depression and convulsion may be needed.

Distributed By

BABSON BROS. CO. 2100 S. York Rd., Oak Brook, Ill. 60521

ACC
 00
 ACIDE
 FOR ECON
 ED UNDER
 TO ATTAC



CONTENTS 1 U.S. GALLON

Active Ingredients:	Nonylphenoxypoly (ethyleneoxy iodine)
	Phosphoric acid
	Glycolic acid
Inert Ingredients	

* PHOSPHATE CONTE

96 1/4

ACCEPTED

OCT 2 1972

INSECTICIDE AND RODENT CONTROL
FOR ECONOMIC POISON REGISTRATION
ED UNDER NO. 1072-11 SUBJECT
TO ATTACHED COMMENTS.

SURGE T.M.

K.O. DYNE

IODINE DETERGENT SANITIZER UDDER WASH

Made in U.S.A.

oxypoly (ethyleneoxy) ethanol-Iodine Complex (Providing 1.75% titratable

.....	13.75%
acid	6.00%
id	7.00%
.....	73.25%
.....	<u>100.00%</u>

DANGER
KEEP OUT OF
REACH OF CHILDREN

See First Aid and Other
Precautions on Side Panel

DIRECTIONS for WASHING and SANITIZING UDDERS: (Not recommended as a Teat Dip).

1. Add 1/2 oz. of Surge K.O. Dyne to 10 quarts warm water (not over 110° F.).
2. Use fresh towel for each cow to reduce the spread of micro-organisms that may cause mastitis. Soak paper towel in solution. Wash and massage teats and udder. Blot dry.

INFLATION DIP

1. Prepare separate solution of 1/2 oz. Surge K.O. Dyne to 10 quarts water.
2. Dip teat cups in solution before applying to each cow.

BULK TANKS, VATS, BUCKETS AND UTENSILS:

1. Immediately after use, flush with tepid water to remove all residual milk.
2. Wash all surfaces with recommended Surge Cleaner.
3. Sanitize with Surge K.O. Dyne (1 oz. in 5 gals. of water not over 110° F.) by brushing or spraying.
4. Follow state and local public health regulations regarding rinsing after sanitizing.

NOTE: Surfaces and equipment to be sanitized should be exposed to the solution for at least two minutes.

REMOVAL OF MILKSTONE:

Prepare a strong solution using equal parts of Surge K.O. Dyne and warm (110° F.) water. Allow surfaces being cleaned to remain in contact with solution for several minutes, then brush to remove deposit and rinse with slightly warm water. Repeat if necessary. For stubborn deposits use Surge K.O. Dyne full strength.

CAUTION: Keep from freezing. If frozen, separation may occur. Thaw and mix thoroughly to return solids into solution.

92457

PHOSPHATE CONTENT Expressed as P 1.9 %

Rinse Empty Container Thoroughly With Water and Disinfect