

**DIRECTIONS**

**NET CONTENTS**

**CAUTION STATEMENT CONT.**

# SO-PRO-CO

**FISHES...** Use 1 part Malathion 57 with 50 parts deodorized kerosene or water to prepare sprays. Spray in and around buildings which house domestic animals, around yards and houses, on fences, around piles and garbage cans. Do not use in shellings and remove livestock from shellings before spraying interiors. Repeat application as required.

**HOUSEHOLD INSECTS...ROACHES, ANTS CRICKETS, SPIDERS, SILVERFISH....** Prepare a spray by mixing 1 part Malathion 57 to 50 parts water or deodorized kerosene. Apply by means of a coarse spray, or paint brush to window sills, baseboards, drainboards, under sinks, stoves, cracks and crevices, and to other areas frequented by insects. Avoid contamination of food, utensils, milk milk equipment, and water. Repeat application as necessary.

**NOTICE...** Southern Products Company makes no warranty, express or implied, concerning this material except that it conforms to the chemical description on the label. Southern Products Company shall not be held responsible in any manner for any personal injury or property damage or other type of loss resulting from the handling, storage or use of this material. The buyer assumes all risk and liability therefrom and accepts and uses this material on these conditions.

## Malathion 57

**ACTIVE INGREDIENTS**  
 Malathion  
 Aromatic petroleum derivative solvent

**OTHER INGREDIENTS**

### CAUTION

**KEEP OUT OF REACH OF CHILDREN**  
**SEE CAUTION STATEMENT ON SIDE PANEL**

**SOUTHERN PRODUCTS COMPANY**  
**MEMPHIS, TENNESSEE**

**ROACHES...** For control of adult roaches on pasture and range-land and unutilized lands, apply Malathion 57 at the rate of 1/4 to 1/2 lb per acre in a suitable carrier (water or oil) with a mist blower, hand fogger, or aircraft. Repeat application as necessary. Contaminated fish bearing waters at a rate of application of 1 cubic pint per acre will kill fish.

**NOTICE TO FISHERMEN...MALATHION** upon repeated, prolonged, careless use, may cause cholinesterase inhibition. Atropine is antidotal.

### CAUTION

Harmful if swallowed. Avoid prolonged breathing of spray mist. Avoid prolonged or repeated contact with skin, wash thoroughly after using. Avoid contamination of feed and feedstuffs. Do not use in milk room or on animals. Misuse as to quantity, timing or method of application can cause damage or injury to animals, persons, property or crops or cause residues in excess of official tolerances.

Highly toxic to fish. Do not contaminate any body of water, by direct application, cleaning of equipment or disposal of wastes and containers.



**ACCEPTED**

FEB 15 1967

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTRATION UNDER NO. 1077-10 SUBJECT TO ATTACHED COMMENTS.

Camera's Not  
 Poor Copy

.....  
petroleum distillate solvent.....  
FIRST AID MEASURES.....  
.....

0-4  
05  
100  
100  
100

**CAUTION**  
**KEEP OUT OF REACH OF CHILDREN**  
**SEE CAUTION STATEMENT ON SIDE PANEL**

[Heavily obscured and illegible text, likely bleed-through from the reverse side of the page]