

HYP0-CHL0R

Bactericide • Disinfectant • Deodorant

Active Ingredients

Sodium Hypochlorite 8%

Inert Ingredients 92%

For sanitizing milk and food utensils by rinsing or circulating at a minimum temperature of 75° F. for at least 2 minutes, and for sanitizing vats, tanks and tank trucks by spraying or fogging at the concentrations given in table below.

EFFECTIVE ONLY ON PREVIOUSLY CLEANED SURFACES

Preparation of Hypo Chlor Solutions

Procedure	Field	Application Rates
Rinsing	100	1 lb. Hypo Chlor 5-25 gals. water
Circulating	100	1 lb. Hypo Chlor 3-10 gals. water
Spraying	100	1 lb. Hypo Chlor 2-10 gals. water
Fogging	100	1 lb. Hypo Chlor 1-2 1/2 gals. water

Note that these concentrations are for use on surfaces. For use in water, use a concentration of about 200 ppm. For use in milk, use a concentration of about 200 ppm.

CAUTION

Keep away from children. Avoid contact with eyes. If contact occurs, flush with water. Do not use in confined spaces. Do not mix with other chemicals.



ACCEPTED WITH COMMENTS

U.S. DEPARTMENT OF AGRICULTURE
FEDERAL BUREAU OF ENTOMOLOGY AND PLANT QUARANTINE
REGISTERED UNDER NO. 1674-2 SUBJECT
ATTACHED COMMENTS.