

19 JUN 1992

Ms. Hope L. Stewart
Anis America Inc.
P.O. Box 305
Turner Place
Alcatraz, CA 95030-0305

Re: Ms. Stewart:

Subject: Registration of 11-55 Dispersion
for Registration No. 110070
Your letters of January 31, 1992 and May 10, 1992, revised labeling, 11-55 Dispersion, and registration statement for 11-55 Dispersion products, with label, etc.

The proposed labeling for 11-55 Dispersion for the registration of 110070, of 11-55, 1992 and the revised identification statement of formula on 11-55, 1992 dated January 31, 1992 are acceptable for registration under the Federal Insecticide, Fungicide and Rodenticide Act as revised that you:

1. revise the chemical expression of 101, et in the ingredient statement of the label and on the product data bulletin, entitled "Langitrol" 11 Industrial Fungicide" to read as stated in the 11-55 registration standards for 101, et mentioned in the subject line. The expression must be written as follows:

101, et (2-(trichloroethyl) imidazole)

2. submit five (5) printed copies of your final printed labeling before you release the product for shipment

BEST AVAILABLE COPY

FUNGITROL® 11-50

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING!

Causes substantial but temporary eye injury. May cause an allergic skin reaction. Harmful if swallowed or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing liquid aerosols. Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse. Respiratory protection may be required.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS
COMBUSTIBLE - Keep away from heat and flame.

In case of fire, use water spray, foam, CO₂ or dry chemical.

NOTICE: Contains petroleum distillates. Observe OSHA limits on employee exposure to air contaminants.

ACTIVE INGREDIENT:
Folpet N-(trichloromethylthio) phthalimide.....44%
INERT INGREDIENTS.....50%

KEEP OUT OF REACH OF CHILDREN

WARNING!

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Immediately flush eyes with plenty of water for at least 15 minutes. Call a physician.

IF SWALLOWED: Promptly drink a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Do not drink alcohol. Do not cause vomiting.

IF INHALED: Remove victim to fresh air. Give artificial respiration or oxygen if needed.

IF ON SKIN: Wash with soap and water. Call a physician if irritation persists.

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

DIRECTIONS FOR Use For Industrial Use

It is a violation of Federal Law to use this product in a manner inconsistent with the label. For use as a fungicide on paints, coatings and caulking. See Product Data Bulletin for directions.

STORAGE AND DISPOSAL

STORAGE: Store indoors in original container. Protect from heat and flame. Do not use vapor respirator, face shield or gloves when opening container or transferring contents. Reseal container. If pesticide is spilled, extinguish fire, if ignition, ventilate area and cover spill with inert absorbent material. Sweep up and dispose of as below.

PESTICIDE DISPOSAL: Do not use for water, food, or feed by storage. Pesticide wastes are toxic. In case of excess pesticide, spray mixture cannot be disposed of by use of label instructions, contact your State or Environmental Control Agency or Hazardous Waste representative at the nearest EPA Regional Office.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling, reconditioning, or puncture and dispose in a sanitary landfill, or by other means approved by state and local authorities.

ACCEPTED
with COMMENTS
by EPA District

19 JUN 1982

EPA Reg. No. 1100-78
EPA Est. No. 1100-OH-01

NET 40 lb. 18.1 kg.

LOT No. _____

Under the Pesticide Control Act
Fungicide
As registered
Registration No. 1100-78

huls

HÜLS AMERICA INC

Turner Place, P.O. Box 365, Piscataway, NJ 08855

HÜLS AMERICA, INC. MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE. It disclaims liability for consequential or incidental damages, whether based on warranty or negligence. Buyer's sole remedy is refund or replacement.

INDUSTRIAL FUNGICIDEEPA REGISTRATION NO. 1100-78GENERAL DESCRIPTION

FUNGITROL 11-50 Dispersion is a free flowing liquid dispersion which consists of 50% FUNGITROL 11 dispersed in an inert vehicle system composed of a broad spectrum dispersant and mineral spirits. It was developed to provide a product with equivalent fungicidal activity to powdered FUNGITROL 11 (two pounds of FUNGITROL 11-50 for each pound of FUNGITROL 11) that is easier to process in paints and coatings (dusting and dispersion problems are eliminated). FUNGITROL 11-50 exhibits excellent shelf stability and is readily incorporated into paints by simple mixing procedures. Like FUNGITROL 11, FUNGITROL 11-50 Dispersion is for use as a fungicide in non-aqueous paints, coatings and caulking compounds.

TYPICAL PROPERTIES

Physical Form:	Off-white fluid dispersion
Active Ingredient:	Folpet [N-(trichloromethylthio)phthalimide] 44%
Weight/Gallon (Lbs.):	9.75
Hegman Grind	6+
Flash Point (PMCC)	104°F (Min.)

APPLICATION

FUNGITROL 11-50 should be used at twice the use level of powdered FUNGITROL 11. It is recommended for use in all non-aqueous paint systems. FUNGITROL 11-50 should be added during the dispersion phase of manufacture, however, it can be added in the letdown in some primers without adversely affecting the Hegman fineness. Dosage levels will vary depending on the nature of the product formulation and specific environments involved. Generally, levels of FUNGITROL 11-50 between 1.0 to 3.0 wt% should be considered.

For further details on efficacy or applications information see the product data bulletin on FUNGITROL 11.

®Registered U.S. Trademark of Huls America Inc.

BEST AVAILABLE COPY

545
1

STORAGE AND DISPOSAL

For storage and disposal instructions, see product label.

FIRST AID

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician. Wash skin with soap and water.

GOVERNMENT REGULATIONS

Observe OSHA limits on employee exposure to air contaminants.