### Directions for Use

It is a violation of Federal law to use this product in a manner meansistent with its labeling.

## Re-Entry Statement

Do not enter treated area without protective clothings until sprays have dried. Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. Workers not wearing the specified protective clothing must be told to vacate the area to be treated until spray has dried on plant foliage. Protective clothing includes goggles for eye protection, a hat or other suitable head covering, long sleeved shirt and long legged trousers, or a coverall type garment, all closely woven cloth. When oral warnings are given, warnings shall be given in a language customarily understood by workers. Oral warnings must be given if there is reason to believe that written warnings cannot be understood by workers. Written warnings must include the following information: Danger. Area treated with copper sulfate on (date of application). Do not enter without appropriate protective clothing until spray has dried on plant foliage. In case of accidental exposure see Statement of Practical Treatment.

### STORAGE AND DISPOSAL

STORAGE:

Store product in a secure dry place. Keep product dry as product is water soluble. When opening, closing, or handling open packages, or pouring product, wear goggles to prevent dusting into eyes. Spilled product should be swept up, used if clean, or disposed in accord with the disposal procedures below.

Store product only in original container. During storage, store pesticide separately to prevent cross-contamination of other pesticides, fertilizers, food, and feed.

DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal.

Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by inceration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

# Copper Sulfate Powdered Instant Bluestone

Active Ingredient:

Keep out of reach of children

PELIGRO

DANGER

producto hasta que le estqueta haya sido explicado amplamente.

#### PRECAUTIONARY STATEMENTS

### HAZARIX TO HUMANS AND DOMESTIC ANIMALS:

Wear goggles or face shield. May be harmful or fatal if swall and the state of the

STATEMENT OF PRACTICAL TREATMENT:

It in eyes immediately flush eyes with plenty of water for at least 15 minutes. For eyes, call a physician. If swallowed drink promptly a large quantity of milk, egg white, or gelatin solution; if these are not available, drink large quantities of water. Call a physician immediately. Avoid alcohol.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Do not apply this product in such a manner as to directly or through drill expose workers or other persons. The area being treated must be vacated by unprotected persons.

### ENVIRONMENTAL HAZARDS:

Trout and certain other fish species may be killed at application rates recommended on this label, especially in soft or acid waters. However, fish toxicity generally decreases when the hardness of the water increases. When controlling algae in impounded waters, lakes or reservoirs (not including rice fields) and the entire body of water is to be treated, treat—only 1/3 to 1/2 of the water area in a single operation and wait 10 to 14 days between treatments. Consult your State Fish and Game Agencies before applying this product, especially to public waters. Do not contaminate water by cleaning of equipment or disposal of waste.

NOTE: If treated water is to be used as potable water, the residual metallic copper content must not exceed 1 ppm (4 ppm copper sulfate pentahydrate)

EPA Ro. No. 1109.7

EPA Est. No 1109-TN-1

Lorm No. 7 (1564)