

CITCOP 4E

(continued)

EMULSIFIED LIQUID COPPER FUNGICIDE

ACTIVE INGREDIENTS

Copper salts of fatty and rosin acids

(Copper as metallic) 4

INFERT INGREDIENTS

TOTAL

...

•

100

FOR THE PACKAGE OF 100 - 1000000

For each labeled query q , we find the required points t (where $t \in \mathcal{D}$ and t is a positive example on query q). Labeling t is more efficient than labeling q if t is a positive example on query q . We find PA for a point t by labeling t and then q .

[104] A good example can be found in support of statement 1, page 10 of [105], where the test graph is considered from the example in figure 1. The test graph effect is affected by uncertainty in:

CAUTION: KEEP OUT OF REACH OF CHILDREN. Flavored & sweetened. Do not induce vomiting. In case of ingestion call a physician immediately. Do not use or store near heat or open flame. Each Point Guard Cup (Presk, Infant) - 80 FL OZ, Open Cup - 106 FL OZ.

This product is toxic to fish. Keep out of reach of children. Do not use tampons until the bleeding stops. Do not use for more than 7 days.

Department of Health and Human Services

ACCEPT

CITIES SERVICE COMPANY
COPPERHILL OPERATIONS
COPPERHILL, TENNESSEE

EPA Reg No 1109 29
EPA Reg No 1109 IN.1