


[111-129]

hockwald




 A CONSOLIDATED FOODS COMPANY RESPONSIVE TO CONSUMER NEEDS

VAPOR SPRAY is a concentrated insecticide for use in control of flying, crawling and running stages of insect life.

Especially compounded for use by food processing establishments such as canneries, wineries, bakeries, restaurants, dairies. Kills accessible stages of flies, mosquitoes, gnats, ants, roaches, silverfish, crickets, spiders, scorpions, wasps, hornets, flying moths, skippers, and the following stored grain pests, including granary weevil, rice weevil, confused flour beetle, cadelle, meal worms, Angoumois grain moths, grain mites and Mediterranean flour moths.

NET CONTENTS _____ GALLONS



VAPOR SPRAY

ACTIVE INGREDIENTS: 100%

Pyrethrins 0.30%, Technical Piperonyl butoxide* 1.50%, Petroleum hydrocarbons 98.20%

* Equivalent to 1.20% (butylcarbityl) (6-propylpiperonyl) ether and to 0.30% of related compounds.

EPA Reg. No. 1111-129-AA

CAUTION

KEEP OUT OF REACH OF CHILDREN.

HARMFUL IF SWALLOWED.

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when plant is not in operation.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

DIRECTIONS

SURFACE TREATMENT—For control of roaches, silverfish, ants, spiders, exposed stages of skippers and confused flour beetle, granary weevil, rice weevil, cadelle, meal worms, grain moths, grain mites, Mediterranean flour moths and crickets, use good machine adjusted to deliver coarse wet particles. Direct spray onto exposed surfaces of walls, floors, baseboards, cupboards, shelving. Use at rate of 1 gallon per each 1000 sq. ft. of surface area. Apply liberally, paying particular attention to cracks, crevices, inside of empty grain bins, and other hiding places. Do not fill grain bins until they are dry after spraying.

SPACE SPRAYING—For rapid control of flies, mosquitoes, gnats, wasps, hornets and flying moths, use in a machine adjusted to deliver a fine mist. Direct spray towards upper portions of the room. Fill the room with mist using 1 to 2 oz. per each 1000 cu. ft. of space. Where possible, keep room closed for 15 minutes after spraying.

Insecticide use rates vary with different types of thermal fog generators, but most units are designed to give most effective results when this material is used at the rate of 1 pint per each 12,000 to 14,000 cu. ft. of space. May be used around food and food products but should not be applied directly onto uncovered foods. Do not remain in treated areas and ventilate the area after treatment is completed.

MANUFACTURED BY

HOCKWALD CHEMICALS
 A Division of
OXFORD CHEMICALS
 P.O. Box 227, Brisbane, Calif. 94005
 7201 Paramount Blvd., Pico Rivera 90660

ESTABLISHED SINCE 1900